

# Healthcare Product Catalog





# Table of Contents

## Negative Pressure Wound Therapy (NPWT) Systems



Page 4-13

## Chest Drainage Systems



Page 14-16

## Professional Vacuum Systems



Page 17-31

## Ordering Information

**Call: 877-735-1626 Fax: 815-307-8942**

Please contact your key account manager or our customer service department for further information on pricing. Parts and prices are subject to change without notice. Terms are F.O.B. McHenry, IL. Net 30 days. Subject to credit approval. Orders are subject to acceptance by Medela, Inc. in McHenry, IL.

## Negative Pressure Wound Therapy System

## Negative Pressure Wound Therapy System

The Invia Motion – 15 Days delivers the convenience of a personal NPWT pump while offering clinical flexibility with a choice of pressure settings, therapy modes, and compatibility with both foam and gauze dressings. The Invia Motion – 15 Days is ideal for treating wounds of short duration or to jump start the healing process in the hospital.



## Invia Motion – 15 Days

- Personal and convenient, offering clinical flexibility
- Every patient obtains a new, clean pump
- Provides 15 days of NPWT
- Audible and visual notifications and troubleshooting
- Small and lightweight design
- Suction Capacity 1 liter/min
- Constant and intermittent therapy modes
- Multiple pressure settings
- Multiple drain options that can be used with either antimicrobial gauze or polyurethane foam dressings

Item #	Description	Units
0874006	<b>Invia Motion — 15 Days NPWT Kit Includes:</b> NPWT device, 1 canister/tubing set, carrying case, power supply, and clinician and patient Instructions for Use.	5

## Invia Motion – 15 Days Accessories

Item #	Description	Case Qty
0874001	<b>150ml canister/tubing Set with Solidifier</b> Not autoclavable. Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).	10
0874003	<b>Carrying Case</b>	10
0990243	<b>Power Supply</b>	1
0874004 SB	<b>Invia Motion Return Box</b>	1

## Technical Specifications

Max. Vacuum .....-175mmHg  
Min. Vacuum .....-60mmHg  
Power .....In: 100-240VAC, 0.4A, 50-60 Hz  
                                Out: 9VDC, 0.9A, 8W  
Power Supply Cable.....67.71”/5’ 6”  
Dimensions.....3.9” x 3.86” x 2.05”  
Weight .....0.88 lbs  
Battery Life .....>10 hours  
Therapy Mode .....Constant and Intermittent  
Languages.....English

# Negative Pressure Wound Therapy System

## Invia Motion – 60 Days

- | Item #  | Description   | Units |
|---------|---|-------|
| 0874006 | <b>Invia Motion – 60 Days NPWT Kit Includes:</b> NPWT device, 1 canister/tubing set, carrying case, power supply, and clinician and patient Instructions for Use. | 5     |

Item #	Description	Case Qty
0874001	<b>150ml canister/tubing Set with Solidifier</b> Not autoclavable. Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).	10
0874003	<b>Carrying Case</b>	10
0990243	<b>Power Supply</b>	1
0874004 SB	<b>Invia Motion Return Box</b>	1

Max. Vacuum .....-175mmHg  
Min. Vacuum .....-60mmHg  
Power .....In: 100-240VAC, 0.4A, 50-60 Hz  
  Out: 9VDC, 0.9A, 8W  
Power Supply Cable.....67.71”/5’ 6”  
Dimensions.....3.9” x 3.86” x 2.05”  
Weight .....0.88 lbs  
Battery Life .....>10 hours  
Therapy Mode .....Constant and Intermittent  
Languages.....English

5

# Negative Pressure Wound Therapy System

## Invia Motion – Endure

- Personal and convenient, offering clinical flexibility
- Every patient obtains a new, clean pump
- Used for entire length of NPWT therapy
- Small and lightweight design
- Audible and visual notifications and troubleshooting
- Suction Capacity 1 liter/min
- Constant and intermittent therapy modes
- Multiple pressure settings
- Multiple drain options that can be used with either antimicrobial gauze or polyurethane foam dressings

Item #	Description	Units
0874004	<b>Invia Motion — Endure NPWT Kit</b> <b>Includes:</b> NPWT device, 1 canister/tubing set, carrying case, power supply, and clinician and patient Instructions for Use.	5

## Invia Motion – Endure Accessories

Item #	Description	Case Qty
0874001	<b>150ml canister/tubing Set with Solidifier</b> Not autoclavable. Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).	10
0874003	<b>Carrying Case</b>	10
0990243	<b>Power Supply</b>	1
0874004 SB	<b>Invia Motion Return Box</b>	1

## Technical Specifications

Max. Vacuum .....-175mmHg  
Min. Vacuum .....-60mmHg  
Power .....In: 100-240VAC, 0.4A, 50-60 Hz  
Out: 9VDC, 0.9A, 8W  
Power Supply Cable.....67.71"5' 6"  
Dimensions.....3.9" x 3.86" x 2.05"  
Weight .....0.88 lbs  
Battery Life .....>10 hours  
Therapy Mode .....Constant and Intermittent  
Languages.....English

# Invia® Liberty™

## Negative Pressure Wound Therapy System

The Invia Liberty is a reusable NPWT system designed to treat a variety of wound types in all patient care settings. A proven and versatile system, Invia Liberty is available for sale or rental, offering a choice of pressure settings, therapy modes, compatibility with both foam or gauze dressings, and two canister sizes (300ml and 800ml) to manage wound exudate. Patients can enjoy activities while on therapy due to Invia Liberty's compact size, quiet operation, and portability.



*Canister & tubing sold separately.*

### Invia Liberty

- Precise electronic vacuum regulation via a digital screen
- Patient data log
- Battery and AC powered
- Suction capacity 5 liters/min
- Compact and portable
- Full package of notifications for patient safety

Item #	Description	Units
0871000	<b>Invia Liberty NPWT Device</b>	1
08700	<b>Invia Liberty System Rental includes:</b> Hard Shipping Case (8107179) Carrying Bag (3007296) Power Adapter	1

### Technical Specifications

Max. Vacuum ..... -27kPa, -200mmHg  
Min. Vacuum ..... -8kPa, -60mmHg  
Power ..... In: 100-240 VAC, 0.8-0.4A, 50-60 Hz  
Out: 12 VDC, 2.5A, 30W

Dimensions.....6.69" x 5.91" x 3.74"  
Weight .....2.2lbs, 1.0kg  
Battery Life .....≤ 10 hours  
Therapy Mode .....Constant and Intermittent  
Languages.....Multiple


Active contract required to purchase Medela Negative Pressure Wound Therapy products.  
Consult the indications, precautions and contraindications contained within the Invia Liberty Instructions for Use.




# Medela NPWT Wound Dressing Sets




Medela offers interchangeable Invia Wound Therapy Dressing Sets for use with the Invia Liberty and Invia Motion Systems. Please contact your Medela key account manager or our customer service department to learn which set and accessories are most suitable for your needs.



10mm Flat Drain



15Fr Round Channel Drain



External Suction Interface (ESI)



Antimicrobial Kerlix Roll Gauze

## Antimicrobial Gauze Wound Dressing Sets<sup>1</sup>

- Multiple internal drain sizes with Roberts clamps
- Tegaderm™ Film 6" x 8"
- Tegaderm™ Non-adherent contact layer 3" x 4"
- Antimicrobial Kerlix™ gauze 6" x 6.75"
- Cavilon™ No Sting Barrier Film Wipe
- Hy•Tape® Adhesive Tape (except 0877070)
- Sterile saline 30ml
- Coloplast® Strip Paste (except 0877070)

Items/devices are a single use item. Do not reuse the item. Item is not made with natural rubber latex.

Item #	Description	Case Qty.
0877070	<b>ESI</b> External Suction Interface Kit	15
0877061	<b>10mm Flat Drain Kit</b>	15
0877063	<b>15Fr Round Channel Drain Kit</b>	15
0780025	<b>ESI</b> External Suction Interface	20

## Antimicrobial Gauze Large Wound Dressing Sets<sup>1</sup>

- Multiple internal drain options with Roberts clamps
- Tegaderm™ Film 8" x 12"
- Tegaderm™ Non-adherent contact layer 8" x 10"
- Antimicrobial Kerlix roll gauze
- Cavilon No Sting Barrier Film Wipe
- Hy•Tape Adhesive Tape (except 0877071)
- 2 - Sterile saline 30ml
- Coloplast Strip Paste (except 0877071)

Items/devices are a single use item. Do not reuse the item. Item is not made with natural rubber latex.

Item #	Description	Case Qty.
0877071	<b>ESI</b> External Suction Interface Kit	5
0877069	<b>10mm Flat Drain Kit</b>	5
0877074	<b>15Fr Round Channel Drain Kit</b>	5
0780025	<b>ESI</b> External Suction Interface	20

<sup>1</sup>All dressing set components are sterile except Coloplast Strip Paste and Hy•Tape.



# Foam NPWT Wound Dressing Kits

For use with Invia Liberty and Invia Motion NPWT Systems.

## Small Dressing Kit


- 1 Foam (10 x 8 x 3cm)
- 1 Transparent Film (26 x 32cm)
- 1 Transfer Pad

## Medium Dressing Kit

- 1 Foam (12.5 x 19 x 3cm)
- 2 Transparent Film (26 x 32cm)
- 1 Transfer Pad

## Large Dressing Kit

- 1 Foam (15 x 25 x 3cm)
- 2 Transparent Film (26 x 32cm)
- 1 Transfer Pad



## Transfer Pad Foam Dressing Kits

Items/devices are a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).

Item #	Description	Case Qty.
0876111	Invia Foam Dressing Kit with ESI – Small	10
0876112	Invia Foam Dressing Kit with ESI – Medium	10
0876113	Invia Foam Dressing Kit with ESI – Large	10
0780025	ESI External Suction Interface	20

# Invia® Liberty - Accessories

## Disposable Canisters with Solidifier

Disposable polycarbonate canisters include solidifier, sealing cap, and overflow bacteria filter. Disposable canisters are not autoclavable.

Items/devices listed below are single use devices. Do not reuse the device. Devices listed below are not made with natural rubber latex and they are sterilized using ethylene oxide (EO).



Item #	Description	Case Qty.
0870012	<b>300ml Invia Liberty Canister</b>	10



Item #	Description	Case Qty.
0870017	<b>800ml Invia Liberty Canister</b>	6

## Double-Lumen Invia Liberty Tubing Set

Invia Liberty utilizes a special double-lumen Invia Liberty Tubing Set; the smaller tubing regulates the pressure and the larger tubing removes the fluid from the wound into the canister.

Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).



Item #	Description	Case Qty.
0870021	<b>Invia Liberty Tubing Set</b>	10

## Docking Station

Used in conjunction with the Invia Liberty device, the docking station provides a stable surface and continuous charge of the Invia device.

Item is not made with natural rubber latex.



Item #	Description	Case Qty.
0790037	<b>Docking Station - Coaxial</b>	1

## Port Cover

Port covers used for the Liberty/Thopaz are purchased in 10 packs.



Item #	Description	Case Qty.
0770124	<b>Port Cover - Liberty/Thopaz</b>	10

# Invia® Liberty - Accessories (cont'd)

## Carrying Bag



Convenient, lightweight carrying bag for easy transfer of the Invia Liberty device.

Item #	Description	Case Qty.
3007296	<b>Carrying Bag</b>	1
3007339	<b>Carrying Bag (case of 10)</b>	10

Pump & tubing not included.

## Shipping Hard Case



Hard case container for Invia Liberty protects from damage during shipping.

Item #	Description	Case Qty.
8107179	<b>Shipping Case</b>	1

## Power Adapter



AC/DC electrical plug for charging Invia Liberty device.

Item #	Description	Case Qty.
0770148	<b>Power Adapter - Coaxial</b>	1

\*Note: Please review device and/or docking station power adapter insertion site to select appropriate plug.

## USB Cable



Item #	Description	Case Qty.
9287012	<b>USB Cable - Retractable</b>	1

## Universal Rail Holder



The Universal Rail Holder can be used to affix the Invia Liberty to any weight-bearing surface. Rail is 11.5" x 1" x .375".

Item #	Description	Case Qty.
5207013	<b>Universal Rail Holder</b>	1

## Sealing Ring



Silicone Ring to ensure a proper seal between canister and device.

Device listed below are not made with natural rubber latex.

Item #	Description	Case Qty.
0990343	<b>Vacuum Port Seal Ring</b>	10

# Invia® Wound Therapy - Universal Accessories

For use with Invia Liberty and Invia Motion NPWT Systems.

## Non-Adherent Contact Kit

Non-adherent contact layer prevents dressing from adhering to the wound site helping to minimize disruption of granulation tissue during dressing change.

Items/devices listed below are single use devices. Do not reuse the device.

Devices listed below are not made with natural rubber latex.

Sterilized using ethylene oxide (EO).

Item #	Description	Case Qty.
3007321	<b>3" x 4" Non-Adherent Contact Kit</b> <b>Includes:</b> 20 Pieces of 3" x 4" Tegaderm Non-Adherent Contact Layer and 2 Rolls of 1" x 29" Adhesive Tape	1
3007334	<b>8" x 10" Non-Adherent Contact Kit</b> <b>Includes:</b> 5 Pieces of 8" x 10" Tegaderm Non-Adherent Contact Layer and 2 Rolls of 1" x 29" Adhesive Tape	1



(Adhesive tape is not sterile)

## Antimicrobial Kerlix™ Gauze

Antimicrobial properties assist in preventing infection on two levels by limiting cross-contamination and serving as a bacterial barrier. Gauze is used to cover non-adherent wound contact layer and as a wound filler.

Item/device listed below is a single use device. Do not reuse the device.

Device listed below is not made with natural rubber latex.

Sterilized using ethylene oxide (EO).

Item #	Description	Case Qty.
3007322	<b>6" x 6.75" AMD™ Gauze</b>	15



## Sealing Kit/Transparent Film

Waterproof film is designed to protect the integrity of the wound. It is easy to cut to fit each unique wound size. Transparent dressing should reach 2" beyond wound bed. White adhesive tape provides strong adhesion while gentle to the skin. Latex-free and hypoallergenic.

Item #	Description	Case Qty.
3007323	<b>6" x 8" Sealing Kit</b> <b>Includes:</b> 20 pieces of 6" x 8" Tegaderm™ Film and 2 Rolls of 1" x 29" Adhesive Tape Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex.	1
3007324	<b>8" x 12" Sealing Kit</b> <b>Includes:</b> 10 pieces of 8" x 12" Tegaderm™ Film and 2 Rolls of 1" x 29" Adhesive Tape Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex.	1



# Invia® Wound Therapy - Universal Accessories (cont'd)

## Sterile Saline

Each capsule contains 30ml of sterile saline in an easy-to-dispense tube.

Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).



Item #	Description	Case Qty.
3007329	30ml Capsule	40

## Hy•Tape® Adhesive Tape

Pink tape contains zinc oxide, is waterproof, flexible and latex-free. Can be used to adhere the tubing to the patient's body.

Items/devices listed below are single use devices. Do not reuse the device. Devices listed below are not made with natural rubber latex.



Item #	Description	Case Qty.
3007330	1" x 54" Hy•Tape Adhesive Tape	20

## Y-Connector

The Y-connector allows treatment of multiple wound sites on the same patient with only one NPWT device.

Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).



Item #	Description	Case Qty.
8127020	Y-Connectors	10




# Disposables

Items/devices are a single use item. Do not reuse the item. Items are not made with natural rubber latex and are sterilized using ethylene oxide (EO). Not autoclavable.



Item #	Description
0790011	<b>Thopaz Canister 0.3 L, without solidifier</b> Packaging unit 24 pieces
0790012	<b>Thopaz Canister 0.3 L, with solidifier</b> Packaging unit 24 pieces
0790016	<b>Thopaz Canister 0.8 L, without solidifier</b> Packaging unit 6 pieces
0790017	<b>Thopaz Canister 0.8 L, with solidifier</b> Packaging unit 6 pieces
0790018	<b>Thopaz Canister 2 L, without solidifier</b> Packaging unit 12 pieces
0790019	<b>Thopaz Canister 2 L, with solidifier</b> Packaging unit 12 pieces

The Items/devices below are a single use items. Do not reuse the item. Items are not made with natural rubber latex.



Item #	Description
0790021	<b>Thopaz tubing, single, medium connector with sample port, compatible with 20-32Fr</b> Packaging unit 10 pieces
0790022	<b>Thopaz tubing, double, medium connector with sample port, compatible with 20-32Fr</b> Packaging unit 10 pieces
0790023	<b>Thopaz tubing, single, small connector with sample port, compatible with 12-20Fr</b> Packaging unit 10 pieces
0790024	<b>Thopaz tubing, double, small connector with sample port, compatible with 12-20Fr</b> Packaging unit 10 pieces
0790025	<b>Thopaz tubing, single, large connector with sample port, compatible with 32-40Fr</b> Packaging unit 10 pieces
0790026	<b>Thopaz tubing, double, large connector with sample port, compatible with 32-40Fr</b> Packaging unit 10 pieces



Item #	Description
0790039	<b>Thopaz Sealing Cap</b> Packaging unit 20 pieces



# Accessories

Item #	Description
 0790031	<b>Carrying strap</b> Packaging per unit
 0790037	<b>Docking station</b> Packaging per unit
 0790040	<b>Quick Change Universal Rail Holder</b> Packaging per unit
 9287012	<b>USB Cable - Retractable</b> Packaging per unit
 0770148	<b>Power Adapter - Coaxial</b>
 0990343	<b>Vacuum Port Sealing Ring</b> Packaging unit 10 pieces
 0770124	<b>Port Cover - Liberty/Thopaz</b> Packaging unit 10 pieces Item is not made with natural rubber latex.
 0790038	<b>Adapter to docking station for thopaz canister 2 l</b> Packaging per unit

# Professional Vacuum Systems



Vario 18



Basic



Dominant Flex

## Airway and Surgical Suction

Medela suction units are suitable for various application areas. In addition to this product range, we also have Cardiothoracic Systems and Vacuum Pumps for Negative Pressure Wound Therapy (NPWT). Suction units, collection systems and further accessories from Medela Healthcare are available for each system.

<b>Pump Quick Facts Tool</b>  ✕ = ideal ● = possible	<b>Vario 18 AC</b> <b>Vario 18 AC/DC</b>	<b>Vario 18 AC/DC c/i</b>	<b>Basic</b>	<b>Dominant Flex</b>
Suction capacity (l/min)	18	18	30	40.50.60
Max. consumption (l/min)				
Max. vacuum (kPa) (mmHg)	-75 -563	-55 -413	-90 -675	-95 -713
<b>Medical Suction Systems</b>				
Endoscopy			✕	●
Liposuction				✕
Ear, nose and throat	✕	✕	●	
Gastric Suction		✕		
Patient's airway	●		✕	✕
Respiratory support	●		✕	✕
OPCAB/CABG			✕	✕
<b>Application Area</b>				
Patient transfer	✕			
Emergency	●		✕	✕
Intensive care unit			●	●
Operating theater/Surgery		●	✕	✕
Room/Ward	✕		●	
Practice	✕	●	✕	●
Dentist			✕	✕
Nursing home	✕	✕	●	
Hospital	●	●	✕	✕
Ambulatory surgery center	●	●	✕	✕
Clinic	●	●	✕	✕

Consult the indications, precautions and contraindications contained within the Vario 18, Basic and Dominant Flex Instructions for Use.

# Professional Vacuum Systems

## Dominant Flex Aspirator

With the Dominant Flex you can now be flexible and perform more applications with just one pump. The standard flow rate of 50 l/min is an ideal starting point for most procedures. Should you require a faster vacuum build-up, a simple touch of the 60 l/min button is sufficient to put the suction pump into a turbo mode. A touch on the 40 l/min button immediately delivers quiet operation.



*\*Accessories sold separately.*

### Typical System Setup Includes:

- Dominant Flex Rack Pump
- Trolley/Rollstand
- Plastic Clamp
- Outer Canister
- Suction Liners
- Suction Tubes

### Dominant Flex

- 120V/60Hz/US Plug
- Piston/Cylinder System – results in low working speed, quiet, low strain on movable parts, minimum maintenance
- Rapid vacuum buildup
- Quiet drive system
- Precise vacuum setting
- Five year warranty
- Protection against electric shock Class I
- Most popular format for this pump is the mobile model

Item #	Description	Items Included
0710003* and 0710034*	<b>Dominant Flex (Rack mobile)</b>  <b>Trolley</b>	<ul style="list-style-type: none"><li>• Safety device with silicone tubing 7x12 mm, 23 inches in length with 2 coupling pieces (0770711)</li><li>• Trolley included with rail 10x25mm</li><li>• Integrated foot on/off switch</li><li>• 4 locking antistatic casters</li><li>• Cable holder</li></ul>
0710003	<b>Dominant Flex (Rack mobile)</b>	<ul style="list-style-type: none"><li>• Safety device with silicone tubing 7x12 mm, 23 inches in length with 2 coupling pieces (0770711)</li></ul>
0710002	<b>Dominant Flex Portable</b>	<ul style="list-style-type: none"><li>• Without Trolley</li><li>• Integrated carrying handle</li></ul>

\*Trolley (0710034) and Dominant Flex (0710003) will be shipped in separate cartons.

### Technical Specifications

#### Dominant Flex Mobile & Portable

High Vacuum .....	-95kPa, -713mmHg
High Flow .....	40/50/60 l/min
Power .....	In: 100-120VAC, 150W, 60Hz
Weight - Pump .....	20.5 lbs (Rack version)
Weight - Trolley .....	20.7 lbs
Dimensions - Pump .....	8.2" H x 12.0" W x 14.7" D (Rack version)
Dimensions - Trolley .....	26.4" x 19.3" x 8.7" (shipping)
Protection Class I .....	With protective earth.
Potential equalization conductor .....	Maintains the difference in potential at 0, thus preventing any transfer of static electricity running through the patient
IP21 .....	Protection from dripping water
Vacuum Gauge .....	kPa & mmHg

Consult the indications, precautions contained within the Dominant Flex Instructions for Use.

# Professional Vacuum Systems

## Basic Aspirator

Medela's 50+ years of experience in medical vacuum led us to refine the drive unit in the Basic Suction Pump. The cylinders' heat-resistant high-tech material supports long-lasting, dependable operation. A flat spring with patented technology is just one of the many features integrated into this pump.



\*Accessories sold separately.

### Typical System Setup Includes:

- Basic portable
- Outer Canister
- Suction Liners
- Suction Tubes

### Basic

- 120V/60Hz/US Plug
- Piston/Cylinder System – results in low working speed, quiet, low strain on movable parts, minimum maintenance
- Rapid vacuum buildup
- Quiet drive system
- Precise vacuum setting
- Five year warranty
- Protection against electric shock Class I
- Most popular format for this pump is the portable model

Item #	Description	Items Included
0710001*	<b>Basic (Rack mobile)</b>	<ul style="list-style-type: none"><li>• Safety device with silicone tubing 7x12 mm, 23 inches in length with 2 coupling pieces (0770711)</li></ul>
and		
0710034*	<b>Trolley</b>	<ul style="list-style-type: none"><li>• Trolley included with rail 10x25mm</li><li>• Integrated foot on/off switch</li><li>• 4 locking antistatic casters</li><li>• Cable holder</li></ul>
0710000	<b>Basic Portable</b>	<ul style="list-style-type: none"><li>• Without Trolley</li><li>• Integrated carrying handle</li></ul>
0710001	<b>Basic (Rack mobile)</b>	<ul style="list-style-type: none"><li>• Safety device with silicone tubing 7x12 mm, 23 inches in length with 2 coupling pieces (0770711)</li></ul>

\* Trolley (0710000) and Basic (0710001) will be shipped in separate cartons.

### Technical Specifications

#### Basic Mobile and Portable

High Vacuum .....	-90kPa, -675mmHg
High Flow .....	30 l/min
Power .....	100-120VAC, 110W, 60Hz
Weight - Pump .....	20.5 lbs (Rack version)
Weight - Trolley .....	20.7 lbs
Dimensions - Pump .....	8.3" H x 12.0" W x 14.8" D
Dimensions - Trolley .....	26.4" x 19.3" x 8.7" (shipping)
Protection Class I .....	With protective earth.
Potential equalization conductor .....	Maintains the difference in potential at 0, thus preventing any transfer of static electricity running through the patient
IP21 .....	Protection from dripping water
Vacuum Gauge .....	kPa & mmHg

Consult the indications, precautions contained within the Basic Instructions for Use.

# Basic and Dominant Accessories

Item #	Description
0770912	<b>Silicone tubing Ø 7x12 mm, 23" in length with 1 coupling piece</b> Autoclavable, for example at 134°/10 minutes Item is not made with natural rubber latex.
0770922	<b>Silicone tubing Ø 7x12 mm, 23" in length with 2 coupling pieces</b> For use with overflow safety device (0770711, see below) for Basic 30 and Dominant 50 pumps Autoclavable, for example at 134°/10 minutes Item is not made with natural rubber latex.
6000680	<b>Trolley for Basic 30 and Dominant 50</b> <ul style="list-style-type: none"> <li>• With standard rail 10x25 mm</li> <li>• Integrated foot ON/OFF switch</li> <li>• 4 antistatic castors, 2 with locking devices</li> </ul>
0770723	<b>Foot ON/OFF Switch for Basic 30/Dominant 50/Basic/Dominant Flex</b> <ul style="list-style-type: none"> <li>• Cord length 6'.5"</li> </ul> Not Autoclavable.
0770711	<b>Safety device consisting of:</b> 0770125 Suction jar 250cc polysulfone 0770450 Lid for safety canister with overflow protection device 0770922 Silicone tubing Ø 12x7 mm, 23" with 2 coupling pieces Item is not made with natural rubber latex. Autoclavable, for example at 134°/10 minutes
0770731	<b>Foot vacuum regulator</b> With hook and clamp holder plastic (0770521)

# Professional Vacuum Systems

## Vario 18 Aspirators

The applications for this pump are for aspiration, ears, nose and throat, gastroenterology and tracheostomy. It can be used in wound drainage, in airway support, and respiratory support. The Vario 18 removes surgical fluids, bodily fluids, tissue, bone, gases and infectious materials.



\*Accessories sold separately.

### Vario 18

- Quiet operation
- Precise vacuum setting
- Fast vacuum build-up; ready when needed
- 3 Models Available: AC (plug in), AC/DC (plug in & battery operation), AC/DC C/I (plug in, battery operation, constant & intermittent)
- 2 year limited warranty, 6 months for QuatroFlex & battery
- cTUVus listed, FDA cleared
- Our most popular model is the Vario 18 AC

Item #	Description	Items Included
0262120	<b>Vario 18 AC</b>	<ul style="list-style-type: none"><li>• Tubing w/coupling pieces (0770931)</li><li>• Front &amp; side bracket to hang canisters</li><li>• Disposable Overflow Protection/Bacteria Filters (0770571)</li></ul>
0265120	<b>Vario 18 AC/DC</b>	<ul style="list-style-type: none"><li>• Tubing w/coupling pieces (0770931)</li><li>• Front &amp; side bracket to hang canisters</li><li>• Disposable Overflow Protection/Bacteria Filters (0770571)</li></ul>
0268122	<b>Vario 18 AC/DC c/i</b>	<ul style="list-style-type: none"><li>• Tubing w/coupling pieces (0770931)</li><li>• Front &amp; side bracket to hang canisters</li><li>• Disposable Overflow Protection/Bacteria Filters (0770571)</li></ul>

### Technical Specifications

#### Vario 18 AC

High Vacuum.....-75kPa, -563mmHg,  
Low Flow ..... 18 l/min  
Power .....In: 120VAC, 70W, 60Hz  
Weight .....8.6 lbs  
Dimensions.....9.5" x 14.6" x 18.5" (shipping)  
IP21 .....Protection from  
dripping water  
Vacuum Gauge.kPa & mmHg

#### Vario 18 AC/DC

High Vacuum.....-75kPa, -563mmHg  
Low Flow ..... 18 l/min  
Power .....In: 100-240VAC, 80W, 50-60Hz  
Weight .....12.1 lbs  
Dimensions.....9.5" x 14.6" x 18.5" (shipping)  
IP21 .....Protection from dripping water  
Vacuum Gauge.....kPa & mmHg  
Battery .....Charges during use  
Battery Run Time.....Fully Charged, 30 minutes  
Battery Charge Warning...Optical & Acoustic  
Operates From .....Wall, Battery or 12V car adapter

#### Vario 18 AC/DC C/I

Medium Vacuum .....-55kPa, -413mmHg  
Low Flow ..... 18 l/min  
Weight .....12.1 lbs  
Power .....In: 100-240VAC, 80W, 50-60Hz  
Dimensions.....9.5" x 14.6" x 18.5" (shipping)  
IP21 .....Protection from dripping water  
Vacuum Gauge.....kPa & mmHg  
Off/On.....4/8, 8/16, 16/32 second intervals  
Battery .....Charges during use  
Battery Run Time.....Fully Charged, 30 minutes  
Battery Charge Warning....Optical & Acoustic  
Operates From .....Wall, Battery or 12V car adapter

Consult the indications, precautions and contraindications contained within the Vario 18 Instructions for Use.

# Vario 18 Accessories



Item #	Description
0770571	<b>Disposable overflow protection/bacteria filter with Medela connections</b> 10 per case Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex.
0770912	<b>Silicone tubing Ø 7x12 mm, 23" in length with 1 coupling piece</b> Item is not made with natural rubber latex. Autoclavable, for example at 134° C/10minutes.
0770931	<b>Silicone tubing Ø 7x12 mm, 9.8" in length, with 1 coupling piece and 1 coupling piece 90°</b> Item is not made with natural rubber latex. Autoclavable, for example at 134° C/10minutes.
8107162	<b>Suction canister holder/bracket</b> Plastic Not Autoclavable
0770832	<b>Car connection cable for 12V DC</b>
0770731	<b>Foot vacuum regulator</b> With hook and clamp holder plastic (0770521)
3007209	<b>Vario universal holder</b> (Wheel chair or IV pole)
5207013	<b>Universal rail holder</b> To be used with Vario rail holders (0770821 or 0770825). Rail is 11.5" x 1" x .375"
0770825	<b>Vario rail holder 10x25 mm (.4"x1")</b>
0771700	<b>QuatroFlex™ suction aggregate</b>



# Disposable Filters

Item/device is a single use item. Do not reuse the item.  
Item is not made with natural rubber latex.



Item #	Description
0770571	<b>Disposable overflow protection/bacteria filter with Medela connections</b> 10 per case
0770572	<b>Disposable overflow protection/bacteria filter with conical connectors</b> 10 per case
0770092	<b>Disposable overflow protection/bacteria and odor filter with Medela connections</b> 10 per case

# Clario Airway Suction Pump

The Clario Suction Pump provides easy-to-use, highly mobile suction for home healthcare teams and patients in need of airway suction. The Clario's clever engineering makes it simple to handle.



Accessories Sold Only.

## Clario

### Vacuum

- min. -18 kPa -135 mmHg
- med. -36 kPa -270 mmHg
- max. -80 kPa -600 mmHg

### Low Flow

- 15 l/min

### Power

- In: 100 - 240 V, 50 - 60 Hz

### Weight

- AC 1,7 kg/3.4 lbs
- AC/DC 2,0 kg/4.4 lbs

### Dimensions

- 223 x 255 x 95 mm
- 8.7 x 10.0 x 3.7 in

## Clario Accessories



Item #	Description
0740001	<b>Canister Set</b> <b>Consisting of:</b> Collection canister, 500cc Lid with anti-spill plugs, Overflow protector Not Autoclavable. Item is not made with natural rubber latex.
0740002	<b>SafetyChamber</b> Not Autoclavable. Item is not made with natural rubber latex.
0740003	<b>Disposable Fingertip Tubing</b> Length 59 inches/4' 9" Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex.
0740005	<b>NiMH Battery</b> For Clario AC/DC, 0147120 and 0147220
0140004	<b>Clario Mains Adapter</b> Used with 0140009
0140009	<b>Clario Power Cable</b> Used with 0140004

Consult the indications, precautions and contraindications contained within the Clario Instructions for Use.

# Universal Reusable Accessories

For use with all systems.

Items on this page are Autoclavable, for example at 134° C/10minutes.  
Item is not made with natural rubber latex.

Item #	Description
0770125	<b>Suction canister, polysulfone, 250cc (critical measure)</b> (use lid 0770440 or 0770450 for overflow safety set)
0770155	<b>Suction canister, polysulfone, 500cc (critical measure)</b> (use lid 0770440)
0770110	<b>Suction canister, polysulfone, 1000cc</b> (use lid 0770420 or 0770430)
0770120	<b>Suction canister, polysulfone, 2000cc</b> (use lid 0770420 or 0770430)
0770130	<b>Suction canister, polysulfone, 3000cc</b> (use lid 0770420 or 0770430)
0770150	<b>Suction canister, polysulfone, 5000cc</b> (use lid 0770420 or 0770430)
0770440	<b>Small lid with conical patient connection Ø 6-10 mm and overflow protection device</b> <ul style="list-style-type: none"> <li>• Conical patient connection Ø 6-10 mm</li> <li>• Mechanical overflow protection</li> <li>• For use with the 0770125 or 0770155</li> <li>• For use with Vario</li> </ul>
0770450	<b>Lid for safety jar with overflow protection device</b> <ul style="list-style-type: none"> <li>• For use with 0170125</li> <li>• Not for use with 0770155</li> <li>• For use with Basic 30 and Dominant 50 pumps</li> </ul>



## Universal Reusable Accessories (cont'd)



Item #	Description
0770420	<b>Large lid with conical patient connection Ø 6-10 mm and overflow protection device</b> (use specimen cup 0770562) Autoclavable, for example at 134° C/10minutes. Item is not made with natural rubber latex.
0770430	<b>Large lid with conical patient connection Ø 10-14 mm and overflow protection device</b> (use specimen cup 0770564) Autoclavable, for example at 134° C/10minutes. Item is not made with natural rubber latex.
0771015 0771016	<b>Angle Piece - Packaging unit 10 pieces</b> 6-10 mm 10-14 mm

## Disposable Suction Liners

Items/devices listed below are single use devices. Do not reuse the device.  
 Devices listed below are not made with natural rubber latex.



Item #	Description
0770084 0770087	<b>Disposable suction liners with solidifier</b> 1500cc - Packaging unit 90 pieces 2500cc - Packaging unit 90 pieces
0770083 0770086	<b>Disposable suction liners without solidifier</b> 1500cc - Packaging unit 120 pieces 2500cc - Packaging unit 120 pieces
0770094	<b>Disposable specimen cup for liner system</b> Packaging unit 10 pieces 0.18 liters

# Hardware


For use with all systems.



Item #	Description
0770082	<b>1500cc Outer Canister</b> Packaging unit 1 each Not Autoclavable. Item is not made with natural rubber latex.
0770085	<b>2500cc Outer Canister</b> Packaging unit 1 piece Not Autoclavable. Item is not made with natural rubber latex.
0770105	<b>Vario Adapter for Outer Canister</b> Packaging unit 1 piece Autoclavable, for example at 134° C/10minutes.
0771098	<b>Basic 30 Carrying Handle</b>
0770523	<b>Wall Bracket, Single</b> Autoclavable, for example at 134° C/10minutes.
0770511	<b>Trolley Small - Metal</b> Canisters and change-over valve accessories sold separately.











# Tubing Accessories



Item #	Description
0770095	<b>Tandem tube w/ Y-connector, Vacuum Port</b> Y-connector with 9.8" in length vacuum tubing Autoclavable, for example at 134° C/10minutes.
0770154	<b>Tandem tube w/ connector, Vacuum Port</b> 9.8" in length vacuum tubing with one vacuum connector Autoclavable, for example at 134° C/10minutes.
0770160	<b>Tandem tube, patient port, 9.8 inches, 30 pcs</b>
0770158	<b>Tandem tube, patient port, 9.8 inches, 100 pcs</b> <b>23.6" in length</b> Item/device is a single use item. Do not reuse the item.
0770912	<b>Vacuum tubing Ø 7x12 mm w/ Vacuum connector 23.6" in length</b> Item is not made with natural rubber latex. Autoclavable, for example at 134° C/10minutes.

# Patient Tubing Accessories

Item #	Description
 0770970	<b>Silicone tubing Ø 5x10 mm, 82' in length</b> Autoclavable, for example at 134° C/10minutes. Item is not made with natural rubber latex.
 0770951	<b>Disposable (PVC) tubing, Ø 6x8 mm, 5' 8" in length with fingertip - Sterile</b> Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).
 0770952	<b>Disposable (PVC) tubing, Ø 6x8 mm, 5' 8" in length without fingertip</b> Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex.
 0770900	<b>Silicone tubings Ø 7x12 mm, without coupling pieces</b> 82' in length
 0770901	3' 2" in length
 0770902	6' 5" in length
 0770905	16' 4" in length Autoclavable, for example at 134° C/10minutes. Item is not made with natural rubber latex.
 0770965	<b>Suction tubing w/connectors (PVC) Ø 5.5 mm, 5' in length, sterile</b> Packing unit 1 piece Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex and is sterilized using ethylene oxide (EO).




# Miscellaneous Parts


Item #	Description
0770921	<b>Silicone tubing Ø 7x12 mm, 11.8" in length with 2 coupling pieces</b> For use with change-over valve (0770563, see below) Autoclavable, for example at 134° C/10minutes. Item is not made with natural rubber latex.
0770521	<b>Clampholder, plastic</b> Item is not made with natural rubber latex.
0770563	<b>Change-over valve with clampholder and tubing set</b> <b>Consisting of:</b> 0770561 Change-over valve 0770521 Clampholder plastic 0770921 Silicone tubings Ø 7x12 mm, 11.8" in length with 2 coupling pieces (2 pieces) (does not include canisters or liners) Must order 2 additional clamp holders - 0770521 Item is not made with natural rubber latex.
0770562	<b>Disposable specimen cup Ø 6 - 10 mm</b> For reusable system, 10 per case, 0.18 liters
0770564	<b>Disposable specimen cup Ø 10 - 14 mm</b> For reusable system, 10 per case, 0.18 liters Item/device is a single use item. Do not reuse the item. Item is not made with natural rubber latex.
0771018	<b>Coupling piece - Reusable</b> 10 per case Autoclavable, for example at 134° C/10minutes.
0771019	<b>Coupling piece 90° - Reusable</b> 10 per case Autoclavable, for example at 134° C/10minutes.
0770105	<b>Vario Adapter for Outer Canister</b> 1 piece Autoclavable, for example at 134° C/10minutes.



# Speciality Parts



Item #	Description
0770097	<b>Y-Connector, Ø 7 / Ø 5 mm</b> Packaging unit 10 pieces Autoclavable, for example at 134° C/10minutes.
0770098	<b>Y-Connector, Ø 7 mm</b> Packaging unit 10 pieces Autoclavable, for example at 134° C/10minutes.
0770100	<b>Right Angle Adapter, 1500cc (yellow)</b> Packaging unit 10 pieces Item/device is a single use item. Do not reuse the item.
0770101	<b>Right Angle Adapter, 2500cc (orange)</b> Packaging unit 10 pieces Item/device is a single use item. Do not reuse the item.
0770102	<b>Locking Clasp, Outer Canister</b> Packaging unit 10 pieces Not Autoclavable. Item is not made with natural rubber latex.





Medical Vacuum Technology  
for Healthcare Professionals

**Please contact us or your local Medela  
representative for details.**

**CAUTION: Federal U.S. law restricts this  
device to sale by or on the order of a physician.**

Medela, Invia, and Invia Motion are registered in the United States  
Patent Office. Liberty, Thopaz, Basic, Dominant, Vario and Clario  
are trademarks of Medela.

AMD and Kerlix are trademarks of Covidien. 3M,  
Cavilon No Sting, Tegaderm Film and Tegaderm  
Non-Adherent Contact Layer are trademarks of 3M Healthcare.  
Hy•Tape is a registered trademark of Hy•Tape International.  
Coloplast is a registered trademark of Coloplast A/S.  
ViraSorb is a registered trademark of Colby Manufacturing Corp.

Medela Canada, Inc.  
4090B, Sladeview Crescent  
Unit 2, Mississauga, Ontario  
Canada L5L 5Y5  
Phone 1-905-608-7272  
Fax 1-905-608-8720  
info@medela.ca



Medela AG  
Lättichstrasse 4b  
6341 Baar / Switzerland  
www.medela.com

Medela, Inc.  
1101 Corporate Drive  
McHenry, IL 60050  
USA  
Phone +1 877 735 1626  
Fax +1 815 307 8942  
suction@medela.com  
www.medelasuction.com

**Local contact:**