Material Handling Productivity Solutions

Store Organize &Transport Innovative **NEW** Products

InSight[™] **Ultra-Clear Bins** – page 11

ShelfMax[™] – page 13

Indicator[™] **Bins** – page 21

AkroDrawers[™] – pages 16-20

Wire & Steel Shelving Packages – pages 36-42





Akro-Mils® Productivity Solutions

store, organize, transport & more!









Ready, Set, Organize[™] . . . & Save!

Akro-Mils is all about storage, organization and transport solutions that increase material handling efficiency and reduce costs in virtually any industry. Our broad range of products are used to shorten assembly times, maintain accurate inventories, optimize storage space and improve parts protection - all in support of Lean practices and other initiatives to increase productivity and profitability in any setting, from industrial to commercial to retail.

Simplify Organization

Storage Bins - Replace the mess and expense of cardboard boxes with our wide selection of reusable bins. Simplify organization and maintain quality to improve efficiency in any operation.







Improve Handling Efficiency

Hand-Held Containers - Reusable containers deliver flexibility and savings. From Attached Lid to Straight Wall styles, our selection matches your needs in any industry - industrial, distribution, healthcare and more!

Custom Products

You can order a variety of custom products, **OEM solutions and unique merchandising**

Maximize Space Usage

Bin Systems - Take back valuable floor space and improve storage efficiency with bin systems, including shelving, cabinets, racks, rails, carts and louvered panels.



Move With Efficiency

Transport Systems - We offer a broad selection of work centers, carts, platform trucks and dollies to complement any warehouse or workflow system. We can customize to fit your unique needs.



Our unrivaled production resources, dependable quality and dedicated customer service support provide custom solutions to meet your exact needs. With five thermoplastic molding processes, extensive metal and

wood fabrication and quality powder-coating, Akro-Mils can match your custom project to the most effective process for optimal performance and cost-efficiency. From product concept to final product design, your project will be guided in an efficient process that incorporates quality at every stage.



Clean & Safe Work Environments

Waste Handling Systems - Durable, cost-effective carts provide years of dependable service for industrial waste collection and handling systems.





Quality You Can Trust



Manufactured under rigorous ISO 9001 standards, Akro-Mils products are quality tested to ensure they continuously meet your performance expectations. In doing so, they optimize productivity and, ultimately, customer satisfaction throughout the supply chain. Akro-Mils is proud of the quality and service awards from our customers, and we apply the recognition we receive to work toward continuous improvement.

To learn more, **call 800-253-2467** or visit www.akro-mils.com





Storage Bins, Racks & Hanging Systems

- AkroBins®
- EarthSaver AkroBins®
- ProHANGER®
- Rail Hanging Systems
- Louvered Hanging Systems
- ReadySpace™ Storage System
- InSight[™] Bins
- Shelf Bins
- ShelfMax[™] Bins
- EarthSaver[™] Shelf Bins

- Pick Rack Systems
- AkroDrawers[™]
- Indicator[™] Bins
- VantageBins™
- 1800 Series AkroBins®
- ESD Containers
- Economy Bins
- System Bins[™]
- Easy Flow Gravity Hopper

Heavy Duty Bins, Totes, Containers & Small Parts Storage

- Super-Size AkroBins®
- Stak-N-Store Bins
- Nest & Stack Totes
- Akro-Grids
- Attached Lid Containers
- Straight Wall Containers
- Cross-Stack Akro-Tubs
- Akro-Tubs
- Storage Cabinets
- Storage-Go-Round
- Storage Cases
- · Roto-Shelf
- Tote Caddy

Shelving Systems & Cabinets

- Wire Shelving Systems
- Steel Shelving Systems
- Heavy-Duty Cabinets
- Standard Cabinets

36-44

45-59

26-35

4-25

Mobile Systems & Work Centers

- $\bullet \operatorname{ProCart}^{\scriptscriptstyle{\mathsf{T}}}$
- Louvered Carts
- Multi-Shelf Carts
- Trav Service Cart
- Box Trucks
- High-End Narrow Aisle Trucks
- Dollies
- Hand Trucks

- Specialty Hand Trucks
- Drum Handling Equipment
- VERSA/Deck™
- Platform Trucks
- Skids (Semi-Live)
- Portable Tables & Carts
- Mobile Work Tables
- Heavy-Duty Work Benches

Waste Transport Systems

- Akro-Tilt Trucks
- Akro-Carts
- MegaKart®
- 60

Materials/Casters & Wheels

- Materials Definitions
 & Benefits
- Casters & Wheels
 Selection Information

61

Product Index

62-63



storage bins, racks & hanging systems







- Control inventories, shorten assembly times and minimize parts handling
- Heavy-duty bins securely stack atop each other, sit on shelving and hang from Akro-Mils racks, panels, rails and carts
- Molded of high-impact polypropylene, AkroBins are unaffected by weak acids and alkalis
- \bullet Products made of polypropylene block copolymer are autoclavable up to 250° F
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in our 1-year limited warranty
- Available in 14 sizes and 7 colors: Red, Yellow, Blue, Stone, Green, Semi-Clear and Black

accessories Ories



"See-through" Crystal Styrene Lids keep contents dust-free and protected



Lengthwise Dividers keep items separated in the bin



30320 Wide AkroBins: **Dividers** available in two sizes



33" Wide AkroBin

Great Lengths to Organize More Efficiently

- 1 to 8 compartments, depending on divider placement
- · Optional lid sold separately
- 2½" and 4" dividers available (comes with two 4" dividers)
- Fits on standard Akro-Mils rail, louvered and 36" shelf systems
- · Reinforced sides for secure stacking



30320 33" Wide AkroBin with Optional Lid

features I'es



Anti-slide stop prevents stacked bins from shifting forward



Full-width hanger lip supports bin on hanging system



Reinforced side ribs add strength and prevent spreading when stacked



Extra-wide stacking ledge saves space and prevents spills



Large front label area for easy coding and scanning




Curved-bottom hopper front makes it easy to retrieve small parts



Dividers allow you to create customizable compartment sizes







AkroBins Outside Dimensio					sions	Inches					Accessories							
		Model No.	L	w	Н	L	W	Н	Х	Bin Load Capacity On Rack	Bin Ctn. Qty.	Length Dividers**	Width Dividers	Divider Pkg. Qty.	Bin Lids***	Lid Pkg. Qty.	Labels	Card Stock
		30210*	5%	41/8	3	4¾	37/16	213/16	4	10 lbs.	24	40210 (1)	-	6	30211	24	29202	29301
	Α	30220*	7%	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	-	6	30221	24	29202	29301
		30224*	10%	41/8	4	101/4	3¾16	3¾	9	30 lbs.	12	-	-	-	-	-	29202	29301
		30230*	101/8	5½	5	101/4	43/8	43/4	9	30 lbs.	12	40230 (1)	41230 (3)	6	30231	12	29203	29302
	В	30234*	14¾	5½	5	141/16	43/8	4¾	1213/16	50 lbs.	12	-	-	-	-	-	29203	29302
		30239*	10¾	81/4	7	10	6%6	6¾	8	50 lbs.	6	40239 (1)	-	6	-	_	29203	29302
	C	30240*	14¾	81⁄4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	-	6	-	-	29203	29302
		30265	18	81/4	9	171/8	6¾	81/4	141/2	60 lbs.	6	40265 (1)	-	6	-	-	29203	29303
	D	30235*	10%	11	5	101/4	10	4¾	9	50 lbs.	6	40230 (3)	-	6	30236	6	29203	29302
	ע	30260	18	11	10	17	9½	9¾	143/16	60 lbs.	6	40260 (3)	-	6	-	-	29203	29303
		30255	10%	16½	5	9¾	15	43/4	9	60 lbs.	6	40230 (3)	-	6	-	_	29203	29302
	E	30250*	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	-	6	-	-	29203	29302
		30270	18	16½	11	171/8	14¾	101/4	14	100 lbs.*	3	40270 (3)	-	6	-	-	29203	29303
	F	30320	85/8	33	5	7	31½	43/16	6	80 lbs.	4	40321 & 40220 (7)	-	7	30321	4	-	-

One color per carton: Specify Red, Blue, Yellow, Stone, Semi-Clear, Green or Black. Order in carton quantities. Note 30265 & 30270 are not designed for use with hanging systems. CAUTION: When using bins with hanging systems, do not exceed the weight capacity for the rack, which may be less than the total sum of bin capacities.

*Available in Healthcare Colors: Berry, Purple, Teal and Light Blue. **() = Max. # of dividers per bin. ***Assembly required - hinge pins included.



related products

Create the perfect storage system - mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems pg. 9
- ReadySpace Storage Systems pg. 10
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinets pgs. 43-44
- ProCart......pg. 45





storage bins, racks & hanging systems 5

<u> EarthSaver™ Series: AkroBins</u>®

storage bins, racks & hanging systems



Go Green

the environment!





With 100% Recycled Bins -

Boost Productivity, Reduce Waste!

Feeling the need to "Go Green"? Akro-Mils

introduces the **EarthSaver Series** – AkroBins



- AkroBins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- Optional dividers keep items neatly separated
- An eco-friendly choice in storage and organization products



related products

Create the perfect storage system – mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems pg. 9
- ReadySpace Storage Systems pg. 10
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinets......pgs. 43-44
- ProCart.....pg. 45

accessories Ories



"See-through" **Crystal Styrene Lids** keep contents dust-free and protected




Lengthwise Dividers keep items separated in the bin

AkroBins		Outsid	de Dime Inches		I		mension hes	S				Acce	ssories	
	Model No.	L	w	Н	L	w	Н	Х	Bin Load Capacity On Rack	Bin Ctn. Qty.	Dividers**	Divider Pkg. Qty.	Bin Lids***	Lid Pkg. Qty.
-25th	30210RECYSS	5%	41/8	3	4¾	37/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
	30210RECYTC	5%	41/8	3	4¾	37/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
	30210RECYHG	5%	41/8	3	4¾	37/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
	30220RECYSS	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
	30220RECYTC	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
	30220RECYHG	7%	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
	30230RECYSS	10%	5½	5	101/4	43/8	43/4	9	30 lbs.	12	40230 (1)	6	30231	12
	30230RECYTC	10%	5½	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
	30230RECYHG	107/8	5½	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
2	30240RECYSS	14¾	81/4	7	14	6%16	6¾	12	60 lbs.	12	40245 (1)	6	-	-
	30240RECYTC	14¾	81/4	7	14	6%	6¾	12	60 lbs.	12	40245 (1)	6	-	-
	30240RECYHG	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	-
1200	30250RECYSS	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	_	-
	30250RECYTC	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	_
	30250RECYHG	14¾	161/2	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-

One color per carton: SS = Sandstone, TC = Terra Cotta and HG = Hunter Green. Order in carton quantities. CAUTION: When using bins with hanging systems, do not exceed the weight capacity for the rack, which may be less than the total sum of bin capacities.

() = Max. # of dividers per bin. *Assembly required – hinge pins included



ProHANGER°

storage bins, racks & hanging systems

- ProHANGERs can be placed side-by-side on walls, rail rack or panel systems to support extra-long parts, supplies or materials
- Unique "J-hook design" cradles various shapes and sizes of contents
- · Available End Cap inserts keep items from sliding out
- One-piece construction; molded of high-impact plastic for durability
- Each ProHANGER is capable of supporting up to 75 lbs.

Easy Long Parts Storage Wherever You Need It!

- ProHANGER can be used alone or with a variety of Akro-Mils products, including a wide range of AkroBins®
- ProHANGER can even be mounted (using Louvered Hanging System) in service trucks for maintenance workers, plumbers, electricians, carpenters or other tradespeople















ProHANGER®			Inches							
	Model No.	Description	Ctn. Qty.	L			Capacity (lbs.)			
	30330RED	ProHANGER	6	81/4	7¾	5	75			
	40330	End Cap	6	63/16	1/4	41/4	-			

related products

Use your ProHANGER with:

- AkroBins.....pgs. 4-6
- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems pg. 9





items contained and fit easily into molded-in slots

403302PK



End Cap

Full-width hanger lip supports ProHANGER on hanging systems



63/16

Notches provided in hanger lip for mounting to wall surface with screws



Substantial ribbing in base gives added strength to support heavier items

^{*} US patent pending.

Rail Hanging Systems

storage bins, racks & hanging systems







- Rail Hanging Systems allow for fast, easy organization and parts retrieval
- Single-sided rail units are ideal for placement against a wall to save space
- Double-sided rail units can "float" in any room environment and be picked from both sides
- Mobile Kit available to mobilize two-sided racks
- Steel rail is ideal for workstations
- AkroBins sold separately





features 1125



Rails securely support AkroBins



Heavy-duty steel for strength and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



- 1-Sided, can be assembled as
 12 or 16 Rail
- 250 lb. capacity



- 2-Sided, can be assembled as 12 or 16 Rail
- 500 lb. capacity



- 14-gauge steel worktop
- 250 lb. capacity



30148 Steel Rail

Wall-mountable unit accepts 7 sizes of AkroBins. 110 lb. capacity

Rail Hanging Systems			Dimensions Inches						AkroBins Model No. (Bin Weight Capacity)							
	Model No.	Description	Ctn. Qty.	L	w	Н	30210 (10 lbs.)	30220 (10 lbs.)	30224 (30 lbs.)	30230 (30 lbs.)	30234 (50 lbs.)	30235 (60 lbs.)	30239 (50 lbs.)	30240 (60 lbs.)	30250 (75 lbs.)	30255 (60 lbs.)
	30008*	Rack, 1-Sided	1	36	141/8	53	96	96	48	48	48	24	24	24	12	16
	30016*	Rack, 2-Sided	1	36	20	53	192	192	96	96	96	48	48	48	24	32
	30148	Steel Rail	1	4713/16	5/8	3	11	11	11	8	6	3	-	-	-	3
	30812	Bin Cart	1	38½	24	36½	96	96	64	48	48	24	24	24	12	16

*Can be assembled as a 12 or 16 rail rack.

Mobile Kit

Model No.	Description	Ctn. Qty.	Fits Hanging System No.	Casters
30424	Mobile Kit - Casters & Handle	1	30016	4″ Polyolefin



Two-Sided Racks can be mobilized with the **Mobile Kit**

Louvered Hanging Systems

storage bins, racks & hanging systems

- Louvered Hanging Systems allow for easy placement and configuration of AkroBins*
- Wall-mounted units keep items out of the way, off the floor and off the work table
- Floor standing racks can be placed near work areas to improve productivity
- Single-sided floor racks can be placed against wall to save floor space
- · Double-sided units allow for picking from both sides
- Bench racks are used on work tables to keep parts within easy reach
- 11 different models available accommodates up to 288 AkroBins

• Easy, one-person assembly

related products

Use the following products with Louvered Hanging Systems:

- AkroBins.....pgs. 4-6
- 33" Wide AkroBins......pgs. 4-5
- ProHANGER Pg. 7

30636 **Louvered Panel**

Shown with 33" Wide AkroBins (see pg. 4 for details)











S brings



*AkroBins sold separately, see pg. 4-6

30618* Louvered Panel 4 18 56 19 160 16 16 12 9 9 3 4 4 2 3	Louvered Hanging	g Systems		Dimensions (Inches)						AkroBins Model No. (Bin Weight Capacity)									
30636* Louvered Panel		Model No.	Description		L														30320 (80 lbs.)
2 Panels 35¾ 5½ 37 72 72 36 36 36 18 16 16 8 12 3 Panels 35¾ 5½ 55 104 104 54 54 54 27 28 28 14 18 4 Panels 35¾ 5½ 73 144 144 72 72 72 72 36 36 36 36 18 24 98600* Bench Rack 1 275½ 8½ 19½ 120 30 30 18 12 12 6 6 6 6 98636 Bench Rack 1 36 8 20 120 40 40 24 18 18 9 8 8 4 6 30161* Louvered Panel 1 36 5½ 61 120 96 96 72 60 60 28 24 24 12 18 30118 Louvered Panel 1 18 5½ 61 160 48 48 36 30 30 14 12 12 6 9 30653 Louvered Floor Rack 1 35¾ 32 75½ 2000 288 288 192 144 144 72 72 72 72 36 48		30618*	Louvered Panel	4	18	5/16	19	160	16	16	12	9	9	3	4	4	2	3	-
2 Panels 35% 1/6 37 72 72 36 36 36 18 16 16 8 12 3 Panels 35% 1/6 55 104 104 54 54 54 54 27 28 28 14 18 4 Panels 35% 1/6 73 144 144 72 72 72 36 36 36 36 18 24 98600* Bench Rack 1 271 88 19 120 30 30 18 12 12 6 6 6 6 — — 98636 Bench Rack 1 36 8 20 120 40 40 24 18 18 9 8 8 4 6 30161* Louvered Panel 1 36 1/6 61 120 96 96 72 60 60 28 24 24 12 18 30118 Louvered Panel 1 18 18 16 16 8 12 30633 Louvered Floor Rack 1 35% 32 75% 2000 288 288 192 144 144 72 72 72 72 36 48	22222222222	30636*	Louvered Panel	4	35¾	5/16	19	160	32	32	24	18	18	9	8	8	4	6	3
3 Panels 35% 166 55 104 104 54 54 54 27 28 28 14 18 4 Panels 35% 166 73 144 144 72 72 72 72 36 36 36 36 18 24 98600* Bench Rack 1 2715% 8% 19% 120 30 30 18 12 12 6 6 6 6 98636 Bench Rack 1 36 8 20 120 40 40 24 18 18 9 8 8 4 6 30161* Louvered Panel 1 36 5% 61 120 96 96 72 60 60 28 24 24 12 18 30118 Louvered Panel 1 18 5% 61 160 48 48 36 30 30 14 12 12 6 9 9 30653 Louvered Floor Rack 1 35% 32 75% 2000 288 288 192 144 144 72 72 72 72 36 48	00000000000		2 Panels		35¾	5/16	37		72	72	36	36	36	18	16	16	8	12	5
98600* Bench Rack 1 2715% 8% 19% 120 30 30 18 12 12 6 6 6 6 98636 Bench Rack 1 36 8 20 120 40 40 24 18 18 9 8 8 4 6 30161* Louvered Panel 1 36 % 61 120 96 96 72 60 60 28 24 24 12 18 30118 Louvered Panel 1 18 % 61 160 48 48 36 30 30 14 12 12 6 9 30653 Louvered Floor Rack 1 35% 32 75% 2000 288 288 192 144 144 72 72 72 72 36 48	000000000000000000000000000000000000000		3 Panels		35¾	5/16	55		104	104	54	54	54	27	28	28	14	18	8
98600° Bench Rack 1 271% 8% 19% 120 30 30 18 12 12 6 6 6 6 98636 Bench Rack 1 36 8 20 120 40 40 24 18 18 9 8 8 4 6 30161* Louvered Panel 1 36 120 96 96 72 60 60 28 24 24 12 18 30118 Louvered Panel 1 18 18 6 61 160 48 48 36 30 30 14 12 12 6 9 30653 Louvered Floor Rack 1 353 32 75% 2000 288 288 192 144 144 72 72 72 72 36 48			4 Panels		35¾	5/16	73		144	144	72	72	72	36	36	36	18	24	11
30161* Louvered Panel 1 36	200000000000000000000000000000000000000	98600*	Bench Rack	1	2715/16	8%	19%	120	30	30	18	12	12	6	6	6	-	-	0
30118 Louvered Panel 1 18 5/6 61 160 48 48 36 30 30 14 12 12 6 9 30653 Louvered Floor Rack 1 35¾ 32 75½ 2000 288 288 192 144 144 72 72 72 72 36 48	100000000000000000000000000000000000000	98636	Bench Rack	1	36	8	20	120	40	40	24	18	18	9	8	8	4	6	3
30653 Louvered Floor Rack 1 35¾ 32 75½ 2000 288 288 192 144 144 72 72 72 36 48		30161*	Louvered Panel	1	36	5/16	61	120	96	96	72	60	60	28	24	24	12	18	10
		30118	Louvered Panel	1	18	5/16	61	160	48	48	36	30	30	14	12	12	6	9	-
000000		30653	Louvered Floor Rack	1	35¾	32	75%	2000	288	288	192	144	144	72	72	72	36	48	0
	000000	30661*	Louvered Rack Single-Sided	1	36¾6	13½	66%	500	96	96	72	54	54	28	24	24	12	18	10
30638 Louvered Rack Single-Sided 1 18 13½ 66% 250 48 48 36 30 30 14 12 12 6 9	0000000	30638	Louvered Rack Single-Sided	1	18	13½	66%	250	48	48	36	30	30	14	12	12	6	9	_
30661* Louvered Rack Single-Sided 1 36% 13½ 66% 500 96 96 72 54 54 28 24 24 12 18 30638 Louvered Rack Single-Sided 1 18 13½ 66% 250 48 48 36 30 30 14 12 12 6 9 30676* Louvered Rack Double-Sided 1 36% 25 66% 1000 192 192 144 108 108 56 48 48 24 36 2 3651 Heavy Duty Louvered Rack 1 35% 17 75% 1000 144 144 98 72 72 36 36 36 36 18 24	0000000	30676*	Louvered Rack Double-Sided	1	36¾6	25	66%	1000	192	192	144	108	108	56	48	48	24	36	20
30651 Heavy Duty Louvered Rack 1 35¾ 17 75% 1000 144 144 98 72 72 36 36 36 18 24 1	100000000000000000000000000000000000000	30651	Heavy Duty Louvered Rack Single-Sided	1	35¾	17	75%	1000	144	144	98	72	72	36	36	36	18	24	11

*Also available in Beige



16-gauge cold-rolled steel for strength and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



Horizontal ribs provide added strength



support AkroBińs

Bin Retainer Clip

Hold bins safely on louvered panels

- Made of durable engineering grade plastic
- Easy to use
- Will work with any size AkroBin or ProHANGER
- Perfect for service vans; maintenance workers, plumbers, electricians or other tradesmen who store and transport supplies and materials



■ ReadySpace™ Storage System

storage bins, racks & hanging systems

- Wall, Bench or Mobile Floor Units can be purchased alone or with AkroBins
- Create a neat, attractive storage space in any environment customer-friendly appearance
- Frees up valuable workspace
- Pre-configured packages with Stone color AkroBins are available or create your own custom system - see pg. 4-6 for more AkroBins!

Ideal For the Industry!

Healthcare

Ready, Set, Organize!™

- Quickly create organized storage space virtually anywhere!
- Steel louvered storage system for hospitals, laboratories and medical offices
- Designed for use with a wide variety of Akro-Mils AkroBins®
- Clean, sleek look with a durable white, powder-coated finish
- Set up and installation are quick and easy
- ReadySpace Bench or Mobile Floor Units can double as a privacy wall!



98536 **Bench Unit**

 Can be assembled single- or double-sided







standard with the Mobile Floor Unit



Wall Unit is shipped complete with its own mounting bracket for easy installation



Bench Unit has a twopiece base for placement against or away from wall for assembly as single- or double-sided



Durable white. powder-coated finish



Accommodates multiple sizes of AkroBins

Mobile Floor Unit

Quickly transports supplies

ReadySpace™ Wall Unit

	Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	30536	37½" x 1¾" x 25%", Panel	1	35	N/A
	305362105	Unit with 30210STONE Bins	3	45	48
	305362205	Unit with 30220STONE Bins	3	51	48
	305362305	Unit with 30230STONE Bins	3	55	24
Пессопольный	305362355	Unit with 30235STONE Bins	3	55	12
	305363205	Unit with 30320STONE Bins	2	47	4

ReadySpace™ Mobile Floor Unit

	Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
000000	30553	24%" x 23" x 52"	1	82	N/A
0000000	305532105	Unit with 30210STONE Bins	6	117	120
0000000	305532205	Unit with 30220STONE Bins	6	122	120
	305532305	Unit with 30230STONE Bins	6	142	60
000000000000000000000000000000000000000	305532355	Unit with 30235STONE Bins	6	127	30
	30553LF	Leveling Feet for Floor Unit	-	1	-

ReadySpace™ Bench Unit (Assemble as Single or Double-Sided)

	Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
22222222222222222222222222222222222222	98536	37¾" x 12" x 26¾" (Single)	1	51	N/A
		37¾" x 22½" x 26¾" (Double)	1	51	N/A

ReadySpace™ Single-Sided Bench Unit Kits

Model No.	Description	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
98536210SS	Unit with 30210STONE Bins	3	61	48
98536220SS	Unit with 30220STONE Bins	3	67	48
98536230SS	Unit with 30230STONE Bins	3	71	24
98536235SS	Unit with 30235STONE Bins	3	71	12
98536320SS	Unit with 30320STONE Bins	2	63	4

	Model No.	Description	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	98536210SD	Unit with 30210STONE Bins	5	71	96
0000000000	98536220SD	Unit with 30220STONE Bins	5	83	96
	98536230SD	Unit with 30230STONE Bins	5	91	48
	98536235SD	Unit with 30235STONE Bins	5	91	24
	98536320SD	Unit with 30320STONE Bins	3	75	8



storage bins, racks & hanging systems









Wall Unit (30536A3 shown)

- Frees up valuable workspace
- Clean, sleek look with a white powder-coated finish
- Four bin size packages available



Mobile Floor Unit (30553B1 shown)

- Organizes, shares and transports supplies and products
- Perfect for "high-demand" items
- Panel easily locks into posts on base without tools
- Four bin size packages available



Louvered Panel Unit (30636BEIGE Louvered Panel shown with 305A3 bins)

- Louvers securely support $\mathsf{InSight}^{\scriptscriptstyle{\mathsf{T}}}$ bins
- Use alone or side-by-side with additional louvered panels
- Easy one-person assembly

- Provide easy and maximum visibility to users in a sleek, modern design
- Can be stacked, sit on shelving or hang on Akro-Mils rails and louvered panels or ReadySpace™ Storage System
- Optional lids protect contents from dust will stack with lids in place
- Patent Pending: No tip feature when bins are stacked

• Large label area for part identification and bar code scanning

Clear length and width dividers available

- Autoclavable
- Available in 4 sizes





A Visible Difference in Storage & Organization!

- Bins made of durable polycarbonate material



Bins stack with lids in place



Rear lip supports bin on hanging systems



Lids protect bin contents from dust




Dividers allow you to create customizable compartment sizes

Outside Dimensions Inside Dimensions

Model No.				L			Capacity (lbs.)	Width Divider	Length Divider	Lid
305A1	5%	41/8	31/4	41/4	31/8	25/8	10	415A1 (1)	405A1 (1)	305A2
305A3	73/8	41/8	31/4	61/4	31/8	25/8	10	415A1 (2)	405A3 (1)	305A4
305A5	10%	41/8	31/4	91/4	31/8	2%	15	415A1 (3)	405A5 (1)	305A6
305B1	10%	51/2	51/4	97/16	41/8	47/16	25	415B1 (3)	405B1 (1)	305B2

in () represents divider slots per bin



Louvered Panel and Bin Combinations

Model No.	305A1	305A3	305A5	305B1
30618BEIGE	16	16	16	9
30636BEIGE	32	32	32	18
98600BEIGE	30	30	30	12

Bins sold separately

ReadySpace™ Packages

Model No.	Description
30536A1	ReadySpace Wall Unit with 48ea. 305A1
30536A3	ReadySpace Wall Unit with 48ea. 305A3
30536A5	ReadySpace Wall Unit with 48ea. 305A5
30536B1	ReadySpace Wall Unit with 24ea. 305B1
30553A1	ReadySpace Mobile Floor Unit with 120ea. 305A1
30553A3	ReadySpace Mobile Floor Unit with 120ea. 305A3
30553A5	ReadySpace Mobile Floor Unit with 120ea. 305A5
30553B1	ReadySpace Mobile Floor Unit with 64ea. 305B1

Shelf Bins

storage bins, racks & hanging systems



features I'es







Built-in rear hanglock allows bin to tilt out for complete access



Molded-in label area identifies contents

2520 - Y201





accessories OPICS



Dividers create additional storage compartments. Each Bin accepts up to 7 dividers (except 30110)



Extended Label Holder is designed for larger bar code scanning



Bin Cups lift out easily for parts retrieval (see chart)

- Shelf Bins outlast corrugated bins paying for themselves in reduced replacement costs
- Superior construction allows Shelf Bins to be fully loaded without spreading or cracking
- Durable polypropylene bins provide an attractive, neat appearance
- Works with 12", 18" and 24" deep shelving or vertical storage and retrieval units
- One-piece construction is waterproof and unaffected by grease or oil
- Available in 13 sizes and 5 colors: Red, Yellow, Blue, Green and White






related products

Expand your sorting options with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systems......pgs. 36-39
- Steel Shelving Systemspgs. 40-42





storage bins, racks & hanging systems

- Go deep! Expand your storage capacity up to 85% over traditional 4" bins
- Holding capacity is up to 25% more than comparable 6" bins
- Front opening is .75" higher than comparable products
- Superior, durable construction compared to corrugated bins
- Seven sizes and five color options: Red, Blue, Yellow, Green and White
- Optional width dividers keep items neatly separated
- Rolled ridge for added strength when filled to maximum capacity





ShelfMax can be used with steel shelving, wire shelving, bench

racks or pick racks



Maximize Your **Storage Capacity!**

you the versatility you need to make the most of your storage space

• Easy to label for quick inventory identification







with 30040 ShelfMax Bins See pg. 15

ShelfMax™		Outside Dimensions Inches			Bottom Dimensions Inches		Storage Capacity		Accessories		s	
	Model No.	L	W	Н	L	w	Н	Cubic Inches	Ctn. Qty.	Optional Dividers	Divider Pkg. Qty.	Card Stock
	30040	11%	41/8	6	9¾	21/2	5 ¹⁵ / ₁₆	175	16	40020	12	29301
	30048	17%	41/8	6	16	2½	515/16	280	8	40020	12	29301
	30080	11%	83//8	6	9¾	6%	5 ¹⁵ / ₁₆	398	8	40040	12	29301
	30088	17%	83/8	6	16	65/8	5 ¹⁵ / ₁₆	648	8	40040	12	29301
The same of the sa	30090	11%	6%	6	93/4	5	515/16	310	10	40030	12	29301
	30094	23%	65/8	6	21¾	5	5 ¹⁵ / ₁₆	686	10	40030	12	29301
	30098	17%	65/8	6	16	5	5 ¹⁵ / ₁₆	505	10	40030	12	29301



related products

Use your ShelfMax bins with:

- Bench Pick Rack Systems pg. 15
- Pick Rack Systems.....pg. 15
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42

EarthSaver™ Series: Shelf Bins

storage bins, racks & hanging systems



Go Green With 100% Recycled Bins — **Boost Productivity, Reduce Waste!**

Feeling the need to "Go Green"? Akro-Mils introduces the EarthSaver Series – Shelf Bins and AkroBins (see pg. 6) made from 100% recycled plastic. Make a positive impact on the environment!

Outside Dimensions Inside Dimensions

Gearthsaver

- Shelf Bins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- Optional dividers keep items neatly separated
- An eco-friendly choice in storage and organization products


related products

Create the perfect storage system – mix and match your selection of bins with compatible products including:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinetspgs. 43-44

V- ₁	
1	

Shelf Bins & Acces		Inches			Inches					ories		
	Model No.	L		Н				Ctn. Qty.	Small 30101	Large 30102	Optional Dividers*	Divider Pkg. Qty.
	30110RECYSS	11%	2¾	4	101/4	15/8	4	24	3	-	-	ı
	30110RECYTC	11%	2¾	4	101/4	15/8	4	24	3	-	-	ı
	30110RECYHG	115⁄8	2¾	4	101/4	15⁄8	4	24	3	-	-	-
	30120RECYSS	115⁄8	41/8	4	101/4	3	4	24	5	2	40120	24
	30120RECYTC	115⁄8	41/8	4	101/4	3	4	24	5	2	40120	24
	30120RECYHG	11%	41/8	4	101/4	3	4	24	5	2	40120	24
*	30130RECYSS	115⁄8	65/8	4	101/4	5½	4	12	9	4	40130	24
	30130RECYTC	115/8	65/8	4	101/4	5½	4	12	9	4	40130	24
	30130RECYHG	115⁄8	65/8	4	101/4	5½	4	12	9	4	40130	24
	30150RECYSS	11%	8¾	4	101/4	71/8	4	12	11	4	40150	24
12″ Shelf	30150RECYTC	115/8	8%	4	101/4	71/8	4	12	11	4	40150	24
Bins	30150RECYHG	11%	8%	4	101/4	71/8	4	12	11	4	40150	24
	30128RECYSS	17%	41/8	4	16½	3	4	12	8	3	40120	24
	30128RECYTC	17%	41/8	4	16½	3	4	12	8	3	40120	24
	30128RECYHG	17%	41/8	4	16½	3	4	12	8	3	40120	24
	30138RECYSS	17%	65/8	4	16½	5½	4	12	15	6	40130	24
18″ Shelf	30138RECYTC	17%	6%	4	16½	5½	4	12	15	6	40130	24
Bins	30138RECYHG	17%	6%	4	16½	51/2	4	12	15	6	40130	24
	30124RECYSS	23%	41/8	4	221/8	3	4	12	11	4	40120	24
	30124RECYTC	23%	41/8	4	221/8	3	4	12	11	4	40120	24
	30124RECYHG	23%	41/8	4	221/8	3	4	12	11	4	40120	24
	30164RECYSS	23%	6%	4	221/8	5½	4	6	21	8	40130	24
24" 51-16	30164RECYTC	23%	6%	4	221/8	5½	4	6	21	8	40130	24
24″ Shelf Bins	30164RECYHG	23%	65%	4	221/8	5½	4	6	21	8	40130	24



	Extended Label Holder		Н	Ctn. Qty.		
10°	40410	4	21/4	24		






storage bins, racks & hanging systems

- Improve workspace organization and efficiency with rack and bin systems
- Angled shelves keep parts at the front of bins for easy access
- Convenient, high-density storage with up to 192 bins
- Easy to assemble
- Choose from 3 styles available separately or with bin packages
- 16-gauge steel construction
- Compatible with:







ShelfMax[™], pg. 13 Indicator[™] Bins, pg. 21



Angled shelves keep parts at front of bin

Single-Sided 12" D x 36¾" W x 60¼" H







Single-Sided Pick Rack

- Model No. APRS36442BLU
- Holds up to 64 Indicator Bins on 8 shelves
- Holds up to 64 ShelfMax Bins
- Maximum 400 lb. weight capacity



Double-Sided Pick Rack & Mobile Kit

- Model No. APRD120Y
- Creates a mobile, double-sided pick rack with APRDMOBILE
- Holds up to 192 Shelf Bins
- Holds up to 128 ShelfMax Bins
- Maximum 800 lb. weight capacity for Double-Sided Pick Rack, 500 lb. weight capacity when used with Mobile Kit



Bench Pick Rack

- Model No. APRBENCH040
- 12" D x 36¾" W x 25" H
- Holds up to 24 Shelf Bins or ShelfMax Bins
- Holds up to (3) 30312 System Bins



Jiligle-Jided 12 D	X 30 /4 W X 00	/4 11	Dili Dililelisions (filches)							
	Model No.	Description	Bin Model No.	L	W	Н	Bin Qty.	Bonus Bins*		
	APRS	Single-Sided Pick Rack (no bins)	-	-	-	-	-	-		
	APRS110Y	Rack with Shelf Bins	30110YELLO	11%	2¾	4	96	-		
	APRS120Y	Rack with Shelf Bins	30120YELLO	11%	41/8	4	64	8		
	APRS130Y	Rack with Shelf Bins	30130YELLO	11%	6%	4	40	8		
	APRS150Y	Rack with Shelf Bins	30150YELLO	115/8	8%	4	32	4		
	APRS170Y	Rack with Shelf Bins	30170YELLO	115/8	111/8	4	24	-		
	APRS040**	Rack with ShelfMax	30040	11%	41/8	6	64	-		
	APRS080**	Rack with ShelfMax	30080	11%	83/8	6	32	-		
	APRS090**	Rack with ShelfMax	30090	11%	6%	6	40	-		
	APRSAST00**	Rack with ShelfMax	30040 / 30090		See abov	е	32 / 20	_		
	APRS36442B	Rack with Indicator Bins	36442BLUE	11%	41/4	4	64	8		
<u> </u>	APRS36462B	Rack with Indicator Bins	36462BLUE	11%	6¾	4	40	8		

*Due to case pack, Bonus Bins are included at no extra charge. **Specify color of bins when ordering: Red, Blue, Yellow, Green or White.

		Model No.	Description	Bin Model No.	L			Bin Qty.	Bonus Bins*
		APRD	Double-Sided Pick Rack (no bins)	-	-	-	-	-	-
		APRD110Y	Rack with Shelf Bins	30110YELLO	11%	23/4	4	192	-
		APRD120Y	Rack with Shelf Bins	30120YELLO	11%	41/8	4	128	16
		APRD130Y	Rack with Shelf Bins	30130YELLO	11%	65%	4	80	4
		APRD150Y	Rack with Shelf Bins	30150YELLO	11%	83%	4	64	8
		APRD170Y	Rack with Shelf Bins	30170YELLO	11%	111/8	4	48	-
		APRD040**	Rack with ShelfMax	30040	11%	41/8	6	128	-
	Marie Control	APRD080**	Rack with ShelfMax	30080	11%	83%	6	64	-
		APRD090**	Rack with ShelfMax	30090	11%	65%	6	80	-
		APRDAST00**	Rack with ShelfMax	30040 / 30090	9	ee abov	e	64 / 40	-
,		APRD36442B	Rack with Indicator Bins	36442BLUE	11%	41/4	4	128	16
		APRD36462B	Rack with Indicator Bins	36462BLUE	11%	6¾	4	80	4
		APRDMOBILE	Mobil	le Kit (Handle & D	olly) for	Double-	Sided Pi	ck Rack	

*Due to case pack, Bonus Bins are included at no extra charge. **Specify color of bins when ordering: Red, Blue, Yellow, Green or White. When using the mobile kit weight capacity is 500 lbs.



APRDMOBILE Mobile Kit For double-sided Pick Rack 4" x 2" Phenolic Casters

Bench Rack 12" D x 36¾" W x 25" H Bin Dimensions (Inches)								
		Bin Qty.						
-	-	-						
41/8	4	24						
83/8	4	12						
41/8	6	24						
65%	6	15						
	W - 41/8 83/8 41/8	W H 4½ 4 8¾ 4 4½ 6						

*Specify color of bins when ordering: Red, Blue, Yellow, Green or White.

AkroDrawers

storage bins, racks & hanging systems

- Available in five convenient sizes and five colors including Crystal Clear - which keeps AkroDrawer contents highly visible!
- Colors made of high-impact polystyrene
- Crystal Clear made of durable acrylic blend
- Offered in 12" or 18" depths to work with compatible shelving
- · Easy to label and color code inventory for quick identification of parts and supplies
- Drawers can be stacked to optimize space
- Wide front handle for easy gripping when AkroDrawers are loaded or contain heavy contents
- Dividers available to keep contents neatly separated in drawers
- Colors: Crystal Clear, Red, Blue, Yellow and Gray











AkroDrawers

Cover, Store, Protect & More!

- applications, AkroDrawers will help keep supplies, parts, tools and other materials secure and dust-free.
- Can be used with available shelving, racks, mobile carts or can be used by themselves




Sturdy backstop tab ensurés AkroDrawers can hang securely from shelves



Features a wide front handle for easy gripping when full or filled with heavy contents

AkroDrawers™	Out	side Dimen Inches	sions	Bott	tom Dimen: Inches	sions			
Model No.	L	W	Н	L	w	Н	Weight Capacity	Ctn. Qty.	Dividers
31142	11%	3¾	45/8	101/4	3	47/16	15 lbs.	6	41440
31162	11%	5%16	45/8	101/4	47/8	47/16	20 lbs.	6	41460
31182	11%	8%	45/8	101/4	75/8	47/16	20 lbs.	4	41480
31168	17%	5%16	45/8	161/4	41//8	47/16	25 lbs.	6	41460
31188	17%	8%	45/8	161/4	75/8	47/16	25 lbs.	4	41480
Specify drawer color v	than ordering:	Pod Rluo Vo	llow Gray or (ryctal Cloar					

Dividers		Dimensions			
Model No.	w	Н	D	Pkg. Qty.	Ctn. Qty.
41440	3%16	41/5	13/16	6	30
41460	521/64	41/5	13/16	6	26
41480	8%4	41/5	1/10	6	26





Super Modular Cabinets

storage bins, racks & hanging systems

- Organize your AkroDrawers on specially designed stackable or wall-mountable cabinets
- Units can be safely stacked up to three high
- AkroDrawers fit snugly on each shelf so open top on each AkroDrawer is protected from dust and debris
- Drawers hang securely in place from shelves by sturdy backstop tab
- Ships fully assembled
- 11" cabinets can be mounted to wall (light assembly required for wall mounting)
- Durable powder-coated finish
- Weight capacity: 60 lbs. 18" Modular Cabinets
- 75 lbs. 23" Modular Cabinets
- Combined stack weight capacity: 100 lbs.
- · Colors: Textured Charcoal Gray or Textured Putty



Small and Medium Super Modular Cabinets can be mounted on two rails under ProCart. Optional two-rail hanging system (No. 30902) required.









AD1817CAST



Super Modular Ca	er Modular Cabinets 18"W x 11"D x 16-1/2"H				(Inches)	Shelf Dir	mension		
Model Number	Description	Cabinet Color	L	W	Н	D	L	Н	Qty. of Drawers
AD1811C AD1811P	Small Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	17	419/32	-
AD1811C62 AD1811P62	Small Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%16	45/8	11	17	419/32	9
AD1811C82 AD1811P82	Small Cabinet with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	45/8	11	17	419/32	6
AD1811CAST AD1811PAST	Small Cabinet with 31162 and 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	'e	11	17	419/32	6/2

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Super Modular Cabinets 23"W x 11"D x 16-1/2"H					(Inches)	Shelf Di	mensions		
Model Number	Model Number Description Cabinet Color		L		Н				Qty. of Drawers
AD2311C AD2311P	Medium Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	22¾	419/32	-
AD2311C42 AD2311P42	Medium Cabinet with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	115/8 33/4 45/8		11	22¾	419/32	18	
AD2311C62 AD2311P62	Medium Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	11	22¾	419/32	12
AD2311CAST AD2311PAST	Medium Cabinet with 31142 and 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	11	22¾	419/32	6/8
Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.									

Specify drawer color when ordering: Red, Blue	Vallow Gray or Crystal Clear available with Gray	Cabinet Rlue or Crystal Clear available with P	utty Cabinet Only one color per unit
specify drawer color when ordering. Nea, blue	i, icilow, diay of crystal cical avallable with diay	Capillet. Dide of Crystal Clear available with r	atty cabiliet. Olliy olle tolol pel ullit.

Super Modular Cabinets 18"W x 17"D x 16-1/2"H					Bin Dimensions (Inches) Shelf Dimensions (Inches)					
Model Number	Model Number Description		L			D			Qty. of Drawers	
AD1817C AD1817P	17" Deep Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	17	17	419/32	-	
AD1817C68 AD1817P68	17" Deep Cabinet with 31168 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	5%16	45/8	17	17	419/32	9	
AD1817C88 AD1817P88	17" Deep Cabinet with 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	83%	45/8	17	17	419/32	6	
AD1817CAST AD1817PAST	17" Deep Cabinet with 31168 and 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		17	17	419/32	6/2		

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.




Stackable Cabinets

storage bins, racks & hanging systems

- Increased storage capacity for AkroDrawers by providing more space to organize and color code inventory
- Units can be safely stacked up to three high
- Available in two sizes one for 12" AkroDrawers and one for 18" AkroDrawers
- Optional 8" high Base Stands for each size cabinet available in matching colors for either cabinet - keeps cabinets off the floor for easier clean-up underneath
- Durable powder-coated finish
- · Cabinets ship fully assembled
- · Weight capacity: 120 lbs.
- Combined stacked weight capacity: 200 lbs.
- Colors for Stackable Cabinets and optional Base Stands: Textured Charcoal Gray or **Textured Putty**







Co. A.M. C.M. a. 25//M. a.4//D. a.22//M.	Dis Dissession (Inches)	Chalentana da angla da ang
Stackable Cabinet 35"W x 11"D x 22"H	Bin vimensions (inches)	Shelf Dimensions (Inches)

			((
Model Number	Description	Description Cabinet Color L		W	Н	D	L	Н	Qty. of Drawers
AD3511C AD3511P	Stackable Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	34	411/16	-
AD3511C42 AD3511P42	Stackable Cabinet with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45%	11	34	411/16	32
AD3511C62 AD3511P62	Stackable Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45%	11	34	411/16	24
AD3511C82 AD3511P82	Stackable Cabinet with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty			45%	11	34	411/16	16
AD3511CAST AD3511PAST	Stackable Cabinet with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		11	34	411/16	8/12/4	

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Stackable Cabine	Bin Dim	ensions	(Inches)	Shelf Dir	nensions				
Model Number	Number Description Cabinet Color					D			Qty. of Drawers
AD3517C AD3517P	Stackable Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	17	34	411/16	-
AD3517C68 AD3517P68	Stackable Cabinet with 31168 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	5%16	4%	17	34	411/16	24
AD3517C88 AD3517P88	Stackable Cabinet with 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	17% 8% 4%		17	34	411/16	16
AD3517CAST AD3517PAST	Stackable Cabinet with 31168 & 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		17	34	411/16	12/8	

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow



Optional Base Stands for Stackable Cabinets Dimensions

Model No.	Description	Base Stand Color	w		
AD3511BS	Base Stand for 11" Stackable Cabinet	Textured Charcoal Gray or Textured Putty	35¼	111/4	8
AD3517BS	Base Stand for 17" Stackable Cabinet	Textured Charcoal Gray or Textured Putty	351/4	171⁄4	8



Secure Mini-Cabinets

storage bins, racks & hanging systems



- · Lockable cabinet provides secure storage for sensitive supplies
- Accommodates 12" AkroDrawers
- · Made from 18-gauge steel
- Wall mountable
- Features standard four adjustable shelves with fully louvered panel built into back for hanging AkroBins®
- Available with a quick-view door to keep contents visible
- Solid door option keeps sensitive contents secure and out of sight
- · Foam gasket around door frame seals out dust
- Welded frame and durable powder-coated finish
- Ships fully assembled
- Weight capacity: 350 lbs.
- Colors: Textured Charcoal Gray or Textured Putty







ACS4C









Ouick-View Mini-Cahinet 19-1/4"W x 13-1/4"D x 38"H

Caren man	mini cabilet 15 1/4 W X 15 1/4 D X 50 II									
Model Number	Description Cabinet Color		L	W	Н	Qty. of Drawers				
ACQV4C ACQV4P	Secure Mini-Cabinet, Quick-View Door, no AkroDrawers Textur Te		-	-	-	-				
ACQV4C42 ACQV4P42	Secure Mini-Cabinet, Quick-View Door with 31142 AkroDrawers	Secure Mini-Cabinet, Quick-View Door with 31142 AkroDrawers Textured Charcoal Gray Textured Putty		3¾	45/8	16				
ACQV4C62 ACQV4P62	Secure Mini-Cabinet, Quick-View Door with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	12				
ACQV4C82 ACQV4P82	Secure Mini-Cabinet, Quick-View Door with 31182 AkroDrawers	ew Door with 31182 AkroDrawers Textured Charcoal Gray Textured Putty		83%	45/8	8				
ACQV4CAST ACQV4PAST	Secure Mini-Cabinet, Quick-View Door with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		e	4/6/2				

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Pite en Poor Innin	Cabillet 19-1/4 WX13-1/4 DX30 II					
Model Number	Description	Cabinet Color	L	W	Н	Qty. of Drawers
ACS4C ACS4P	Secure Mini-Cabinet, Steel Door, no AkroDrawers	Textured Charcoal Gray Textured Putty Textured Charcoal Gray Textured Putty		-	-	-
ACS4C42 ACS4P42	Secure Mini-Cabinet, Steel Door with 31142 AkroDrawers			3¾	45/8	16
ACS4C62 ACS4P62	Secure Mini-Cabinet, Steel Door with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	12
ACS4C82 ACS4P82	Secure Mini-Cabinet, Steel Door with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83/8	45/8	8
ACS4CAST ACS4PAST	Secure Mini-Cabinet , Steel Door with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	See Above		4/6/2

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.





2" & 18" Enclosed Steel Shelving Systems

storage bins, racks & hanging systems



- Steel shelving will accommodate new 12" and 18" AkroDrawers
- · Manufactured from high-grade, 22-gauge steel with powder-coated finish
- Can be ordered independently or purchased with AkroDrawers for a complete system
- · Closed back and sides keep drawers contained to one side of shelves and further eliminate dust and debris
- Drawers can hang securely in place from shelves by sturdy backstop tab
- Easy to assemble using shelf clips
- Each shelving system can hold up to a maximum of 8,500 lbs.
 - 12" x 36" shelf holds 500 lbs.
 - 18" x 36" shelf holds 550 lbs.
- · Color: Gray



Pick Racks

- Angled shelves keep parts and supplies at the front of AkroDrawers for easy access
- · Improve workspace organization and efficiency
- 16-gauge steel construction
- Durable powder-coated finish
- Weight capacity: 400 lbs. Single-Sided; Up to 800 lbs. Double-Sided
- · Color: Gray







For double-sided Pick Rack





12" Enclosed Shel	12" Enclosed Shelving Systems (13 Shelves)					Bin Dimensions (Inches) Shelf Dimensions (Inches)						
Model Number	Description	escription Drawer Model No. L W H D L H Q				Qty. of Drawers	Drawer Color					
ASC1279	Shelving (no AkroDrawers)	-	-	-	-	12	36	79	-	-		
ASC1279142	Shelving with AkroDrawers	31142	115/8	3¾	45/8	12	36	79	96	R,B,Y,GRY,CRY		
ASC1279162	Shelving with AkroDrawers	31162	115/8	5%6	45/8	12	36	79	72	R,B,Y,GRY,CRY		
ASC1279182	Shelving with AkroDrawers	31182	11%	8¾	45/8	12	36	79	48	R,B,Y,GRY,CRY		
ASC1279AST	Shelving with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	12	36	79	27/36/12	R,B,Y,GRY,CRY		

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

18" Enclosed Shel	ving Systems (13 Shelves)	Bin Dimensions (Inches) Shelf Dimensions (Inches)									
Model Number	Description	Drawer Model No.	L	L W H		D	L	Н	Qty. of Drawers	Drawer Color	
ASC1879	Shelving (no AkroDrawers)	=	-	-	-	18	36	79	-	=	
ASC1879168	Shelving with AkroDrawers	31168	175/8	5%16	45/8	18	36	79	72	R,B,Y,GRY,CRY	
ASC1879188	Shelving with AkroDrawers	31188	175/8	83/8	45%	18	36	79	48	R,B,Y,GRY,CRY	
ASC1879AST	Shelving with AkroDrawer Mix	31168, 31188	S	ee Abov	e	18	36	79	36 / 24	R,B,Y,GRY,CRY	

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

Single-Sided Pick	Rack 12" D x 36-3/4"W x 60-1/4" H (8 Shelves)	Drawer Dimensions Drawer Dimensions									
Model Number	Description	Drawer Model No. L W H				Qty. of Drawers	Drawer Color				
APRS142	Rack with AkroDrawers	31142	11%	11% 3¾ 4%		72	R,B,Y,GRY,CRY				
APRS162	Rack with AkroDrawers	31162	11%	115/8 55/6 45/8		48	R,B,Y,GRY,CRY				
APRS182	Rack with AkroDrawers	31182	11%	11% 8% 4%		32	R,B,Y,GRY,CRY				
APRSAST	Rack with AkroDrawer Mix	31142, 31162, 31182	See Above		18/24/8	R,B,Y,GRY,CRY					

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

Double-Sided Pick	c Rack 24" D x 36-3/4" W x 60-1/4" H (16 Shelves)	Drawer Dimensions									
Model Number	Description	Drawer Model No.				Qty. of Drawers	Drawer Color				
APRD142	Rack with AkroDrawers	31142	11%	3¾	45/8	144	R,B,Y,GRY,CRY				
APRD162	Rack with AkroDrawers	31162	11%	5%6	45/8	96	R,B,Y,GRY,CRY				
APRD182	Rack with AkroDrawers	31182	11%	83/8	45/8	64	R,B,Y,GRY,CRY				
APRDAST	Rack with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	36 / 48 / 16	R,B,Y,GRY,CRY				

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow. When using the APRD with the mobile kit, weight capacity is 500 lbs.

BinTelligence™ Series: Indicator™

storage bins, racks & hanging systems









- Easy organization of supplies and work-in-process
- Reduces excess inventory
- Width dividers used for orange reserve to prevent stock-outs and assembly line interruptions
- Works with 14" wire shelving, 12" steel shelving or with pick rack systems

Indicator Stock, Pick, Flip & Replenish

STOCK the Indicator Bin using the divider to designate volume for the inventory reserve.

PICK from the blue side of the bin until you reach the divider.

FLIP the bin to the orange reserve to show inventory levels are low.

REPLENISH the bin and repeat!



Indicator™ Bins – Effective inventory control at a glance!

The Indicator Bin simplifies visual recognition when supplies need to be replenished. An innovative, low-cost alternative to high-end inventory control systems!

Pick Rack Systems



- Available as single-sided or double-sided
- Angled shelves keep parts at the front of bins for easy access
- 16-gauge steel construction
- 400-800 lb. weight cap.
- See page 15 for bin quantity



Steel Shelving Systems

- Manufactured from high-grade, 22-gauge steel with a powder-coated finish
- Easy assembly
- Holds (96) 36442BLUE bins and (60) 36462BLUE bins
- 500 lb. weight capacity per shelf, up to 8,500 lbs.



Wire Shelving Systems

- Constructed from steel with a chrome finish for durability and strength
- Open wire design minimizes dust collection and improves visibility
- Holds (88) 36442BLUE bins and (55) 36462BLUE bins
- 2,000 lb. max. weight capacity per unit



Bright orange used in Lean and 5S initiatives



Innovative double hopper bin can be filled or picked from both sides



Large label area on both sides for part identification or bar code scanning



Rolled ridge provides added strength and durability




Width dividers used for orange reserve to prevent stock-outs and assembly line interruptions

related products

Create the perfect storage system - mix and match your selection of Indicator Bins with compatible products including:

- Pick Racks......pg. 15
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42



1	ndicator Bins			Outsi	de Dimer	sions	Inside Bo	ottom Dir	nensions			
		Model No.	Description				L			Bin Ctn. Qty.	Divider*	Divider Pkg. Qty.
Ī	COTO DEL	36442BLUE	Indicator Bin (Blue/Orange)	11%″	41⁄4″	4″	9%10″	2%10″	3%0″	24	40120	24
	THE THE PARTY OF T	36462BLUE	Indicator Bin (Blue/Orange)	11%″	6¾″	4″	9%10″	5%″	3%10″	12	40130	24
*	*Dividers Sold Separately											














Dividable VantageBin™

- Sturdy bin holds dovetailed dividers to customize compartments
- Fits on standard 24" deep or wide shelving and counters
- Bins nest when empty to conserve storage space
- 24" x 5½" x 7" bin is dividable in up to 10 sections
- Sturdy polypropylene construction
- Available in two colors: White and Gray
- Longer and taller than VantageBin
- 9 divider positions per bin

VantageBin™





- Bins nest when empty to conserve storage space
- Durable, injection-molded polypropylene construction
- Quick, easy access and identification when organizing envelopes, bags, jewel cases, photographs and more
- Ideal for retail and material handling as well as home and office storage applications
- Available in three colors: White, Gray and Yellow

VantageBin			Outs	ide Dimen Inches	sions		Inside Dimensions Inches				
	Model No.	Description	L	W	Н	L	W	Н	Х	Ctn. Qty.	Dividers/Pk.
	30420WHI6PK	Dividable Bin	24	51/2	7	22%	31/2	7	223/16	6	40420/12
W W	30420GRY6PK	Dividable Bin	24	51/2	7	22%	31/2	7	223/16	6	40420/12
	30400YEL10PK	Standard Bin	16¾	71⁄4	53/8	15%	67/16	5%	151/16	10	-
X	30400WHI10PK	Standard Bin	16¾	71/4	53/8	15%	67/16	5%	151/16	10	-
	30400GRY10PK	Standard Bin	16¾	71/4	5%	15%	67/16	5%	151/16	10	-





related products

Organize your VantageBin on:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42

1800 Series AkroBins®, ESD Containers & Economy Bins

storage bins, racks & hanging systems







1800 Series AkroBins

- Strong, durable copolymer polypropylene construction
- Storage systems for large, heavy and bulky items
- · One black crosswise divider included per bin
- Color: Beige

ESD Containers

- Akro-Mils ESD containers dissipate electrostatic charges, which can severely damage sensitive electronic components
- Grounding Wire 98100 Designed to convert existing Akro-Mils rail and hanging systems (see pgs. 8-9). Conducts static charges away from the storage system





Grounding Wire 98100

Economy Bins

- Versatile Economy Bins make full use of shelf depth on 12" or 18" deep shelving and stack to fill space between shelves
- The only small parts bin that can nest and stack
- Molded from copolymer polypropylene
- Generous opening allows easy access to stacked items

1800 Series		Outside Dimensions Inches					mensions hes					
	Model No.	L	W	Н	L	W	Н	X	Ctn. Qty.	Dividers	Pkg. Qty.	Capacity (lbs.)
z	30348BEIGE	20½	81/4	7	20	73/8	6½	20	6	40348 (3)	6	60
	30358BEIGE	20½	11	7	20	101/8	6½	20	6	40358 (3)	6	75

Available in Beige. Order in carton quantities.

ESDs		Outsi	de Dime Inches			Inside Dir Incl				
	Model No.	L	W	Н	L	W	Н	X	Cap. on Rack	Ctn. Qty.
	30210ESD	5%	41/8	3	43/4	37/16	213/16	4	10 lbs.	24
T H	30220ESD	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24
	30230ESD	10%	5½	5	101/4	43/8	4¾	9	30 lbs.	12
	30235ESD	10%	11	5	101/4	10	43/4	9	50 lbs.	6
	30240ESD	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12

Economy Bins		Outs	ide Dimen Inches	sions	Insi	sions		
	Model No.	L	W	Н	L	W	Н	Ctn. Qty.
	30796BLACK	8%	65%	5	63/25	4	4%o	10 each
Land Day	30716BLACK	11%	6%	5	93/25	4	4%10	10 each
	30776BLACK	17%	6%	7	14%	31/5	6‰	10 each
	30718BLACK	11%	83/8	5	9	5¾	4%o	8 each
	30778BLACK	17%	83/8	7	141/5	5½	6‰	8 each
Order in carton quantities.								



1800 Series AkroBins



ESD Container



Economy Bins

storage bins, racks & hanging systems







Convenient, **Efficient Organization** in a Single-Piece Six-Bin Unit

- · Configured six across in a single unit, 33" wide x 5" high
- Available in 12" or 18" depths to fit standard shelving
- Separate and sort parts to increase efficiency, shorten assembly times and maintain accurate inventories
- · A cost-efficient alternative to flimsy, individual cardboard boxes
- Can be safely stacked using a 3/8" wood dowel rod
- Available colors: Blue, Red and Yellow





Saves space in

storage areas



System Bins shown on Steel Shelving

related products

System Bins work great with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42



for easy content identification



Smooth surfaces. Easy to fill, handle and keep clean



Sturdy interior double wall construction. One-piece, injectionmolded for durability



front allows easy access for quick parts picking

System Bins				nensions**					
	Model No.	Description	L	W	Н	L	W	Н	Ctn. Qty.
	30312	12" System Bin	12	33	5	10%	313/20	447/50	5
	30318	18" System Bin	18	33	5	16%	313/20	4 ⁹³ /100	5
	40312*	System Bin Divider (Black only)	1/4	45%	47/8	-	-	-	6 pk.

· Holds (3) 30312 System Bins

One color per carton: Specify Red, Blue or Yellow. Order in carton quantities. *One divider per compartment, six per unit. **Inside dimension per compartment.

Juciving Systems				inches		
	Model No.	Description	L		Н	Bin Qty.
4	APRBENCH	Bench Pick Rack	36¾	12	25	‡
	AS1279312	12" Shelving Unit	36	12	79	10*
	AS1879318	18" Shelving Unit	36	18	79	10**


‡Order bins separately. Specify bin color when ordering. *Qty. of 30312 System Bins included. **Qty. of 30318 System Bins included.

art Systems				Dimensior Inches	IS						
	Model No.	Description	L	W	Н	Bin Qty.					
	R5SYT5HR2436	Multi-Shelf Cart (5 shelves)	36	241/2	40	10*					
	R5SYT8MR2436	Multi-Shelf Cart (5 shelves)	36	241/2	43	10*					
	R5SYT5HR3636	Multi-Shelf Cart (5 shelves)	36	361/2	40	10**					
	R5SYT8MR3636	Multi-Shelf Cart (5 shelves)	36	361/2	43	10**					
Specify bin color when ordering. *Qty. of 30312 System Bins included. **Qty. of 30318 System Bins included.											

accessories Ories



System Bin Divider



Easy Flow Gravity Hopper storage bins, racks & hanging systems

A Unique Way to Improve Workflow!

- Unique hopper provides exceptional product storage, while saving space through a compact vertical design
- · Large, angled top opening allows easy filling, whether used on the Gravity Hopper Floor Rack or on a work platform
- Generous picking area provides easy access to the loaded product, while keeping it neatly contained and sorted
- Great for: fasteners, assembly areas, kanban, inventory stock, merchandise and work cells
- 31620 50 lb. capacity, 31625 75 lbs. capacity per hopper
- Rotational-molded for strength and durability LLDPE
- Allows for proper lot rotation





31620 -New smaller size option

First-In-First-Out (FIFO) sliding divider shelf[‡] helps eliminate waste and spoilage of product

Load Capacity

1400

2400

6

10.39

1





	Gravity Hoppe	er	
		Model No.	Description
		31620	Small Easy Flow Gravity Hopper
>	\ \ \ \	31625	Large Easy Flow

31625

When ordering 31625 specify color Red or Blue. ‡ Sliding divider shelf with 31620 hopper only.

Gravity Hopper

Model No.	Description	Wt. Cap.
31625RACK	Easy Flow Gravity Hopper Rack 36" x 36" x 69"	900 lbs.
30600D0LLY	Easy Flow Gravity Hopper Dolly with 4" x 1.5" Polyolefin Casters	900 lbs.
30600BRACKET	Easy Flow Gravity Hopper Bracket	75 lbs.

16

18

Inches

81/4

10¾

16 50

19½





30600BRACKET

Bracket available to attach either size hopper to existing louvered panel



- Holds 9 large/12 small Easy Flow Gravity Hoppers per side for maximum efficiency
- 13-gauge steel
- 900 lb. load capacity
- Adjustable rail heights
- Can be mobilized with optional dolly



30600DOLLY

- · Rack can be mobilized with optional dolly
- · Four swivel casters (two with brakes)





31625RACK

Shown with 31620 Easy Flow **Gravity Hopper Bins**



31625RACK

Super-Size AkroBins®

heavy duty bins, totes, containers & small parts storage

- Large-capacity storage to improve organization
- Molded of high-impact polypropylene and unaffected by weak acids or alkalis
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in the 1-year limited warranty
- Products made of polypropylene block copolymer are autoclavable up to 250° F
- Available in three vibrant colors Red, Yellow and Blue









accessories Offes



Window Insert optimizes interior space and keeps contents visible



Lengthwise Dividers keep items separated in the bin

Exclusively from Akro-Mils MIDTH DIMDERS Create Extra Storage!



Widthwise Dividers create extra storage compartments

Super-Size AkroBins


New Ways to **Super-Size & Organize**

- Provide additional options to efficiently organize large items and improve workflow
- Heavy-duty bins securely stack atop each other or can sit on shelving, carts or dollies



Inside Dimensions Inches Accessories Windows Outside Dimensions Inches Super-Size AkroBins Dividers*

Model No.	L	W	Н	L	W	Н	X	Max. Cap. per Bin	Stacking Cap./= Qty. Stacked	Ctn. Qty.	Width	Length	Divider I W	Pkg. Qty. L	Windows	Window Pkg. Qty.	Card Stock Holder
30280	20	123/8	6	16%	1011/16	5%	151/2	200 lbs.	40 lb./10	4	-	40280 (3)	-	2	21280	2	29304
30281	20	12¾	8	16%	1011/16	73/8	151/2	200 lbs.	50 lb./7	3	-	40281 (3)	-	3	21281	3	29304
30282	20	12¾	12	16%	1011/16	11%	151/2	200 lbs.	60 lb./5	2	-	40282 (3)	-	1	21282	2	29304
30283	20	183/8	12	167/8	16%	11%	15½	300 lbs.	150 lb./5	1	-	40282 (3)	-	1	21283	1	29304
30284	23%	81⁄4	7	20%	63//8	6%	19¾	200 lbs.	150 lb./5	4	41284 (2)	40286 (1)	2	4	21284	4	29304
30286	23%	11	7	20%	91/8	6%	195/16	200 lbs.	150 lb./5	4	41286 (2)	40286 (3)	2	4	21286	4	29304
30287	23%	11	10	20¾	9	91/8	195/16	300 lbs.	150 lb./5	4	41287 (2)	40287 (3)	6	6	21287	4	29304
30288	23%	161/2	11	20¾	143/8	101/8	195/16	300 lbs.	150 lb./5	1	41288 (2)	40287 (3)	6	6	21288	1	29304
30289	23%	181⁄4	12	20¾	16	111/8	191/4	300 lbs.	150 lb./5	1	41289 (2)	40289 (3)	2	1	21289	1	29304
30290	291/4	18¾	12	26%	16%	113/8	24¾	300 lbs.	150 lb./5	1	-	40290 (3)	-	1	21283	1	29304
30292	29%	11	10	26¾	9	91/8	255/16	300 lbs.	150 lb./5	4	41287 (2)	40292 (3)	6	6	21287	4	29304
30293	29%	16½	11	26¾	143/8	101/8	255/16	300 lbs.	150 lb./5	1	41288 (2)	40292 (3)	6	6	21288	1	29304



Super-Size AkroBin Carts

Dimensions Inches

Model No.	Descriptions	L	W	Н	Capacity lbs.	No. of Handles	Ctn. Qty.
R214CS1841	Transports six 30283 Bins	41	18	48	900	2	1
R214CS1859	Transports nine 30283 Bins	59	18	48	1350	2	1
R214CS1878	Transports twelve 30283 Bins	78	18	48	1500	2	1
R214CS2841	Transports six 30290 Bins	41	271/2	48	900	2	1
R214CS2859	Transports nine 30290 Bins	59	271/2	48	1350	2	1
R214CS2878	Transports twelve 30290 Bins	78	271/2	48	1500	2	1
R216CS2236	Transports sixteen 30284 Bins, six 30286 Bins, six 30287 Bins, four 30288 Bins	351/2	221/8	35	900	1	1
R216CS2836	Transports six 30292 Bins, four 30293 Bins	351/2	281/8	35	900	1	1
R216CS2239	Transports four 30289 Bins	351/2	221/8	39	900	1	1

Optional security bar available for all sizes. Bins sold separately.

Super-Size AkroBin Dollies

Dimensions Inches

Model No.	Descriptions	L	W	Н	Casters	Capacity lbs.	Ctn. Qty.
RU843HR2018	Compatible with Model 30280, 30281, 30282 & 30283 Bins – Fits 1 wide	1713/16	18¾	411/16	3" Polyolefin	500	1
RU843HR2918	Compatible with Model 30290 Bins – Fits 1 wide	2613/16	18%	411/16	3" Polyolefin	500	1
RU843TP2122	Compatible with Model 30286 & 30287 Bins – Fits 2 wide	20%	21%	411/16	3" Polyolefin	500	1
RU843TP2227	Compatible with Model 30292 Bins – Fits 2 wide	21%	26%	411/16	3" Polyolefin	500	1
RU843TP1721	Compatible with Model 30284 Bins – Fits 2 wide Compatible with Model 30288 Bins – Fits 1 wide	16½	20%	411/16	3" Polyolefin	500	1
RU843TP1727	Compatible with Model 30293 Bins – Fits 1 wide	16½	26%	411/16	3" Polyolefin	500	1
RU843TP1821	Compatible with Model 30289 Bins – Fits 1 wide	18½	20%	411/16	3" Polyolefin	500	1

Bins sold separately.

related products

Increase the benefits of your Super-Size AkroBins with:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Shelf Cartpg. 47

Window Inserts Optimize interior space and keep contents visible



Carts & Dollies

Easy organization of bulky parts in 4, 6, 9, 12 and 16 bin configurations! Super-Size AkroBins (sold separately) store and organize large, bulky items · Heavy-duty frames with capacity from 900 - 1,500 lbs.

AkroBin Solid Steel Dollies

AkroBin Carts

Stak-N-Store Bins

heavy duty bins, totes, containers & small parts storage

• The perfect way to organize heavy, bulky items

• Bins stack to form tall, stable storage arrangements on floors or standard industrial shelving

• 75 lb. weight capacity

· Color: Gray, Red and Blue

• 13017 is also available in White





Large radius corners and curved upper lip add



Side ribs add stability when stacked



Wide hopper front allows easy access to bulky items



grip handles



related products

Add mobility to your Stak-N-Store Bins with:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systems.....pgs. 40-42
- Solid Steel Dollies.....pg. 50
- VERSA/Deckpg. 53
- Platform Trucks.....pgs. 54-57



Secure Stacking

Stack bins together to form vertical storage and picking systems










Available for efficient, easy load transport



Stak-N-Store Bins	i	Outsi	de Dimei Inches	nsions		nside Diı İnc	mension hes	S		
	Model No.	L	W	Н	L	W	Н	X	Capacity Cu. Ft.	Ctn. Qty.
	13014	171/2	10%	12½	15%	8	121/4	13½	.98	4
	13017	151/4	19%	121/16	13%	17½	121/4	11½	1.7	3
	13018	171/2	16½	12½	15%	13¾	121/4	13½	1.6	2

One color per carton. Specify Red, Blue or Gray. 13017 also available in White. Order in carton quantities.

3	steel Dolly			incnes					
		Model No.	L	W	н	Ctn. Qty.	Capacity	Casters	Bin Compatibility
		RU843HR1617	16%	15¾	41/2	1	900 lbs.	3″ Polyolefin	13018
		RU843HR1519	191/4	14%	41/2	1	900 lbs.	3″ Polyolefin	13017

Nest & Stack Totes

heavy duty bins, totes, containers & small parts storage







- Extremely durable industrial-grade totes
- · Ideal for shipping, transfer and storage applications
- · NSTs stack with or without lids for storage and shipping, nest when empty
- Strong, high impact polypropylene will not rust, corrode or bend out of shape even when fully loaded
- Heavy-duty construction provides a longer service life resulting in lower replacement costs than other "budget-priced" totes
- Easy to clean, smooth surfaces are resistant to most solvents and chemicals
- NSTs are manufactured from FDA-sanctioned materials
- Optional lids protect contents from dust and damage
- Available in 9 sizes and 3 colors: Red, Blue and Gray

features



are easy to clean





Textured bottoms provide a no-slip grip on conveyor belts



Ribs under the lip will prevent jamming when nested

related products

Add mobility to your Nest & Stack Totes with:

- Cartspgs. 45-47
- Dollies.....pgs. 49-50
- Wire Shelving Systemspgs. 36-39



Dollies

Available to transport containers - see pgs. 49-50



accessories



Clear Plastic Label Holders attach easily to NSTs, with or without the lid in place. Holders accommodate labels up to 3¾" x 5



Lids snap tight to protect contents. See lids chart for matching lid size below

Labal Haldana

Label Holders		
Model No.	Pkg. Qty.	Label Size (In.)
35010	6	3¾ x 5
35011	6	3 x 5






Nest & Stack Totes (NSTs)	Outs	ide Dimer Inches	nsions		Insid	de Dimens Inches	sions					
Model No.	L	W	Н	Α	В	C	D	E	NST Ctn. Qty.	Cu. Ft.	Lid Model	Ctn. Qty.
35180	18	11	6	10	16	151/4	9%	5%	6	0.5	35181	6
35185	18	11	9	10	16	151/8	91/8	8%	6	0.76	35181	6
35190	191/2	151/2	10	141/2	17	16	131/4	9%	6	1.2	35191	6
35195	191/2	151/2	13	141/2	17	15%	13%	12%	6	1.7	35191	6
35200	191/2	131/2	8	12%	171/8	16%	11½	7%	6	0.8	35201	6
35225	231/2	19½	10	181⁄4	20%	19%	16%	9%	3	2	35231	3
35230	231/2	191/2	13	18%	20%	19½	16%	12%	3	2.6	35231	3
35240*	231/2	15½	12	141/4	20%	19%	13	11%	3	1.7	35241	3
35300*	291/2	191/2	15	181⁄4	26%	25%	16%	147/8	3	3.7	35301	3
One color per carton. Specify color:	Red Blue or	Gray Orde	r in carton o	lluantities ³	Made of HI	DPF nolveth	vlene					_



heavy duty bins, totes, containers & small parts storage

- Versatile work-in-process transfer containers
- Dividers allow subdivision of the containers down to a 11/8" square compartment size
- Injection-molded from polypropylene block copolymer
- Resists most solvents and chemicals
- Compatible with most racks, shelving and automated material handling equipment











Dividers allow subdivision of the containers down to a 11/8" square compartment size. Color: Black



Clear Plastic Label Holders snap securely on any side of the container




Clear Plastic Covers keep contents clean yet visible. Molded corner guides provide secure stacking







Outside Dimensions Akro-Grids Inches			Inside Dimensions Inches					Сара	city	Accessories				
Model No.	L	W	Н	A	В	C	D	E	Ctn. Qty.	Cu. Ft.	Lbs.	Long Divider*	Short Divider*	Pkg. Qty.
33105	10%	81/4	5	611/16	95/16	9%	61/2	45/8	20	.16	25	42105 (5)	41105 (7)	6
33164	161/2	10%	4	93/8	1415/16	1413/16	9¾6	3%	12	.29	20	42164 (7)	41164 (11)	6
33166	161/2	10%	6	95/16	147/8	14¾	9%	5%16	8	.44	35	42166 (7)	41166 (11)	6
33168	161/2	10%	8	95/16	1415/16	14%	91/16	7%16	6	.59	40	42168 (7)	41168 (11)	6
33220	22%	17%	10	151/4	20%	19%	14%	9%	2	1.66	50	42220 (11)	41220 (15)	6
33224	22%	17%	4	151/16	201/16	20	15	3%	6	.61	30	42224 (11)	41224 (15)	6
33226	22%	17%	6	15%	201/8	19%	14%	5%	4	.96	40	42226 (11)	41226 (15)	6
33228	22%	17%	8	15%	201/8	19%	14%	71/16	3	1.30	50	42228 (11)	41228 (15)	6




Clear Plastic Covers

Model No.	Fits Grid No.	Ctn. Qty.
33101	33105	10
33161	33166, 33168, 33164	4
33221	33228, 33220, 33226, 33224	3

Lahal Holdars

Model No.	Description	Pkg. Qty.
35010	Fits all Akro-Grids except 33164 and 33224	6
35011	Fits grids No. 33164, 33224	6





· Available to transport containers. See pgs. 49-50



Attached Lid Containers

heavy duty bins, totes, containers & small parts storage







features



Textured bottoms provide a sure grip on conveyor belts



Strong molded-in handle grips are ergonomically designed for easy lifting and carrying




Padlock eye on both ends accommodates security ties




Reinforced hinge pins for years of smooth lid operation

- ALCs stack and nest for optimal space use
- Reusable shipping, distribution, order picking, and storage containers
- Attached lids snap securely closed to protect contents from dust or damage
- Containers interwork for easy pallet loading
- · See chart below for color options





• Models 39160, 39175 and 39280 are available in gray only



Dollies

· Plastic, steel and wood dollies available to transport containers. See pgs. 49-50



Straight Wall Containers

heavy duty bins, totes, containers & small parts storage

- SWCs are reusable shipping, storage, and work-in-process containers
- Straight walls provide efficient internal and external space usage
- Solid-sided containers have smooth inner walls for easy, sanitary cleaning
- Mesh-sided containers allow hot or cold air ventilation
- Injection-molded from high-density polyethylene
- Available in 4 sizes and 3 styles
- · Color: Gray









3 Styles Per Size: Solid, mesh and combinations

features



One-inch wall thickness for secure stacking



Strong, 1" wide, stacking rims and external ribbing provide added strength



Straight walls provide efficient cubing in trucks and on pallets



Open .72 x .90 mesh pattern allows high visibility and good airflow

related products

Add more productivity to your Straight Wall Containers with:

•	Cartspgs. 45-47
•	Dolliespgs. 49-50
•	Platform Truckspgs. 54-57



Dollies

Plastic, steel and wood dollies available to transport containers. See pgs. 49-50

Straight Wall Containers (SV	Outside Dimensions Inches			Inside Dimensions Top Inches				Stacking Capacity / Qty. Bottom Type			
Model No. Mesh Side & Base	Model No. Mesh Side/Solid Base	Model No. Solid Side & Base	L	W	Н	L	W	Н	Ctn. Qty.	Solid	Mesh
37208	37278	37288	15¾	11¾	81/4	141⁄4	101/4	8	12	83 lbs./6	30 lbs./6
37608	37678	37688	23¾	15¾	81/4	221/4	141⁄4	8	4	83 lbs./6	45 lbs./6
37612	37672	37682	23¾	15¾	121/4	221/4	141⁄4	12	3	125 lbs./5	45 lbs./5
37616	37676	37686	23¾	15¾	16%	221/4	141/4	16	2	150 lbs./4	45 lbs./4
Order in carton quantities.					-						



Cross-Stack Akro-Tub

heavy duty bins, totes, containers & small parts storage

- · Ideal for food processing and handling operations or industrial work-in-progress activities
- Industrial-grade 90° nest and stack tub
- Nesting when empty conserves storage space
- · Molded-in side handles for comfortable lifting
- Manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Compatible with standard 36" shelving and conveyor systems
- Color: Gray



Akro-Tub & Rack

- · Heavy-duty, industrial-grade nesting tub
- Tub manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Nests when empty to conserve storage space
- Use the Akro-Tub Rack (RA6TR4MR) to provide easy loading and transport of multiple Akro-Tubs
- 75 lb. capacity per tub
- · Color: Gray



akro-tub features



Rounded corner design adds strength to stress points



Rolled top rim forms comfortable handles



Extra-thick walls for superior



Ribs prevent jamming when nested

Outside Dimensions

Cross-Stack Akro-Tub			outsi	Inches	iisioiis			
	Model No.	L	W	Н	A	В	Capacity Gal.	Ctn. Qty.
L W	34301	171⁄4	11	8	131/4	7¾	3.85	6
	34302	171⁄4	11	12	12%	7	5.51	6
H	34303	23¾	171/4	8	19¾	14	9.81	6
B	34304	23¾	171/4	12	19	131/4	14.38	6

Order in carton quantities.

Double-Sided Cross-Stac	k Akro-Tub Rack		Inches		
Model No.	Description	L	W	н	Rack Weight/lbs.
RACR5MR	Holds 32 (34301) Cross-Stack Akro-Tubs* or 16 (34303) Cross-Stack Akro-Tubs*	53	29	62	1000 lbs.

Order in carton quantities. *Tubs sold separately.

Akro-Tub			Inches				
Model No.	L	W	н	A	В	Capacity Gal.	Ctn. Qty.
34240	19	24½	9½	20½	15½	14.6	6

Order in carton quantities.

Akro-Tub Rack		Inches		
Model No.	Н	w	D	Casters
RA6TR4MR	73	24	24	4" x 2" Mold-On Rubber: 2 Rigid, 2 Swivel

cross-stack akro-tub features



Stacking grooves allow stable



Molded-in handles for easy lifting



Extra-thick walls and reinforcing ribs provide superior strength









Double-Sided Cross-Stack Tub Rack

· Holds 32 (34301) or 16 (34303) Cross-Stack Akro-Tubs*



Akro-Tub Rack

· Holds 6 Akro-Tubs on angle-iron slides for up to 600 lb. total capacity. Welded steel frame with 12-gauge base and boltedon casters.*

*Akro-Tubs sold separately.

ESTITUTE Steel Storage Cabinets

heavy duty bins, totes, containers & small parts storage

- Two cabinets fit side by side on standard 36" wide shelving
- Removable drawers are rust, corrosion and dent-proof



19-Series Heavy-Duty Cabinets Frame: 17" wide x 11" deep x 11" high

with five different drawer sizes · 2 dividers per drawer



17-Series Light-Duty Cabinets

Frame: 18" wide x 6" deep x 91/2" high. Drawer depth 5¾"

1 divider per drawer

steel storage cabinet features — 19-Series







Strong, high-impact polystyrene drawers

19-Series Drawers

 Available separately for a variety of uses



Plastic Storage Cabinets

- Strong plastic cabinets organize and protect components
- A variety of drawer configurations provide versatile storage solutions
- Cabinets stack securely and are wall mountable
- · Dividers included












storage cabinet features



interlocks into face

steel frame with durable

powder-coated finish





Rugged, high-impact polystyrene frame

Storage Cabinet Hanging & Rotary Systems

Mobile Steel Cabinet Rack*

- Double-sided, mobile rail rack holds 12 of the 19-Series cabinets with as many as 336 drawers
- Supports up to 500 lbs.

Components & Quantities

- 30016 Double-Sided Rail Rack Qty: 1
- 30424 Mobile Kit Qty: 1
- 19-Series Cabinets Mix or Match Qty: 12
- 98400 Suspension Straps (Set of 2 straps) Qty: 12 Sets
- *Assembly required

Storage -Go-Round*

- Access 20 cabinets and as many as 560 drawers in less than three square feet of floor space
- Holds up to 1,000 lbs. of parts
- Accommodates the 19-Series Steel Cabinets (sold separately)
- Swing diameter 43%"
- Stands 31" L x 31" W x 60" H

19-Series Heav	y-Duty Steel Cabinets			Inches				
Model No. Description		Drawers Per Cabinet‡	W	Н	D	Ctn. Qty.	Drawer Model No.	Dividers 25/Pkg. Model No.
19228	19228 Steel Storage Cabinet*		23/16	21/16	10%6	1	20228	40228
19320	Steel Storage Cabinet*	20	3¾16	21/16	10%6	1	20320	40320
19416	Steel Storage Cabinet*	16	4	21/8	10%6	1	20416	40416
19715	Steel Storage Cabinet*	15	3¾16	31/16	10%6	1	20715	40715
19909	Steel Storage Cabinet*	9	5¾6	31/16	10%	1	20909	40909
19109	Storage Cabinet w/ Locking Door	9	5¾6	31/16	10%16	1	20909	40909

Drawer Dimensions

‡ Two removable dividers and one label per drawer included. * Available with a locking door when ordered in quantities of 50 or more.

Components & Quantities

- 98325 Storage-Go-Round with turntable base
- 19-Series Cabinets Mix or Match - Qty: 20
 - *Assembly required

Drawer Dimensions

17-Series Light-Duty Steel Cabinets					Inches				
Model No. Descriptio		Description	Drawers Per Cabinet‡	W	Н	D	Ctn. Qty.	Drawer Model No.	Dividers 25/Pkg. Model No.
	17018	Storage Cabinet*	18	2¾	2½	5¾	1	20902	40901

‡ One removable divider and one label per drawer included. * Available with a locking door when ordered in quantities of 50 or more.

Plast	ic Storage Cal	inets		Inches		
	Model No.	Description	L	W	н	Ctn. Qty.
10116 16-Drawer Cabinet			10½	6%	81/2	1
	10124 24-Drawer Cabinet		20	6¾	1513/16	1
	10126	26-Drawer Cabinet	20	63/8	101/4	1
10144 44-Drawer Cabinet		44-Drawer Cabinet	20	63/8	1513/16	1
	10164	64-Drawer Cabinet	20	63%	1513/16	1

16-Drawer Cabinet has 8 dividers. All other cabinets have 8 small and 4 large dividers.

Additional Dividers (Plastic Cabinets)

Model No.	Description
40716	16-Pack additional dividers for small drawers
40717	6-Pack additional dividers for large drawers



heavy duty bins, totes, containers & small parts storage

- Grid design in lid keeps items from spilling into other compartments
- Cases available in 3 sizes with different divider configurations
- Small and medium cases include 4 front-to-back adjustable dividers
- Large cases include 5 front-to-back adjustable dividers
- Clarified polypropylene for durability










- 1		- 1	- 1
- 1	- 1	- 1	- 1
- i		- i	-i
- 1	- 1	1	
- 1	- 1	- 1	- 1
- 1	- 1	- 1	- 1
1	1		- 1

Mediu	ım (ase	S
- :		- 1	- 1
1	1	1	- 1
- 1	- 1	-	
1	1	1	- 1
1	1	- 1	- 1
1		- 1	- 1
			$\overline{}$





Portable Organizers



- Unique design keeps parts and equipment from migrating to other compartments when lids are shut
- Separate lid compartment holds small items
- The main compartment holds larger, bulky items
- Dividers included for both levels
- · Molded-in "feet" allow case to stand upright



Roto-Shelf



- Mobile storage unit can easily be moved to different work areas, ideal for assembly components
- 19%" wide unit takes up very little floor space
- 3 shelves rotate on an independent central
- Shelf depth 2½", Shelf diameter 19½", 75 lbs. per shelf, 300 lb. total wt. capacity





- Hand-held tool and supply caddy
- Deep compartments hold loose parts, cleaning supplies or tools for easy transport
- Molded of heavy-duty, industrial-grade polypropylene for lasting durability
- · Color: Blue

Storage Cases			Dimension Inches	S
Model No.	Description	L	W	Н

Model No.	Description	L	W	Н	Max. Compartments	Ctn. Qty.
05705	Small Case – 2 Fixed Dividers	85%	51/8	15/8	15	12
05805	Medium Case – 2 Fixed Dividers	11	7	23/8	15	6
05905	Large Case – 2 Fixed Dividers	14%	9½	21/2	18	6

Order in carton quantities.

Portable Organizers			Inches			
Model No.	Description	L	W	Н	Max. Compartments	Ctn. Qty.
06115	Lid Storage Organizer	15	115/16	31/4	11 to 46	1

Order in carton quantities.

į	Roto-Shelf	Inches					
	Model No.	Description	D	Н	Ctn. Qty.		
	02420	Roto Shelf	19%	37½	1		

Tote Caddy			Inches			
	Model No.	Description	L	W	Н	Ctn. Qty.
	09185BLUE	Tote Caddy	13%	18¾	9	6

Order in carton quantities





Wire Shelving Systems

shelving systems & cabinets

- More than 50 system options for bin and shelf configurations!
- Six customizable shelf sizes available: 14" x 36", 18" x 36", 24" x 36", 18" x 48", 24" x 48" and 24" x 60"
- Wide variety of heights and styles: 63" upright with casters and 74" upright stand alone to fit all locations
- Open wire design minimizes dust collection and improves visibility for stored contents
- NSF approved
- Stationary units hold a maximum of 2,000 lbs.
- Mobile units with casters have a maximum load capacity of 900 lbs.
- Max. weight capacity per shelf: 48" or shorter = 800 lbs.
 - Longer than 48'' = 600 lbs.









Make organization **Easy** and more **Efficient**

- Build complete work cell systems
- · Constructed from steel with a chrome finish for durability and strength
- Works with a variety of Akro-Mils storage products to organize parts or products and increase workspace efficiency
- Streamlines workflow and order picking



Frames

Lightweight yet strong metal framework secures the shelving in place



Shelves

Adjustable to hold many Akro-Mils storage and organization products



Quick-Adjust Clips

Clips lock into the frame



Screws securely into uprights to level shelf system on uneven surfaces




Easy Set-up

Durable, versatile Wire Shelving allows quick, one-person set-up and installation

Create Easy, Durable Storage & Organization with **Custom Wire Shelving Packages!**

AkroBin® Wire Systems



Shorten Assembly Times

- Three sizes allow for a wide variety of Bin and Shelf configurations
- Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- AkroBins, pgs. 4-6

Indicator[™] Wire Systems



Shorten Assembly Times

- Effective inventory at a alance
- Holds (88) 36442BLUE bins and (55) 36462BLUE bins
- 2,000 lb. max. weight capacity per unit
- · Indicator Bins, pg. 21

System Bin[™] Wire Systems



Speed Set-Up & Organization

- Available with 11 Shelves
- Holds 10 System Bins
- Quickly organize with System Bins: one-piece, six-bin units
- System Bins, pg. 24

Stak-N-Store Wire Systems



Maximize Space Utilization

- Available with 5 Shelves
- Configure for 6, 8, 9 or 12 Bins
- · Bins feature a wide hopper front for easy access - ideal for bulky items
- Stak-N-Store Bins, pg. 28

Shelf Bin Wire Systems



Sort Parts to Improve Efficiency

- · Available with 12 Shelves
- · Configure for 36, 48, 60 or 96 Bins
- Strong, polypropylene Shelf Bins outlast corrugated bins
- Shelf Bins, pgs. 12-14

Akro-Grid Wire Systems



Improve Productivity

- Available with 7, 9 or 12 Shelves
- Configure for 24 or 36 Akro-Grids
- Versatile, work-in-process containers with optional dividers for compartments
- Akro-Grids, pg. 30

Nest & Stack Wire Systems



Simplify Workflow

- Available with 4 or 9 Shelves Configure for 12 or 36 Nest &
- Stack Totes
- Industrial-grade totes are ideal for transfer applications. Optional tote lids protect contents from dust. Label Holders allow quick content ID
- · Nest & Stack Totes, pg. 29

Straight Wall Container Wire Systems



Optimize Floor Space

- Configured with 6 Shelves
- Holds 12 Straight Wall Containers
- Containers available with smooth, solid sides or an open mesh pattern for high visibility and airflow
- Straight Wall Containers, pg. 32

VantageBin[™] Wire Systems



Boost Organization

- · Available with 11 Shelves
- Configure for 40 or 42 VantageBins
- · Sturdy, functional bin customizable with up to 10 compartments to fit unique sizes of products
- · VantageBins, pg. 22

Akro-Tub Wire Systems



Improve Inventory Control

- Available with 4 or 7 Shelves
- Configure for 12 or 24 Akro-Tubs
- · Akro-Tubs feature extrathick walls for strength. Rolled rims form comfortable handles
- Akro-Tubs, pg. 33

24" Super-Size AkroBin® Wire Systems



Increase Storage Capacity

- Available with 3, 4 or 5 shelves that are 24" deep
- Combine with stackable 24" Super-Size AkroBins to optimize spacing between shelves
- Super-Size AkroBins, pgs. 26-27

ShelfMax[™] Wire Systems



6" Bins Maximize Storage Capacity

- Available with 8 Shelves
- · Configure for 64 or 40 Bins
- 7 Bin Sizes & 5 Colors
- · ShelfMax Bins, pg. 13















AkroBin® Wire Systems			Bir	Dimensi (Inches)		She	f Dimens (Inches)	ions		
Model Number	Description	AkroBin Colors	L	W	H	D	1	H	# of Bins	Shelves
AWS143630320	Wire Shelving w/ 30320 Bins	B, R, Y, G, S, BK	85/8	33	6	14	36	74	20	11
AWS143630240	Wire Shelving w/ 30240 Bins	B, R, Y, G, S, BK, SC	14¾	81/4	7	14	36	74	36	4
AWS143630250	Wire Shelving w/ 30250 Bins	B, R, Y, G, S, BK, SC	14¾	16½	7	14	36	74	18	4
AWS184830260	Wire Shelving w/ 30260 Bins	B, R, Y, G, S, BK, SC	18	11	10	18	48	74	24	6
AWS183630265	Wire Shelving w/ 30265 Bins	B, R, Y, G, S, BK, SC	18	81/4	9	18	36	74	18	5
AWS183630270	Wire Shelving w/ 30270 Bins	B, R, Y, G, S, BK, SC	18	16½	11	18	36	74	9	5
AWS2460M30358	Mobile Wire Shelving w/ 30358 Bins	BEIGE	201/2	11	7	24	60	68	30	6

System Bin Wire Syste	ms		BII	i vimensi) (Inches)	ons	Sne	(Inches)			
Model Number	Description	System Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS143630312	Wire Shelving w/ 30312 Bins	B, R, Y, G	33	12	5	14	36	74	10	11
AWS183630318	Wire Shelving w/ 30318 Bins	B, R, Y, G	33	18	5	18	36	74	10	11

Bin color code: R=Red, B=Blue, Y=Yellow, G=Green. Specify one bin color when ordering.

Stak-N-Store Wire Syste	ems		Bii	n Dimensi (Inches)		Shel	f Dimens (Inches)	ions		
Model Number	Description	Stak-N-Store Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS184813017	Wire Shelving w/ 13017 Bins	GRY, R, B, W	151/2	19%	127/16	18	48	74	9	5
AWS183613014	Wire Shelving w/ 13014 Bins	GRY, R, B	171/2	10%	12½	18	36	74	12	5
AWS183613018	Wire Shelving w/ 13018 Bins	GRY, R, B	171/2	161/2	121/2	18	36	74	8	5
AWS1836SNS	Wire Shelving w/ 13014 & 13017* Bins	GRY, R, B	S	ee Abov	e	18	36	74	6/6	5

Bin Dimensions

Bin Dimensions

Shelf Dimensions

Shelf Dimensions

^{*13017} also available in White. Bin color code: R=Red, B=Blue, W=White, GRY=Gray. Specify one bin color when ordering.

			(Inches)			(Inches)			
Description	Shelf Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
Wire Shelving w/ 30120 Bins	B, R, Y, G, W	11%	41/8	4	14	36	74	96	12
Wire Shelving w/ 30130 Bins	B, R, Y, G, W	11%	65/8	4	14	36	74	60	12
Wire Shelving w/ 30150 Bins	B, R, Y, G, W	11%	83/8	4	14	36	74	48	12
Wire Shelving w/ 30170 Bins	B, R, Y, G, W	11%	111/8	4	14	36	74	36	12
Wire Shelving w/ 30128 Bins	B, R, Y, G, W	17%	41/8	4	18	36	74	96	12
Wire Shelving w/ 30138 Bins	B, R, Y, G, W	17%	65/8	4	18	36	74	60	12
Wire Shelving w/ 30158 Bins	B, R, Y, G, W	17%	83/8	4	18	36	74	48	12
Wire Shelving w/ 30178 Bins	B, R, Y, G, W	17%	111/8	4	18	36	74	36	12
Wire Shelving w/ 30124 Bins	B, R, Y, G, W	23%	41/8	4	24	48	74	96	12
Wire Shelving w/ 30164 Bins	B, R, Y, G, W	23%	6%	4	24	48	74	60	12
Wire Shelving w/ 30184 Bins	B, R, Y, G, W	23%	83/8	4	24	48	74	48	12
Wire Shelving w/ 30174 Bins	B, R, Y, G, W	23%	111/8	4	24	48	74	36	12
	Wire Shelving w/ 30120 Bins Wire Shelving w/ 30130 Bins Wire Shelving w/ 30150 Bins Wire Shelving w/ 30170 Bins Wire Shelving w/ 30128 Bins Wire Shelving w/ 30138 Bins Wire Shelving w/ 30158 Bins Wire Shelving w/ 30178 Bins Wire Shelving w/ 30174 Bins Wire Shelving w/ 30124 Bins Wire Shelving w/ 30164 Bins Wire Shelving w/ 30184 Bins	Wire Shelving w/ 30120 Bins B, R, Y, G, W Wire Shelving w/ 30130 Bins B, R, Y, G, W Wire Shelving w/ 30150 Bins B, R, Y, G, W Wire Shelving w/ 30170 Bins B, R, Y, G, W Wire Shelving w/ 30128 Bins B, R, Y, G, W Wire Shelving w/ 30138 Bins B, R, Y, G, W Wire Shelving w/ 30158 Bins B, R, Y, G, W Wire Shelving w/ 30178 Bins B, R, Y, G, W Wire Shelving w/ 30124 Bins B, R, Y, G, W Wire Shelving w/ 30164 Bins B, R, Y, G, W Wire Shelving w/ 30184 Bins B, R, Y, G, W	Wire Shelving w/ 30120 Bins B, R, Y, G, W 11% Wire Shelving w/ 30130 Bins B, R, Y, G, W 11% Wire Shelving w/ 30150 Bins B, R, Y, G, W 11% Wire Shelving w/ 30170 Bins B, R, Y, G, W 11% Wire Shelving w/ 30128 Bins B, R, Y, G, W 17% Wire Shelving w/ 30138 Bins B, R, Y, G, W 17% Wire Shelving w/ 30158 Bins B, R, Y, G, W 17% Wire Shelving w/ 30178 Bins B, R, Y, G, W 23% Wire Shelving w/ 30164 Bins B, R, Y, G, W 23% Wire Shelving w/ 30184 Bins B, R, Y, G, W 23% Wire Shelving w/ 30184 Bins B, R, Y, G, W 23%	Description Shelf Bin Colors L W Wire Shelving w/ 30120 Bins B, R, Y, G, W 11% 4½ Wire Shelving w/ 30130 Bins B, R, Y, G, W 11½ 6½ Wire Shelving w/ 30150 Bins B, R, Y, G, W 11½ 8½ Wire Shelving w/ 30170 Bins B, R, Y, G, W 11½ 11½ Wire Shelving w/ 30128 Bins B, R, Y, G, W 17½ 4½ Wire Shelving w/ 30138 Bins B, R, Y, G, W 17½ 8½ Wire Shelving w/ 30178 Bins B, R, Y, G, W 17½ 11½ Wire Shelving w/ 30124 Bins B, R, Y, G, W 23½ 4½ Wire Shelving w/ 30164 Bins B, R, Y, G, W 23½ 6½ Wire Shelving w/ 30184 Bins B, R, Y, G, W 23½ 8½	Description Shelf Bin Colors L W H Wire Shelving w/ 30120 Bins B, R, Y, G, W 11% 4% 4 Wire Shelving w/ 30130 Bins B, R, Y, G, W 11% 6% 4 Wire Shelving w/ 30150 Bins B, R, Y, G, W 11% 8% 4 Wire Shelving w/ 30170 Bins B, R, Y, G, W 11% 111% 4 Wire Shelving w/ 30128 Bins B, R, Y, G, W 17% 4% 4 Wire Shelving w/ 30138 Bins B, R, Y, G, W 17% 6% 4 Wire Shelving w/ 30178 Bins B, R, Y, G, W 17% 11% 4 Wire Shelving w/ 30178 Bins B, R, Y, G, W 17% 11% 4 Wire Shelving w/ 30164 Bins B, R, Y, G, W 23% 4% 4 Wire Shelving w/ 30184 Bins B, R, Y, G, W 23% 6% 4	Description Shelf Bin Colors L W H D Wire Shelving w/ 30120 Bins B, R, Y, G, W 11% 4½ 4 14 Wire Shelving w/ 30130 Bins B, R, Y, G, W 11% 6% 4 14 Wire Shelving w/ 30150 Bins B, R, Y, G, W 11% 8% 4 14 Wire Shelving w/ 30170 Bins B, R, Y, G, W 11% 11½ 4 14 Wire Shelving w/ 30128 Bins B, R, Y, G, W 17% 4½ 4 18 Wire Shelving w/ 30158 Bins B, R, Y, G, W 17% 8% 4 18 Wire Shelving w/ 30178 Bins B, R, Y, G, W 17% 11½ 4 18 Wire Shelving w/ 30178 Bins B, R, Y, G, W 23% 4½ 4 24 Wire Shelving w/ 30164 Bins B, R, Y, G, W 23% 6% 4 24 Wire Shelving w/ 30184 Bins B, R, Y, G, W 23% 8% 4 24	Description Shelf Bin Colors L W H D L Wire Shelving w/ 30120 Bins B, R, Y, G, W 11% 4% 4 14 36 Wire Shelving w/ 30130 Bins B, R, Y, G, W 11% 6% 4 14 36 Wire Shelving w/ 30150 Bins B, R, Y, G, W 11% 8% 4 14 36 Wire Shelving w/ 30170 Bins B, R, Y, G, W 11% 11% 4 14 36 Wire Shelving w/ 30128 Bins B, R, Y, G, W 17% 4½ 4 18 36 Wire Shelving w/ 30138 Bins B, R, Y, G, W 17% 6% 4 18 36 Wire Shelving w/ 30158 Bins B, R, Y, G, W 17% 8% 4 18 36 Wire Shelving w/ 30178 Bins B, R, Y, G, W 17% 11½ 4 18 36 Wire Shelving w/ 30124 Bins B, R, Y, G, W 23% 4½ 4 24 48 Wire Shelving w/ 30164 Bins B, R, Y, G, W 23%	Description Shelf Bin Colors L W H D L H Wire Shelving w/ 30120 Bins B, R, Y, G, W 11% 4% 4 14 36 74 Wire Shelving w/ 30130 Bins B, R, Y, G, W 11% 6% 4 14 36 74 Wire Shelving w/ 30150 Bins B, R, Y, G, W 11% 8% 4 14 36 74 Wire Shelving w/ 30128 Bins B, R, Y, G, W 11% 41% 4 18 36 74 Wire Shelving w/ 30138 Bins B, R, Y, G, W 17% 6% 4 18 36 74 Wire Shelving w/ 30158 Bins B, R, Y, G, W 17% 8% 4 18 36 74 Wire Shelving w/ 30178 Bins B, R, Y, G, W 17% 11% 4 18 36 74 Wire Shelving w/ 30124 Bins B, R, Y, G, W 23% 4% 4 24 48 74 Wire Shelving w/ 30164 Bins B, R, Y, G, W 23% 6%	Description Shelf Bin Colors L W H D L H # of Bins Wire Shelving w/ 30120 Bins B, R, Y, G, W 11% 4½ 4 14 36 74 96 Wire Shelving w/ 30130 Bins B, R, Y, G, W 11% 6% 4 14 36 74 60 Wire Shelving w/ 30150 Bins B, R, Y, G, W 11% 8% 4 14 36 74 48 Wire Shelving w/ 30170 Bins B, R, Y, G, W 11% 11½ 4 14 36 74 36 Wire Shelving w/ 30128 Bins B, R, Y, G, W 17% 4½ 4 18 36 74 96 Wire Shelving w/ 30138 Bins B, R, Y, G, W 17% 6% 4 18 36 74 48 Wire Shelving w/ 30178 Bins B, R, Y, G, W 17% 8% 4 18 36 74 48 Wire Shelving w/ 30174 Bins B, R, Y, G, W 23% 4½ 4 24 <t< td=""></t<>

Bin color code: R=Red, B=Blue, Y=Yellow, G=Green, W=White. Specify one bin color when ordering.

Akro-Grid Wire Syste	ms		Bin	Dimensi (Inches)			f Dimens (Inches)	ions		
Model Number	Description	Akro-Grid Tote Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183633166	Wire Shelving w/ 33166 Grids	B, R, GRY	16½	10%	6	18	36	74	36	9
AWS183633168	Wire Shelving w/ 33168 Grids	B, R, GRY	16½	10%	8	18	36	74	24	7
AWS2460M33224	Mobile Wire Shelving w/ 33224 Grids	B, R, GRY	22%	173/8	4	24	60	68	36	12

Bin color code: R=Red, B=Blue, GRY=Gray,. Specify one bin color when ordering.

	indicator wire systems				(inches)			(inches)			
	Model Number	Description	Indicator Colors	L	W	Н	D	L	Н	# of Bins	Shelves
NEW	AWS143636442B	Wire Shelving w/ 36442 Indicator Bins	Blue/Orange	11%	41⁄4	4	14	36	74	96*	11
producti	AWS143636462B	Wire Shelving w/ 36462 Indicator Bins	Blue/Orange	11%	6¾	4	14	36	74	60*	11
	*Papus Pips Included										

*Bonus Bins Included



Wire Shelving Systems

shelving systems & cabinets



Shalf Dimensions

Shelf Dimensions

Chalf Dimonsions
















Lids sold separately. Bin color code: R=Red, B=Blue, GRY=Gray. Specify one bin color when ordering.

Straight Wall Container V	Vire Systems		BIN	(Inches)	ons		t vimensi (Inches)	ions		
Model Number	Description	Container Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS244837608	Wire Shelving w/ 37608 Containers	GRY	23¾	15¾	81⁄4	24	48	74	12	6

VantageBin [™] Wire Syste	ms		UIII	(Inches)	UIIS	Jile	(Inches)	10113		
Model Number	Description	VantageBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183630400	Wire Shelving w/ 30400 Bins	GRY, Y, W	16¾	71/4	5%	18	36	74	40	11
AWS244830420	Wire Shelving w/ 30420 Bins	GRY, W	24	5½	7	24	48	74	40	11

Bin color code: Y=Yellow, W=White, GRY=Gray. Specify one bin color when ordering.

Akro-T	ub Wire Systems				(Inches)			(Inches)			
I	Model Number	Description	Akro-Tub Colors	- 1	W	Н	D	- 1	Н	# of Bins	Shelves
A	WS1836M34301	Mobile Wire Shelving w/ 34301 Tubs	GRY	171/2	11	8	18	36	68	21	7
A	WS2460M34240	Mobile Wire Shelving w/ 34240 Tubs	GRY	19	241/2	91/2	24	60	68	12	4

Bin Dimensions

Din Dimonsions

9	Super-Size AkroBin	[®] Wire Systems		ווע	(Inches)	UIIS		(Inches)	UIIS		
	Model Number	Description	Super-Size AkroBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
	AWS184830280	Wire Shelving w/ 30280 Bins	R, B, Y	20	123/8	6	18	48	74	24	9
	AWS184830281	Wire Shelving w/ 30281 Bins	R, B, Y	20	12¾	8	18	48	74	18	7
	AWS184830282	Wire Shelving w/ 30282 Bins	R, B, Y	20	123/8	12	18	48	74	12	5
	AWS184830283	Wire Shelving w/ 30283 Bins	R, B, Y	20	18	12	18	48	74	8	5
	AWS1848SAB	Wire Shelving w/ 30280, 281, 282, 283 Bins	R, B, Y	9	iee Abov	re	18	48	74	4/4/3	6
W Si	AWS24360284	Wire Shelving w/ 30284 Bins	R, B, Y	23%	81/4	7	24	36	74	28	8
1	AWS24360287	Wire Shelving w/ 30287 Bins	R, B, Y	23%	11	10	24	36	74	16	6
	AWS24360288	Wire Shelving w/ 30288 Bins	R, B, Y	23%	16½	11	24	36	74	12	3
	AWS24360SAB	Wire Shelving w/ 30287 & 30288 Bins	R, B, Y	S	ee Abov	е	24	36	74	12/6	3
	AWS24361288	Wire Shelving w/ 30288 Bins	R, B, Y	23%	161/2	11	24	36	63	10	3

Bin color code: R=Red, B=Blue, Y=Yellow. Specify one bin color when ordering.

ń	õ	i	ì		
***	ä	23	ò	Ц	
娇		×	þ	Ļ	
÷		÷	þ	Н	
	ã	÷	Ŗ	Н	
ū	Ź	ñ	7	И	
а	z	Ħ		п	

	ShelfMax [™] Wire Sys	items		ыг	(Inches)		Snei	(Inches)			
	Model Number	Description	ShelfMax Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
	AWS143630040	Wire Shelving w/ 30040	R, B, Y, G, W	11%	41/8	6	14	36	74	64	8
	AWS143630080	Wire Shelving w/ 30080	R, B, Y, G, W	115/8	83/8	6	14	36	74	32	8
IAI	AWS183630088	Wire Shelving w/ 30088	R, B, Y, G, W	17%	83/8	6	14	36	74	32	8
s!	AWS143630090	Wire Shelving w/ 30090	R, B, Y, G, W	11%	6%	6	14	36	74	40	8
1	AWS183630048	Wire Shelving w/ 30048	R, B, Y, G, W	17%	41/8	6	18	36	74	64	8
	AWS183630098	Wire Shelving w/ 30098	R, B, Y, G, W	17%	6%	6	18	36	74	40	8

Bin color code: R=Red, B=Blue, Y=Yellow, G=Green, W=White. Specify one bin color when ordering.

accessories Mes



Footplates Steel tips on bottom of frames prevent movement of stationary units



Locking Casters Highly maneuverable, locking wheels create mobile or stationary units



Non-Locking Casters Highly maneuverable, non-locking wheels create mobile units



Color Coding

Visual reference made simple! Color code work areas with Wire Shelving Systems for quick identification of stored items

Steel Shelving Systems

shelving systems & cabinets

- More than 40 system options for bin and shelf configurations
- Manufactured from high-grade, 22-gauge steel with a powder-coated finish
- Can be ordered independently or purchased with bins as a complete system
- Shelving units are easy to assemble, using nuts and bolts only on the top and bottom shelves
- Other shelves are quickly assembled, and can be adjusted when necessary, using compression clips
- All units feature a "sanitary" base that keeps debris and small parts from underneath the shelving
- 1236 Enclosure or 1836 Enclosure can be purchased separately for use with any AS1279 or AS1879 open shelving unit







Per Shelf Weight Capacity:

- 12 x 36 = 500
- 24 x 36 = 550
- $18 \times 36 = 550$ 18 x 42 = 355
- 30 x 36 = 600

Super-Size & Organize with Steel Shelving Systems!

 Accommodates new 24" and 30" Super-Size AkroBins

 Efficiently organize large, heavy items and improve workflow







24" Super-Size Steel Shelf Unit

30" Super-Size Steel Shelf Unit

12" System Bin™ Shelf Unit

18" System Bin™ Shelf Unit

Indicator™ Bin Shelf Unit



Expand Storage Options

- Available with 3 or 4 shelves
- Complete packages available with the 24" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27



Lengthen Storage Capability

- Available with 3 or 4 shelves
- Complete packages available with the 30" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27



Free Up Floor Space

- Available with 10 shelves
- Includes (10) 30312 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- · System Bins, pg. 24



Increase Work In Process Efficiency

- Available with 10 shelves
- Includes (10) 30318 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- System Bins, pg. 24



Never Run Out of Inventory

- Available with 12 shelves
- Holds (96) 36442BLUE bins and (60) 36462BLUE bins
- 500 lb. weight capacity per shelf, up to 8,500 lbs.
- Indicator Bins, pg. 21

36" Wide Stak-N-Store Systems

42" Wide Stak-N-Store Systems



Boost Organization

- Available with 5 shelves
- Configure for 15, 10 or 6 Stak-N-Store bins depending on bin size selected
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy or bulky items
- · Stak-N-Store bins, pg. 28



Maximize Space Utilization

- Available with 5 shelves
- Comes complete with 12 Stak-N-Store bins
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy, or bulky items
- · Stak-N-Store bins, pg. 28

AkroBin® Shelf Rack



Shorten Assembly Times

- · Available with 4 shelves and solid top for extra workspace
- Configured to hold (12) 30240 AkroBins and (6) 30250 AkroBins
- · Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- AkroBins, pgs. 4-6

12" Shelf Bin System



Sort Parts To Improve Efficiency

· Available with 13 shelves

- Holds up to (96) 18" deep Shelf Bins or (144) 12" deep Shelf Bins
- Strong, polypropylene Shelf Bins outlast corrugated bins
- Shelf Bins, pgs. 12-14

ShelfMax[™] Shelf Unit



6" Bins Maximize Storage Capacity

- Available with 10 shelves
- Configure for 40 to 80 bins
- 7 Bin Sizes & 5 Colors
- ShelfMax Bins, pg. 13



12" Shelf Bin Systems Bin Dimensions (Inches) Shelf Dimensions (Inches) **Model Number** Description Bin Model No # of Bin AS1279 Shelving (no Bins) 12 36 79 12 AS1279110Y Shelving with Bins 30110YFLLO 115/8 23/4 12 79 144 12 4 36 30120YELLO AS1279120Y Shelving with Bins 115/8 12 41/8 12 79 AS1279130Y Shelving with Bins 30130YELLO 115/8 65/8 4 12 79 60 12 36 AS1279150Y Shelving with Bins 30150YELLO 115/8 83% 4 12 79 48 12 36 30170YELLO AS1279170Y Shelving with Bins 115/8 111/8 79 4 12 36 36

12″ System Bin Shelf Unit			Bin Din	ensions ((Inches)	Shelf Di	mension	s (Inches)	
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1279312R	Shelving with System Bins	30312RED	33	12	5	12	36	79	10	10
AS1279312B	Shelving with System Bins	30312BLUE	33	12	5	12	36	79	10	10
AS1279312Y	Shelving with System Bins	30312YELLO	33	12	5	12	36	79	10	10
AS1279312G	Shelving with System Bins	30312GREEN	33	12	5	12	36	79	10	10

Steel Shelving Systems shelving systems & cabinets





















18" Shelf Bin Systems			Bin Dim	ensions ((Inches)	Shelf Di	mension	s (Inches)	
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1879	Shelving (no Bins)	-	-	-	-	18	36	79	-	12
AS1879128Y	Shelving with Bins	30128YELLO	171/8	41/8	4	18	36	79	96	12
AS1879138Y	Shelving with Bins	30138YELLO	17%	65/8	4	18	36	79	60	12
AS1879158Y	Shelving with Bins	30158YELLO	171/8	83/8	4	18	36	79	48	12
AS1879178Y	Shelving with Bins	30178YELLO	171/8	111/8	4	18	36	79	36	12

8" System Bin Shelf Unit				ensions ((Inches)	Shelf Di	mension)		
Model Number	Description	Bin Model No.	L	W	Н	D	- 1	Н	# of Bins	Shelves
AS1879318R	Shelving with System Bins	30318RED	33	18	5	18	36	79	10	10
AS1879318B	Shelving with System Bins	30318BLUE	33	18	5	18	36	79	10	10
AS1879318Y	Shelving with System Bins	30318YELLO	33	18	5	18	36	79	10	10
AS1879318G	Shelving with System Bins	30318GREEN	33	18	5	18	36	79	10	10

ndicator''' Bin System			Bin Dim	ensions ((Inches)	Shelf Di	mension	s (Inches)		
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS127936442B	Shelving, with Indicator Bins	36442BLUE	11%	41⁄4	4	12	36	79	96	12
AS127936462B	Shelving, with Indicator Bins	36462BLUE	11%	6¾	4	12	36	79	60	12

36" Stak-N-Store System	"Stak-N-Store System				(Inches)	Shelf Di	mension)		
Model Number	Description	Bin Model No.	L	W	Н	D	1	Н	# of Bins	Bonus Bins
AS187936	Shelving (no Bins)	-	-	-	-	18	36	79	-	-
AS187913014	Shelving, with Bins	13014	171/2	10%	121/2	18	36	79	15	1
AS187913018	Shelving, with Bins	13018	171/2	16½	12½	18	36	79	10	-
AS1879ASORT	Shelving, with Bin Mix	13014, 13018	S	ee Abov	e	18	36	79	6/6	2/0

4	42" Stak-N-Store System				ensions	(Inches)	Shelf Di	mension			
	Model Number	Description	Bin Model No.	L	W	H	D	1	Н	# of Bins	Bonus Bins
	AS187942	Shelving (no Bins)	-	-	-	-	18	42	79	-	-
	AS187913017	Shelving, with Bins	13017	151/4	19%	127/16	18	42	79	10	2

AkroBii	n Shelf Rack		Unit Din	nensions	(Inches)	Shelf Di	mension	s (Inches)	
	Model Number	Description	L	W	Н	L	W	Н	Rack Weight Capacity
	RABR5338	Holds twelve 30240 Bins and six 30250 Bins*	53½	151/4	37%	171/4	151/4	73/8	300 lbs.
*Bins sol	d separately.								

	4 Super-Size Sileiving System				iensions ((Inches)	Shelf Di	mension			
	Model Number	Description	Bin Model No.	L	W	Н	D	1	Н	# of Bins	Shelves
	AS2479	Shelving (no Bins)	-	-	-	-	24	36	79	-	-
.,	AS2479284	Shelving with 30284 Bins	30284	23%	81/4	10	24	36	79	24	3
۲	AS2479287	Shelving with 30287 Bins	30287	23%	11	10	24	36	79	24	3
1	AS2479288	Shelving with 30288 Bins	30288	23%	16½	11	24	36	79	12	4
	AS2479ASSORT	Shelving with 30287/30288 Bins	30287/30288	S	ee Abov	е	24	36	79	12/6	3

O″ Super-Size Shelving System			Bin Dimensions (Inches)			Shelf Di	mension			
Model Number	Description	Bin Model No.	L	W	Н	D	1	Н	# of Bins	Shelves
AS3679	Shelving (no Bins)	-	-	-	-	30	36	79	-	-
AS3679292	Shelving with 30292 Bins	30292	29%	11	10	30	36	79	24	3
AS3679293	Shelving with 30293 Bins	30293	29%	161/2	11	30	36	79	12	4
AS3679ASSORT	Shelving with 30292/30293 Bins	30292/30293	S	ee Abov	e	30	36	79	12/6	3
Cuasifichia salas										

city bin color. elfMax [™] Shelf Unit			Bin Dim	ensions ((Inches)	Shelf Di	mension	s (Inches)	
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1279040	12" Steel Shelving	30040	11%	41/8	6	12	36	79	80	10
AS1279080	12" Steel Shelving	30080	11%	83/8	6	12	36	79	40	10
AS1279090	12" Steel Shelving	30090	11%	65/8	6	12	36	79	50	10
AS1879048	18" Steel Shelving	30048	17%	41/8	6	18	36	79	80	10
AS1879088	18" Steel Shelving	30088	17%	83/8	6	18	36	79	40	10
AS1879098	18" Steel Shelving	30098	17%	65%	6	18	36	79	50	10
AS2479094	24" Steel Shelving	30094	23%	65/8	6	24	36	79	50	10

Heavy-Duty Cabinets

shelving systems & cabinets

- Heavy-Duty Cabinets provide MAXIMUM space for storage of parts and protect contents from dust, damage and theft
- Powder-coated paint is resistant to cuts and scratches
- Industrial-strength lock and key ensure complete security
- Cabinets ship assembled, shelving and panels require installation
- Shelves are adjustable on 2" centers allowing the flexibility of securely storing multiple-sized objects
- 3 configurations Shelves, Louvered Panels, Combination with Bins
- Removable louvered panels attach to solid steel back panel
- 16-gauge steel construction









Heavy-Duty Cabinet

- Model No. HD4824A
- · Cabinet with shelves only



- Model No. HD4824E
- · Cabinet with louvers and bins





Heavy-Duty Cabinet

- Model No. HD4824F
- · Cabinet with louvers and bins

vy-Duty Cabinet 4	8″W x 24″D x 72″H		Bin Di	mensions ((Inches)	
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins
HD4824A	Cabinet w/Shelves Only	-	-	-	-	-
HD4824E	Cabinet w/ Louvers	30220YELLO	7%	41/8	3	160
		30230YELLO	10%	5½	5	24
		30240YELLO	14¾	81/4	7	20
		30235YELLO	10%	11	5	12
HD4824F	Cabinet w/ Louvers	30220YELLO	7%	41/8	3	160
		30230YELLO	10%	5½	5	48
		30240YELLO	14¾	81/4	7	20



shelving systems & cabinets

- Made from 16-gauge steel
- Powder-coated finish

Heavy-Duty Cabinets and Standard Cabinets can accommodate:

- AkroBins.....pgs. 4-6
- Shelf Binspgs. 12-14



AkroBin® Cabinet

- Model No. AC3624Y
- Louvered panels on back wall and doors hold up to 138 bins



AkroBin® Cabinet with 3 Shelves

- Model No. AC3624Y3AS
- · Louvered panels and 3 full 24" shelves hold up to 102 bins



AkroBin® Cabinet with Flush Doors

- · Model No. AC3618Y
- · Louvered panel on back wall holds up to 42 bins



Quick-View Security Bin Cabinet

- Model No. AC3618QV240
- Lexan[™] door panels;
- louvered back wall panel
- Holds up to 36 bins



Secure View Security Bin Cabinet

- Model No. AC3618SV250
- Steel mesh door panels; louvered back wall panel
- Holds up to 36 bins



- For use with Standard Cabinets only
- Easily convert large cabinets to mobile units!
- Bin Cabinet Dollies feature solid, powder-coated steel deck with 1¼" lip and welded corners



kroBin Cabinet 36°	W x 24″D x 78″H		Bin Dir	nensions (Inches)	
Model No.	Description	Bin Model No.	L.	W	Н	Qty. of Bins
AC3624	Cabinet w/ Louvered Panels on Back & Doors, no Bins	-	-	-	-	-
AC3624Y	Cabinet w/ Louvered Panels on Back & Doors with Bins	30210YELLO	5%	41/8	3	48
		30220YELLO	73/8	41/8	3	48
		30230YELLO	10%	5½	5	24
		30240YELLO	14¾	81/4	7	12
		30250YELLO	14¾	16½	7	6

Bin Cabinet w/ 3 Shelves 36″W x 24″D x 78″H			Bin Dimensions (Inches)			
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins
AC36243AS	Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, no Bins	-	-	-	-	-
AC3624Y3AS	Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, with Bins	30210YELLO	5%	41/8	3	48
		30220YELLO	73/8	41/8	3	48
		30250YELLO	14¾	16½	7	6

AkroBin Cabinet w/	croBin Cabinet w/ Flush Doors 36″W x 18″D x 78″H			Bin Dimensions (Inches)			
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins	
AC3618	Cabinet w/ Louvered Panels on Back Wall, no Bins	-	-	-	-	-	
AC3618Y	Cabinet w/ Louvered Panels on Back Wall, with Bins	30230YELLO	10%	51/2	5	24	
		30240YELLO	14¾	81/4	7	12	
		30250YELLO	14¾	16½	7	6	

Quick-View Security Bin Cabinet 36"W x 18"D x 78"H Bin Model No. Qty. of Bins Model No. Description Cabinet w/ Quick View Doors, AC36180V Louvered Back, no Bins Cabinet w/ Quick View Doors, AC3618QV240 30240YELLO 14¾ 7 36 81/4 Louvered Back, with Bins Cabinet w/ Quick View Doors, AC3618QV250 30250YELLO 14¾ 161/2 Louvered Back, with Bins

Secure-View Security	Bin Dimensions (Inches)					
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins
AC3618SV	Cabinet w/ Secure View Mesh Doors, Louvered Back, no Bins	-	-	-	-	-
AC3618SV240	Cabinet w/ Secure View Mesh Doors, Louvered Back, with Bins	30240YELLO	14¾	81⁄4	7	36
AC3618SV250	Cabinet w/ Secure View Mesh Doors, Louvered Back, with Bins	30250YELLO	14¾	16½	7	18

Bin Cabinet Dollies Dimensions (Inches)							
	Model No.	Description	L	W	Н	Polyolefin Casters	Weight Capacity
	AC803618M26	18 x 36 Bin Cabinet Dolly	36½	181/2	51/4	3 x 1¼″	1000 lbs.
	AC803624M26	24 x 36 Bin Cabinet Dolly	36½	241/2	6½	4 x 11/4"	1000 lbs.



mobile systems & work centers

- · Hinged side gates on both shelves flip up or down to convert the ProCart to a flat-top or box-top cart
- A versatile work center for the assembly line, warehouse or wherever you need portable storage
- High-density polyethylene structural foam construction is dent-resistant, rust-proof and never needs painting
- 400 lb. maximum cart load. 200 lb. capacity per top and bottom shelf
- Assembly required
- Color: Gray











Deep, molded-in compartments keep items secured and within reach (Only large cart has mug holder.)



full-width handle gives complete handling control



rail system (sold separately) allows AkroBins® to hang



Toe-touch, locking swivel wheels



Smooth, rounded corners and edges



non-marking 5" wheels



makes loading and unloading oversized boxes on the lower shelf easy



AkroBins Ordering Information

To create a customized ProCart with AkroBins, use the chart below to determine the quantity of AkroBins that will fit your ProCart. Carts, rail kits and bins must be ordered separately. When ordering, please specify Red, Yellow, Blue, Stone, Green, Semi-Clear or Black bins.



Large Cart Model No. 30936 Shown with optional rail kit

Optional 9-Rail Hanging System Ordering Information

The 9-Rail Hanging System is required to hang AkroBins and modular cabinets on your ProCart. For large cart rails, order Model No. 30906. For small cart rails, order Model No. 30900. Refer to pg. 34 for modular cabinets.



Dimensions

			menes		
Model No.	Description	L	W	Н	Ctn. Qty.
30936	Large Cart	45%	24	34¾	1
30930	Small Cart	411/2	19	34¾	1

Easy assembly – requires Phillips screwdriver and rubber mallet







Use this chart when ordering one size AkroBins for your ProCart

Bin Model No. Bin Dim. L x W x H	30210 5% x 4% x 3	30220 7% x 4% x 3	30224 10% x 4% x 4	30230 10% x 5½ x 5	30234 14¾ x 5½ x 5	30235 10% x 11 x 5	30239 10¾ x 8¼ x 7	30240 14¾ x 8¼ x 7	30250 14¾ x 16½ x 7	30255 10¾ x 16½ x 5	30320 8% x 33 x 5	19-Series Cabinet
30936 Large Cart	80	80	48	36	36	18	16	16	8	12	6	4
30930 Small Cart	70	70	42	30	-	12	12	-	-	-	-	2




- Industrial-grade mobile workstation with a welded-steel frame and steel reinforced premium hardwood work surface
- Available in two worktop sizes: 48" L x 24" W (for 12" AkroDrawers) and 36" L x 18" W (for 18" AkroDrawers)
- Features two stationary shelves for AkroDrawers
- Made from 16-gauge steel with durable powder-coated finish
- Non-marking casters allow weight capacity of 800 lbs.
- Small cart has four 4" casters
- Large cart has four 5" casters
- Ships fully assembled and ready to use
- Colors: Textured Charcoal Gray and Textured Putty





easy handling





Small Louvered Cart 37"L x 18"W x 36"H

Model No. Description		Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA3618C	Small Louvered Cart with no AkroDrawers	Textured Charcoal Gray	800 lbs.	-	-
MA3618CAST	Small Louvered Cart with 31168 & 31188 AkroDrawers	Textured Charcoal Gray	800 lbs.	12/4	R,B,Y,GRY,CRY

cart is in motion or during sudden stops or turns

Model No. Description		Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA3618P	Small Louvered Cart with no AkroDrawers	Textured Putty	800 lbs.	-	-
MA3618PAST	Small Louvered Cart with 31168 & 31188 AkroDrawers	Textured Putty	800 lbs.	12/4	B,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit.

Large Louvered Cart 49"L x 24"W x 37-1/2"H

Large Louvered Care 4	/ EX ET 11 X 2/ 1/E 11				
Model No.	Model No. Description		Wt. Capacity	Qty. of Drawers	Drawer Color
MA4824C	Large Louvered Cart with no AkroDrawers	Textured Charcoal Gray	800 lbs.	-	-
MA4824C1	MA4824C1 Large Louvered Cart with 31142 & 31162 AkroDrawers		800 lbs.	22/16	R,B,Y,GRY,CRY
MA4824C2	Large Louvered Cart with 31142 & 31182 AkroDrawers	Textured Charcoal Gray	800 lbs.	22/10	R,B,Y,GRY,CRY

Model No. Description		Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA4824P	Large Louvered Cart with no AkroDrawers	Textured Putty	800 lbs.	-	-
MA4824P1	MA4824P1 Large Louvered Cart with 31142 & 31162 AkroDrawers		800 lbs.	22/16	B,CRY
MA4824P2	Large Louvered Cart with 31142 & 31182 AkroDrawers	Textured Putty	800 lbs.	22/10	B,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow

AkroDrawers	Out	side Dimo Inches	ensions
Model No.	L	W	Н

Model No.	L	W	Н
31142	11%	3¾	45/8
31162	11%	5%16	45/8
31182	11%	83/8	45/8
31168	17%	5%16	45/8
31188	17%	83/8	45/8




- Heavy-duty carts designed for daily work
- Welded steel cart rolls smoothly on long-wearing casters
- Built to withstand loads up to 2,200 lbs. with recommended casters
- Swayback-style tubular push handle (Models R1S5HR and R1S8MR have vertical handles)
- Choose from several caster options as well as rubber matting, a writing shelf and drawers
- Ships completely assembled and ready to use











Longitudinal stiffeners support bottom shelf



Heavy-duty, 13-gauge steel shelves



Cart Sizes - Specify size when ordering.

Standard -

- 24" x 36"
- 24" x 48"
- 30" x 48"
- 30" x 60"


Specify cart size when ordering. See page 61 for full description of casters and wheels.

Handle
Swayback
Swayback
Vertical
Swayback
Vertical
Swayback
-

^{**}Low deck to minimize lifting & bending. Also available in 18 x 30 - not available in 30 x 60.

ti-Shelf Carts Height Shelf Clearance						
Model No.	Weight Capacity (lbs.)	Caster	Shelves	Inches	Inches	Handle
R2ST5HR*	1800	5″ x 2″ Polyolefin	2	30	20¾	Horiz. Tubular
R3ST5HR	1800	5″ x 2″ Polyolefin	3	30	95/8	Horiz. Tubular
R4ST5HR	1800	5″ x 2″ Polyolefin	4	631/4	17	Horiz. Tubular
R4ST8MR	2200	8" x 2" Mold-On Rubber	4	661/4	17	Horiz. Tubular
R5ST5HR**	1800	5″ x 2″ Polyolefin	5	631/4	12½	Horiz. Tubular
R5ST8MR**	2200	8" x 2" Mold-On Rubber	5	661/4	121/2	Horiz. Tubular

^{*}Only available in 18 x 30. **Also available in 36 x 72.



^{**}Only available in 24" x 36" or 36" x 36" decks. Bin color code: R=Red, B=Blue, Y=Yellow, G=Green. Specify color when ordering.





Horizontal Tubular Handle



Vertical Handle

Tray Service Cart mobile systems & work centers



- Excellent for libraries and manufacturing operations
- 2 swivel, 2 fixed casters

Cart Sizes

Standard -


Optional -• 18" x 36"

- 18" x 30" 24" x 36"
- 24" x 48"
- Specify size when ordering



Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster information.



Box Trucks



- All box trucks have 2 swivel, 2 rigid, 5" x 2" polyolefin casters
- Solid steel or expanded metal sides available
- 1,800 lbs. capacity
- Available with optional lid



Expanded metal for easy cleaning, good airflow and visibility of contents. 311/2" overall height; 25" inside depth

Box Trucks Model No Description **Caster Type** Weight Capacity (lbs.) 1800 R1B5HR Steel Box Truck 5" Polvolefin R1B5HRL Steel Box Truck with Lid 5" Polyolefin 1800 R1B5HRX Expanded Metal Box Truck 5" Polyolefin 1800 R1B5HRXL Expanded Metal Box Truck with Lid 5" Polyolefin 1800

Box Sizes

- 24" x 36"
- 24" x 48" • 30″ x 36″
- 30" x 48"

Specify size when ordering



Standard Caster **Polyolefin**

See pg. 61 for more caster information

High-End Narrow Aisle Truck

- Extra-narrow aisle truck for order-picking and stocking where space is limited
- Slim design fits easily in tight areas
- Centered, 8" wheels and casters at each corner allow cart to turn within its own diagonal space
- Available in plywood deck with steel frame or all-steel deck
- 1,500 lb. capacity



Steel Deck Plywood Deck

Cart Sizes

Standard -Optional -18" x 48" . 18″ x 60′

24" x 60" 24" x 48"

Specify size when ordering

High-End Narrow Aisle Trucks									
Model No.	Description	Center Casters	Corner Casters	Weight Capacity (lbs.)					
R215HE	Plywood Deck Steel Frame	8″ Mold-On Rubber	4″ Polyolefin	1500					
R214HE	All-Steel	8″ Mold-On Rubber	4″ Polyolefin	1500					



mobile systems & work centers

- Constructed from select kiln-dried hardwoods to prevent warping and shrinkage
- All boards are cut and planed to %" with guaranteed consistent quality
- Four, 3" polyolefin swivel casters offer 900 lb. capacity (See caster options for up to 1,400 lb. capacity)
- Standard deck height 5¾"
- Shipped fully assembled



Solid Dolly

- Three cross battens on 36" & 48" length
- Smooth, treated deck with countersunk bolts







- Deck boards run lengthwise



a smooth working surface



Non-marking 3" swivel casters with polyolefin wheels



Zinc-plated rigs and hardware resist corrosion



Flush Dolly

- Full, 4" wide by 134" thick double length rails
- Smooth, open deck



Regular Dolly

- Strength and reliability at an economy price
- All rails are 4" wide



Carpet End Dolly

Padded carpeting[‡] protects furniture and appliances



Rubber Cap Dolly

Non-skid reinforced 3" wide rubber caps keep slippery loads in place without damage



All-Carpet Solid Dolly

- · Strength and reliability at an economy price
- Fully carpeted[‡] deck prevents damage to cargo [‡]Pattern of carpet may vary

Wood Dollies

Dimensions

Model No.	Description	L	W
RD2416S3P	Solid Dolly	24	16
RD271853P	Solid Dolly	27	18
RD3018S3P	Solid Dolly	30	18
RD3624S3P	Solid Dolly	36	24
RD4824S3P	Solid Dolly	48	24
RD2416F3P	Flush Dolly	24	16
RD2718F3P	Flush Dolly	27	18
RD3018F3P	Flush Dolly	30	18
RD3624F3P	Flush Dolly	36	24
RD4824F3P	Flush Dolly	48	24
RD2416R3P	Regular Dolly	24	16
RD3018R3P	Regular Dolly	30	18
RD3624R3P	Regular Dolly	36	24
RD3018CE3P	Carpet End Dolly	30	18
RD3624CE3P	Carpet End Dolly	36	24
RD2718RC3P	Rubber Cap Dolly	27	18
RD3018RC3P	Rubber Cap Dolly	30	18
RD3018AC3P	All-Carpet Solid Dolly	30	18
RD3624AC3P	All-Carpet Solid Dolly	36	24

Caster Options

Model No.	Description	Weight Capacity (lbs.)
3P	3" Polyolefin Casters	900
4P	4" Polyolefin Casters	1200
5P	5" Polyolefin Casters	1400
3R	3" Gray Non-Marking Rubber	900
35R	3½" Gray Non-Marking Rubber	900
4Rx	4" Blue Elastic Rubber	900
4R	4" Non-Marking Rubber Casters	1100
5R	5" Non-Marking Rubber Casters	1350

Brake Kits

Brake kits inst	alled on two swivel casters — optional (non-returnable)
R1130BRK	3" Brake Kits for Hard Rubber Casters
R1151BRK	3" Brake Kits for Polyolefin Casters

Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.





Wheel Locks



mobile systems & work centers 49

Dollies Polyethylene mobile systems & work centers









High-impact, durable polyethylene construction

Steel-reinforced, one-piece deck design

- Easy to clean, non-porous platform will not rot, mildew or splinter
- 1,200 lb. weight capacity
- Quick, easy assembly
- Colors: Blue or Red



Dollies Steel

- Durable, powder-coated finish
- Open structural angle dollies, 1½" x 1½" x ½"
- Solid decks are smooth, 13-gauge steel
- 1½" lip turned down for a smooth surface. Order lips up for a contained area
- Up to 1,000 lb. weight capacity





Solid Deck - Lips Up



Solid Deck - Lips Down



Open Angle - Lips Up



Open Angle - Lips Down

Dimensions

rolyethylene Donles		IIIC	iles		ilicites	
Model No.	Description	L	w	Caster Type*	Overall Height	Weight Capacity (lbs.)
RMD3018F4PN	Flush Polyethylene w/ Casters	30	18	4″ Polyolefin	73/4	1200
RMD3018RC4PN	Padded Polyethylene w/ Casters	30	18	4″ Polyolefin	8¾	1200
RMD3018FN	Flush Polyethylene w/o Casters	30	18	-	23/4	-
RMD3018RCN	Padded Polyethylene w/o Casters	30	18	-	3¾	-
RMD3018F4RX	Flush Polyethylene w/ Casters	30	18	4" Blue Elastic Rubber	73/4	1200
RMD3018RC4RX	Padded Polyethylene w/ Casters	30	18	4" Blue Elastic Rubber	8¾	1200

Plate-style 4" polyolefin swivel casters for maximum maneuverability and easy replacement

Specify color when ordering

Steel Dollies					Inches	Inches	Inches
Style	Lips Down Model No.	Lips Up Model No.	Capacity	Caster Type*	Caster Size	Deck Height Up	Deck Height Down
Solid Dolly	RD843HR	RU843HR	900 lbs.	Polyolefin	3 x 1¼	5½	41/8
Solid Dolly	RD843SS	RU843SS	1000 lbs.	Semi-Steel	3 x 11⁄4	5½	41/8
Solid Dolly	RD844HR	RU844HR	1000 lbs.	Polyolefin	4 x 1½	6%	51/4
Solid Dolly	RD844SS	RU844SS	1000 lbs.	Semi-Steel	4 x 1½	6%	51/4
Open Angle	RD853HR	RU853HR	900 lbs.	Polyolefin	3 x 11⁄4	5¾	43%
Open Angle	RD853SS	RU853SS	1000 lbs.	Semi-Steel	3 x 11⁄4	5¾	43%
Open Angle	RD854HR	RU854HR	1000 lbs.	Polyolefin	4 x 1½	6%	5½
Open Angle	RD854SS	RU854SS	1000 lbs.	Semi-Steel	4 x 1½	6%	51/2

Deck Sizes

Standard

• 16" x 27" • 18" x 30" • 24" x 36" • 18" x 24"

Specify size when ordering

*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.





Medium-Duty

- Medium-duty hand trucks for day-to-day work
- Welded-steel construction supports up to 300 lbs.
- Durable, powder-coated finish
- %" OD structural pipe frame, 13-gauge wall
- Standard 7" x 14" steel nose plate
- Ships completely assembled and ready to use
- %" diameter axle
- Two position bracket fits 8" or 10" wheels
- Heavy flat bar and tube for climbing stairs







Semi-Pneumatic 10" x 23/4



10" x 31/2"



8" x 2'





Heavy-Duty

- Heavy-duty hand trucks for all types of loads
- Welded-steel hand trucks support up to 500 lbs.
- Durable, powder-coated finish
- 1" OD structural pipe frame, 13-gauge steel *Special-order products are not returnable.
- %" diameter axle
- Standard 8" x 14" steel nose plate
- Optional 10" x 14" or 14" x 14" noseplate available*
- Two position bracket fits 8" or 10" wheels





Single & Dual Gas Trucks

- Heavy-duty truck designed to handle 330 cu. ft. cylinders
- Available in single and dual cylinder models
- Includes heavy-duty holding chain
- Hard rubber swivel caster
- Color: Green



Single Cylinder Hand Truck

- Perfect for medium to large cylinders
- Also transports boxes or other bulky items
- Includes heavy-duty holding chain
- Color: Green



Flow Back (FB)



Inches Medium-Duty Hand Trucks - Flow Back Model No. Wheel Type Wheel Size R3008MR Mold-On Rubber 8 45 19% R3010FP **Full Pneumatic** 22 R3010SP Semi-Pneumatic 20

Heavy-Duty I	land Trucks – Flow Back	Inches	Inc	hes
Model No.	Wheel Type	Wheel Size	Н	W
R4008MR	Mold-On Rubber	8	45	19¾
R4008MR2	Mold-On Rubber	8	52	19¾
R4010FP	Full Pneumatic	10	45	22
R4010FP2	Full Pneumatic	10	52	22
R4010SP	Semi-Pneumatic	10	45	20
R4010SP2	Semi-Pneumatic	10	52	22

Heavy-Duty Ha	nd Trucks – Dual Loop	Inches	Inc	hes
Model No.	Wheel Type	Wheel Size	н	w
R4510SP	Semi-Pneumatic	10	46	20
R4510SP2	Semi-Pneumatic	10	53	20

	Trucks	Inches		
RGTS10FP Single Full Pneumatic 10 x 33	Truck Type	Model No.	Wheel Type	Wheel Size
	Single	RGTS10FP	Full Pneumatic	10 x 3½
RGTD10FP Dual Full Pneumatic 10 x 33	Dual	RGTD10FP	Full Pneumatic	10 x 3½
RGTS10SP Single Semi-Pneumatic 10 x 23	Single	RGTS10SP	Semi-Pneumatic	10 x 2¾
RGTD10SP Dual Semi-Pneumatic 10 x 23	Dual	RGTD10SP	Semi-Pneumatic	10 x 2¾

- GTS Base Plate 14" W x 6" D, OAH 45" 1143
- GTD Base Plate 29" W x 6" D, OAH 45" 1143

Dual Cylinder Truck w	Inches						
Model No.	Wheel Type	Wheel Size					
RCT40LW	Lightweight	8 x 1¾					
 Base Plate – 17" W x 8" D, OAH – 43" 1092 							

Single Cylinder Hand 1	Inches	
Model No. Wheel Type		Wheel Size
RCTV40SP	Semi-Pneumatic	10 x 2¾

Base Plate – 14" W x 7" D, OAH – 48" 1219



Hand Trucks & Drum Handling Equipment

mobile systems & work centers



Cradle Combo Truck

- A drum truck and cradle in one
- Handles 30 and 55-gallon drums with ease
- Extra wheels assist in climbing curbs or loading pallets
- Adjustable clip keeps drum in place
- 15/16" OD tube frame
- Durable, powder-coated finish



Cradle Combo Truck		Inches	Inches	
Model No.	Wheel Type	Wheel Size	Roller Bearing	Load Capacity
R9508MR2	Mold-On	8 x 2	3/4	1000 lbs.
		6 x 2	3/4	
R9510MR2	Mold-On	10 x 2½	1	1200 lbs.
		6 x 2	3/4	





For the ease of rolling 30 and 55-gallon drums

Cradle Combo Truck

Durable, powder-coated finish

Drum Dolly			
Model No.	Wheel Type	Load Capacity	Diameter
R9255HR	3″ Swivel Polyolefin	900 lbs.	23½″ID





- Multi-purpose hand truck for carting 5-gallon pails
- Cross straps with supporting arms hold pails in place while in transit
- Welded, 1" structural pipe frame with 1/8" walls; durable, powder-coated finish
- Holds 4 pails, up to 300 lbs. capacity

Pail Truck	Inches	Inches	Inches		
Model No.	Wheel Type	Wheel Size	Overall Height	Overall Width	
RPT4010SP	Semi-Pneumatic	10	55½	181/2	





Dual-Purpose Hand Truck



- Dual-function hand truck converts to platform position for oversize loads
- Welded, 15/16" OD tube frame and 1" OD tube handle powder-coated finish for durability
- Up to 600 lbs. capacity in platform mode
- Large 7" x 14" nose plate
- Axle accommodates 8" or 10" wheels
- Color: Silver

Dual-Purpose Hand Truck		Inches	Inches	Inches
Model No.	Model No. Wheel Type		Overall Height	Overall Width
RDT4008SP	Semi-Pneumatic	8/3	46	19%
RDT4010FP	Full Pneumatic	10/5	46	22
RDT4010SP	Semi-Pneumatic	10/5	46	20



mobile systems & work centers

Versatile, structural foam cart with multiple handle and caster options

Sturdy, easy-to-clean deck resists most chemicals and damage from long-term weather exposure

All decks are steel reinforced

Designed with handles mounted outside of deck to maximize deck space

Choose the deck size, caster type and handle style to create the exact configuration you need

• Decks are available in two sizes: 24" x 48" and 30" x 60"

1,000 lb. load capacity

Deck color: Gray







Non-skid platform surface



heavy-gauge steel handles and rails



Steel outside deck pockets are welded to underdeck reinforcements



foam deck is reinforced with steel for long-term durability

24" x 48" De	cks & Casters*	Inches	
Model No. Caster Type		Caster Size	Ship Wt. w/o handles
R90181	90181 Pneumatic		69 lbs.
R90162 Polyolefin		6	61 lbs.
R90163 Polyurethane		6	61 lbs.
R90182	R90182 Mold-On Rubber		81 lbs.
R90184	Polyolefin	8	65 lbs.
R90110 Pneumatic		10	77 lbs.
R90185	R90185 Thermo-Plastic		61 lbs.

30" x 60" Dec	ks & Casters*	Inches	
Model No.	Model No. Caster Type		Ship Wt. w/o handles
R90281	Pneumatic	8	93 lbs.
R90262	Polyolefin	6	85 lbs.
R90263	R90263 Polyurethane		85 lbs.
R90282	Mold-On Rubber	8	105 lbs.
R90284	Polyolefin	8	89 lbs.
R90210	R90210 Pneumatic R90285 Thermo-Plastic		101 lbs.
R90285			85 lbs.

Handles & Rails for 24" x 48" VERSA/Deck Cart							
Model No.	Size (inches)	Style	Handle	Color	Ship Wt.		
Outside Deck							
R92411	18	Open	Swayback	Gray	5 lbs.		
R92412	18	Crossbar	Swayback	Gray	6 lbs.		
Handle Rails Indeck							
R94817	48	Crossbar	Straight	Gray	14 lbs.		

Handles & Rails for 30" x 60" VERSA/Deck Cart

Model No.	Size (inches)	Style	Handle	Color	Ship Wt.		
Outside Deck							
R93011	24	Open	Swayback	Gray	9 lbs.		
R93012	24	Crossbar	Swayback	Gray	10 lbs.		
Handle Rails Indeck							
R96017	60	Crossbar	Straight	Gray	16 lbs.		


*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

How to Order

STEP 1 – pick a deck & casters*

Refer to charts above to select deck size and casters



Deck sizes

- 24" x 48"
- 30" x 60"
- · Color: Gray

*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

STEP 2 - pick a handle & rails

Refer to charts above to select handle and rail configuration



Handle - Outside Deck



Handle Rails - Indeck





Platform Trucks Wood Deck

mobile systems & work centers









- Safely transport product, minimize lifting/carrying
- Heavy-duty platform trucks with kilndried, tongue and groove hardwood decks
- Caster options allow 1,180 to 3,000 lb. capacities
- Choose from multiple options in deck type, size, handles, casters, running gear patterns, bumpers and wheel locks
- Decks are 4/4 (%" thick)
- Shipped completely assembled and ready to use
- Casters are bolted on for easy replacement



How to Order in 7 Easy Steps!

pick a deck size

Deck sizes

- 27" x 54" 24" x 48"
- 30" x 60" • 36" x 72"

Styles Series 1 - All Wood

Standard with removable lattice pipe handle at swivel end

pick a deck style (series 1 or 2)

- Two swivel, two rigid casters
- See caster options for capacity

Series 2 – Wood Deck with Steel Frame

- 2" x 2" x 1/8" welded steel angle frame keeps cart square (On 36" x 72" deck, 2" x 2" x 3/6")
- · Heavy-duty steel frame for additional deck support
- · Standard with removable lattice pipe handle at swivel end
- The wood deck is reinforced with longitudinal stiffeners for maximum capacity. (See caster options for capacity)
- Two swivel, two rigid casters

pick running gears



Rigid caster



Swivel caster









pick caster type & size











Non-Marking Rubber

Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

pick superstructure (A-D)

Superstructure







Crossbar handle





create your model number


Call your Akro-Mils distributor with your model number today to order

model #	step 1	step 2	step 3	step 4	step 5	step 6
Platform Truck	→ Size →	Series	Super- structure	Running Gear Type	Caster Wheel	Caster Wheel Diameter
RPT	2448 2754 3060 3672	1 2	A B C D	4 5 6 7	P M Y N R S	5 6 8 10
RPT	3060	2	Α	5	P	6

Platform Trucks Steel mobile systems & work centers

- Heavy-duty steel trucks with longitudinal steel underdeck reinforcements
- Standard two swivel, two rigid casters
- Special-order platform trucks are available. See page 54 to select from multiple options in handles, casters and running gears (Special-order products are not returnable)





Casters are bolted on for easy replacement







HEAVY-DUTY DECK SIZES

- 30" x 48" 24" x 36" 36" x 60" 24" x 48" 30" x 60" 36" x 72"
- 24" x 60"
- 27" x 54"

Specify size when ordering







steel deck and frame





run lengthwise under the deck

industrial casters

Platform Trucks – Steel			Inches		Inches
Model No.	Description	Caster Type*	Caster Size	Weight Capacity (lbs.)	Deck Height
R2108FPB	Steel Platform	Full Pneumatic	8 x 2	1200	11½
R2125MRB	Steel Platform	Mold-On Rubber	5 x 2	1200	8
R2168MRB	Steel Platform	Mold-On Rubber	8 x 2	2000	11

*See page 61 for full description of casters and wheels

Platform Trucks Super-Heavy-Duty

- Super-heavy-duty wood deck steel frame trucks
- Steel C-channel underdeck reinforcements
- Capacity 1,200 to 4,000 lbs. depending on caster type





Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

ACCESSOTIES for either Steel or Super-Heavy-Duty









Floor Locks

Corner Bumpers

Continuous Bumpers

SUPER-HEAVY-DUTY DECK SIZES

24" x 48" • 30" x 60" 30" x 48" • 36" x 72"

Specify size when ordering

Platform Trucks – Super-H	eavy-Duty Steel		Inches		
Model No. Description		Caster Type*	Caster/Wheel Size	Weight Capacity (lbs.)	Deck Height
R2178MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2	2000	121/4
R219885MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2 / 8 x 2 ½	2500	121/2
R221812MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2 / 12 x 2½	3000	16
R2258516MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2½ / 16 x 3	4000	191/2
*Coo page 61 for full description	of costors and ruboals				



Platform Trucks Work Height — Heavy-Duty

mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Welded tubular steel frame supports heavy loads
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available

Hardwood deck features tongue and groove design Heavy-duty structural foam will not splinter, chip or rot

Steel frame features durable, powder-coated finish

Optional expanded metal or solid steel lower shelf









accessories Ories





Expanded Metal Shelf


Optional Corner Bumper

Platform Trucks - Fixed Work He	ight - Tubular Steel Frame		Inches			Inches	
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size	Weight Capacity (lbs.)
RWH24481A5M8	Wood	24	48	26%	Mold-On Rubber	8	1800
RWHV24481A5M8	Structural Foam	24	48	26%	Mold-On Rubber	8	1800
RWHV24481A5Y6	Structural Foam	24	48	241//8	Polyurethane	6	2000
RWHS24481A5M8	Steel	24	48	251/4	Mold-On Rubber	8	1800
RWHS24481A5Y6	Steel	24	48	231/4	Polyurethane	6	1800
RWH30601A5M8	Wood	30	60	26%	Mold-On Rubber	8	1800
RWHV30601A5M8	Structural Foam	30	60	26%	Mold-On Rubber	8	1800
RWHV30601A5Y6	Structural Foam	30	60	24%	Polyurethane	6	2000
RWHS30601A5M8	Steel	30	60	251/4	Mold-On Rubber	8	1800.
RWHS30601A5Y6	Steel	30	60	231/4	Polyurethane	6	1800

^{*} See page 61 for full description of casters and wheels

colors available

orm Trucks - Adjustable Wo	rk Height - Tubular Steel Fra	me	Inches		Inches					
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size	Weight Capacity (lbs.)			
RWH24481A5M8A	Wood	24	48	26¾ to 32¾	Mold-On Rubber	8	1800			
RWHV24481A5M8A	Structural Foam	24	48	27½ to 33½	Mold-On Rubber	8	1800			
RWHV24481A5Y6A	Structural Foam	24	48	25½ to 31½	Polyurethane	6	2000			
RWHS24481A5M8A	Steel	24	48	25% to 32	Mold-On Rubber	8	1800			
RWHS24481A5Y6A	Steel	24	48	23% to 32	Polyurethane	6	1800			
RWH30601A5M8A	Wood	30	60	26¾ to 32¾	Mold-On Rubber	8	1800			
RWHV30601A5M8A	Structural Foam	30	60	27½ to 33½	Mold-On Rubber	8	1800			
RWHV30601A5Y6A	Structural Foam	30	60	25½ to 31½	Polyurethane	6	2000			
RWHS30601A5M8A	Steel	30	60	25% to 32	Mold-On Rubber	8	1800			
RWHS30601A5Y6A	Steel	30	60	23% to 32	Polyurethane	6	1800			





Hardwood Deck



Foam Deck



All-Steel Deck

Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.



mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available
- Optional expanded metal lower shelf







form Trucks - Fixed Work He	ight - Angle Iron Frame		Inches		Inches					
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size*	Weight Capacity (lbs.			
RWH2448EA5M6	Wood	24	48	241/2	Mold-On Rubber	6	1500			
RWHV2448EA5M6	Structural Foam	24	48	24%	Mold-On Rubber	6	1500			
RWHS2448EA5M6	All-Steel	24	48	22	Mold-On Rubber	6	1500			
RWH3060EA5M6	Wood	30	60	241/2	Mold-On Rubber	6	1500			
RWHV3060EA5M6	Structural Foam	30	60	241//8	Mold-On Rubber	6	1500			
RWHS3060EA5M6	All-Steel	30	60	22	Mold-On Rubber	6	1500			

Platform	Trucks - /	Adjustable	Work	Height -	Angle

Platform Trucks - Adjustable Wo	ork Height - Angle Iron Frame		Inches		Inches					
Model No.	Deck Type	1	W	Н	Caster Type*	Caster Size*	Wt. Capacity (lbs.)			
RWH2448EA5M6A	Wood	24	48	24½ to 30½	Mold-On Rubber	6	1500			
RWHV2448EA5M6A	Structural Foam	24	48	24% to 30%	Mold-On Rubber	6	1500			
RWHS2448EA5M6A	All-Steel	24	48	22 to 28	Mold-On Rubber	6	1500			
RWH3060EA5M6A	Wood	30	60	24½ to 30½	Mold-On Rubber	6	1500			
RWHV3060EA5M6A	Structural Foam	30	60	24% to 30%	Mold-On Rubber	6	1500			
RWHS3060EA5M6A	All-Steel	30	60	22 to 28	Mold-On Rubber	6	1500			

^{*} See page 61 for full description of casters and wheels

Skids Semi-Live mobile systems & work centers

- Tongue and groove hardwood deck
- Temporary storage and transport of raw materials and finished goods
- Lift Jack available for easy transport of most semi-live skids
- Can be used with a forklift or handjack



Deck Sizes

Semi-Live Skids 2 Wheels Standard

- 24" x 48"
- 30" x 60"

Specify size when ordering

Semi-Live Skids – 2 wheels			Inches	
Model No.	Description	Caster Type*	Caster Size	Weight Capacity (lbs.)
RA778MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	8	2200
RA756MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	6	1800

Lift Jacks				Inches
Model No.	Description	Handle Style	Caster Type*	Caster Size
RM718MR‡	Male Lift Jack	(T) or (Loop)	Mold-On Rubber	8
RF718MR‡	Female Lift Jack	(T) or (Loop)	Mold-On Rubber	8

^{*} See page 61 for full description of casters and wheels ‡ - Specify Handle Style (T) or (Loop) when ordering



Lift Jacks

- · For easy transport of most semi-live skids
- Specify "T" or loop handle style
- For female socket, change Model No. prefix to "RF"
- Pipe is 43" long

Portable Tables & Carts

mobile systems & work centers

- Durable carts for pulling stock, assembly operations or other heavy tasks
- Welded steel frame construction with soft rubber casters for easy maneuverability
- Overall height: 36"
- Ships completely assembled and ready-to-use
- 800 lb. capacity with recommended casters



RMD2ST5SR w/ optional drawer

- 5" x 11/4" soft rubber casters
- Shelf spacing
- 16-gauge steel
- 2" hemmed lip









Tubular push handle MD series only



accessories Ories



Drawer: Easily accessible storage drawer. 151/2"W x 5½"H x16½"D O.D.



Writing Shelf: Handy, angled-shelf with pencil edge



Rubber Matting: For all standard size shelves



Control truck movement and prevent wheels from turning. Available on all wheels. Normal

installation on two swivel wheels

resists wear

Por	tab	le T	abl	es

Model No.	Weight Capacity (lbs.)	Caster	Shelves	Height (Inches)	Shelf Clearance (Inches)	Handle	Cart Size (Inches)
RMD2ST5SR	800	2 Swivel / 2 Rigid	2	36	27	Tubular	24 x 36
RMD3ST5SR	800	2 Swivel / 2 Rigid	3	36	121/2	Tubular	24 x 36

Mobile Work Tables Heavy-Duty



- Industrial-grade mobile workstation with a welded-steel frame and steel-reinforced premium oak top - ships fully assembled
- 24" L x 48" W work area with 9 adjustable height settings from
- 5" x 2" bolted on polyurethane casters; two rigid, two swivel with total lock brakes
- Wraparound steel backstop keeps items from falling behind work table
- Gray powder-coated finish

Hardwood work surface with Hardwood work premium 11/4" (5/4) thick oak surface extends 2" to accommodate vise or clamps boards and rounded edges 21" D x 36" W 131/2" D x 37" W. tilted middle bottom shelf shelf for easy access to bins

Mobile Work Tables Medium-Duty



- Industrial-grade work table with steel-reinforced hardwood top ships fully assembled
- 24" L x 48" W x 36" H
- 2 steel drawers 151/2" W x 51/2" H x 161/2" D
- 2 swivel, 2 rigid bolted-on soft rubber casters; 5" x 1¼" total lock brakes on swivel casters
- Optional butcher block top available
- Gray powder-coated finish

Heavy-Duty Work Benches

mobile systems & work centers







- Heavy-duty, steel frame work bench
- Steel, premium hardwood, butcher block or composition work surface
- 34" fixed or adjustable work heights
- Bench sizes: 30" x 60" and 30" x 72"
- Gray powder-coated finish





Wraparound steel

backstop keeps items from falling behind

work bench

131/2" deep middle shelf

is sloped for easy access

to bins or containers

Adjustable work height

telescoping C-channel legs

provide a range of work

heights from 30"- 40"

Anchor pads on each

leg secure bench

in a fixed position

Work Surface Thickness

Wood - 21/4" Butcher Block - 134" Composition - 134'





11-gauge steel work surface


extends 1½" on front and sides

to accommodate a vise or clamps (Hardwood extends 2")

12-gauge

welded steel shelves






Call your Akro-Mils distributor with your model number to order





- Lightweight tipping trucks for heavy-weight jobs
- Caster wheel has roller bearings for extra stability when pushing, pulling or turning
- Handle is arc welded and reinforced for optimum durability
- Wrap-around tubular frame is constructed of 1" or 11/4" powder-coated steel for enhanced appearance and rust protection
- All trucks available in: Gray




^{*}SP = Semi-Pneumatic MR = Mold-On Rubber









All carts available in Gray, Blue and Green. All lids are Black



Akro-Carts				Inches		
Model No. without Lid*	Model No. with Lid	Description	W	D	Н	Load Rating
76460	76461	Medium-Duty 60 Gal. Cap.	30½	48	33½	300 lbs.
76490	76491	Medium-Duty 90 Gal. Cap.	30½	47	39½	350 lbs.
76590	76591	Heavy-Duty 90 Gal. Cap.	30½	47	39½	450 lbs.
DI						

Trucks tip for easy manual emptying


Please specify colors when ordering.

*Carts without lids cannot have lids added after production. Single units are shipped completely assembled. When multiple units are ordered, lids are shipped separately and require assembly.



Heavy-duty piano hinge keeps lid propped open during use

MegaKart®



- Attached lid swings out of the way for easy dumping
- Injection-molded for exceptional durability and cost effectiveness
- Resists damage from oil and most chemicals
- Engineered for rigidity and strength

legaKart®			Inches		Inches						
Model No.	Capacity Gallons			Colors	Wheel Diameter	Load Rating					
79596	96	28	32	46	Black, Green	12	335 lbs.				



Patented design allows carts to nest with installed lids and latchbars for compact shipping and storage



Foot Tilt Pocket molded above axle for maximum leverage and utility



Materials Definitions & Benefits

material definitions & benefits

Each resin has properties that make it ideal for a specific purpose. We manufacture our plastic products using the grade most suited to the product's end use. Listed below are the quality resins we use and their attributes. NOTE: The "Use Temperature Range" defined below is dependent, and may vary with the end user's application. Akro-Mils reserves the right to change product materials without notice.

Polystyrene (GPS) -**General Purpose Styrene:**

- Water Clear in Clarity
- Surface Finish High Gloss
- Highly Rigid Material
- Low Resistance to Impact
- Chemical/Abrasion Resistance Low
- Use Temperature Range -30° to 115° F

High-Density Polyethylene (HDPE):

- Opaque
- Surface Finish High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 140°
- Abrasion Resistance High
- Use Temperature Range -40° to 140° F

High-Impact Polystyrene (HIPS):

- Opaque
- Surface Finish Satin
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Low
- Abrasion Resistance Low to Medium
- Use Temperature Range -30° to 180°

Polypropylene (PP) – Block **Copolymer; High Impact:**

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Medium
- Use Temperature Range -20° to 150° F

Recycled Polypropylene (PP):

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Moderate
- Use Temperature Range -0° to 150° F

Acrylic Blend Material:

- Water Clear in Clarity
- Surface Finish High Gloss
- Rigid Material
- Medium Resistance to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -20° to 180° F

Acrylonitrile Butadiene Styrene (ABS):

- Opaque
- Surface Finish High Gloss
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -40° to 180° F

Polypropylene (PP) - Random **Copolymer; Medium Impact:**

- Relatively Clear
- Surface Finish High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175°
- Abrasion Resistance Moderate
- Use Temperature Range 0° to 150° F

ESD Materials:

- · Highest Degree of Electrostatic Discharge Protection with Uniform Surface Resistivities in the Static Dissipative Range of 10⁶ to 10⁹ ohms/sq.
- Use Temperature Range -20° to 150° F

Structural Foam:

- Plastic and Nitrogen Gas Form a Cellular Core
- Withstands Heavy Loads and Abuse
- HDPE Use Temperature Range -20° to 120° F
- HIPS Use Temperature Range -20° to 160° F

FDA-Approved Materials:

- We use FDA materials for NSTs, Grid Boxes and Akro-Tubs, as well as Straight Wall Containers
- Other Products produced in FDAcompliant materials only available with Custom Orders

Linear Low Density Polyethylene (LLDPE):

- Highly Flexible
- · Highly Resistant to Impact
- Chemical Resistance Moderate
- Corrosion Resistance High
- Use Temperature Range -55° to 170° F



A generous selection of caster and wheel options allows Platform Trucks, Hand Trucks, Dollies and Shelf Carts to be customized to fit hundreds of applications, surfaces and conditions. Caster and wheel choices allow you to resolve problems of noise control, floor protection, impact and abrasion resistance or load capacity.





Air-filled for excellent shock protection, floor protection and easy operation over rough surfaces.



A heavy-duty, lightweight, nonmarking plastic wheel that resists most chemicals and oils, and has excellent impact resistance.



Steel

Polyolefin

Wheels offer least rolling resistance. A good choice for warehouses and manufacturing operations and where noise or floor protection are not a concern.



Polyurethane

Chemically bonded to a metal core, polyurethane wheels are more durable than other materials, deliver excellent mobility, a cushioned ride and long life when subjected to heavy loads.



For demanding applications, a less expensive wheel that offers high strength, is non-marking, nonconductive and protects floors.



Thermo-Plastic

Gray rubber wheel provides excellent floor protection and a cushioned ride while resisting chemicals, acids, oils and caustic substances.

Caster Composition					F	loor	Surfa	ice	,	Fl	oor C	over	ings	С	ther	Facto	ors To Conside
E = Excellent G = Good F = Fair NR = Not Recommend	led ,	/	oran	ic tile	, e	im, t	Mon.Mark	on the state of th	e Stadio	ilease	ster ster	ari de la	tion	Shion Los	pact Residence	stance	
Standard Caster/Wheels	Nest	phalt Bri	id (ot	Ret Co	ncrete lin	deum		Strile Me	tal oil	o Greass	iet de	Or N.	ise Ci	shio. Int	Sacr Ca	Pacity Ro	Jing to se
Polyolefin	NR	NR	G	Е	G	NR	G	F	G	Е	G	F	NR	G	G	Е	
Mold-On Rubber	Ε	Е	NR	Е	NR	F	NR	NR	F	G	G	Е	Е	Е	G	F	1
Pneumatic	Е	Е	NR	Е	NR	Е	NR	NR	F	G	G	Е	Е	Е	F	NR	1
Steel	NR	NR	NR	Е	NR	NR	F	Е	G	F	NR	F	NR	NR	Е	Е	
Polyurethane	Е	Е	G	Е	Е	F	G	G	G	G	Е	Е	G	Е	Е	G	1
Phenolic	NR	NR	G	E	G	NR	F	NR	F	F	G	F	NR	F	Е	E	
Thermo-Plastic	Е	Е	G	Е	Е	G	Е	G	Е	G	Е	Е	Е	Е	G	G	





material handling, storage and transport products

Model Nos.	Pg No.	30164		30553A5			32	42228	
02420		30164RECY		30553B1			31	4P	
05705		30170 30174		30553210S 30553220S			31	4R4Rx	
05805		30178		30553230S			31	5P	
05905 06115		30184		30553235S			31	5R	
06118		30210		30553LF			31	76460	
06217		30210ESD		30600BRACKET			49	76461	
09185BLUE		30210RECY		30600DOLLY			49	76490	
10116		30211		30618			13	76491	
10124		30220		30636			13	76590	
10126		30220ESD	23	30638		40040	13	76591	60
10144		30220RECY	6	30651	9	40120	12, 14, 21	77405	60
10164		30221		30653			12, 14, 21	77410	
13014		30224		30661			12	77505	
13017		30230		30676			12	77510	
13018		30230ESD		30716BLACK			5, 6	77610	
17018		30230RECY		30718BLACK			5, 6	77710	
17136		30231 30234		30776BLACK 30778BLACK			34	77810 79596	
19109		30235		30796BLACK			5	98100	
19228 19320		30235ESD		30812			5, 6	98536	
19416		30236		30930			5	98536210SD	
19715		30239		30936			5	98536210SS	
19909		30240		31142			5	98536220SD	
20228		30240ESD	23	31162			27	98536220SS	10
20320		30240RECY	6	31168	16	40281	27	98536230SD	10
20416		30250	5	31182	16	40282	27	98536230SS	10
20502		30250RECY	6	31188	16	40286	27	98536235SD	10
20715	34	30255	5	31620			27	98536235SS	
20902		30260		31625			27	98536320SD	
20909		30265		31625RACK			27	98536320SS	
21280		30270		33101			27	98600	
21281		30280		33105			24	98636	9
21282		30281		33161			34	Α	
21283		30282		33164			5	AC3618	44
21284		30283 30284		33166 33168				AC3618QV	
21286 21287		30286		33220			23	AC3618QV240	
21288		30287		33221			23	AC3618QV250	44
21289		30288		33224			12, 14	AC3618SV	
29200		30289		33226			34	AC3618SV240	
29201		30290	27	33228	30	40420	22	AC3618SV250	
29202		30292		34240	33	405A1	11	AC3618Y	
29203		30293		34301			11	AC3624 AC36243AS	
29300		30312		34302			11	AC3624Y	
29301		30318		34303			11	AC3624Y3AS	
29302		30320		34304			34	AC803618M26	
29303		30321		35010 35011			34	AC803624M26	
29304		30330RED 30348BEIGE		35180			34	ACQV4C	
30008	8	30358BEIGE		35181		40901		ACQV4C42	
30040	0	30400GRY10PK		35185			34	ACQV4C62	19
30048		30400WHI10PK		35190			30	ACQV4C82	19
30080		30400YEL10PK		35191			30	ACQV4CAST	
30088	13	30420GRY6PK	22	35195	29	41166	30	ACQV4P	
30090	13	30420WHI6PK	22	35200	29	41168	30	ACQV4P42	
30094	13	30424	8	35201			30	ACQV4P62	
30098		305A1		35225			30	ACQV4P82 ACQV4PAST	
30101		305A2		35230			30	ACS4C	
30102		305A3		35231			30	ACS4C42	
30110		305A4		35240			5	ACS4C62	
30110RECY		305A5		35241 35300			27 27	ACS4C82	
30118 30120		305B1		35301			27	ACS4CAST	
30120RECY		305B2		35R			27	ACS4P	19
30124		30536		36442BLUE			27	ACS4P42	19
30124RECY		30536A1		36462BLUE			16	ACS4P62	19
30128		30536A3		37208			16	ACS4P82	
30128RECY		30536A5		37278			16	ACS4PAST	
30130		30536B1		37288			11	AD1811C	
30130RECY		30536210S		37608	32	415B1	11	AD1811C62	
30138	12	30536220S		37612			30	AD1811C82	
30138RECY		30536230S		37616			30	AD1811CAST AD1811P	
30148		30536235S		37672			30	AD1811PAD1811P62	
30150		30536320S		37676			30	AD1811P82	
30150RECY		30553		37678			30	AD1811PAST	
30158		30553A1		37682 37686			30	AD1817C	
30161	9	30553A3	11	37000	34	42220			



material handling, storage and transport products

AD1817C68	17	AS1279130Y	41	AWS24360287	39
AD1817C88	17	AS1279150Y	41	AWS24360288	39
AD1817CAST	17	AS1279170Y	41	AWS24360SAB	39
AD1817P	17	AS12793122	24, 41	AWS24361288	39
AD1817P68		AS127936442B		AWS244830124	
AD1817P88		AS127936462B		AWS244830164	
AD1817PAST		AS1879		AWS244830174	
AD2311C		AS1879048		AWS244830184	
				AWS244830420	
D2311C42		AS1879088			
AD2311C62		AS1879094		AWS244837608	
AD2311CAST		AS1879098		AWS246035225	
AD2311P		AS1879128Y	42	AWS2460M30358	39
AD2311P42	17	AS187913014	42	AWS2460M33224	38
AD2311P62	17	AS187913017	42	AWS2460M34240	39
D2311PAST	17	AS187913018	42		
D3511BS		AS1879138Y		Н	
D3511C		AS1879158Y		HD4824A	43
D3511C42		AS1879178Y		HD4824E	43
D3511C42		AS18793182		HD4824F	43
.D3511C82		AS187936		M	
D3511CAST		AS187942		MA3618C	46
.D3511P		AS1879ASORT		MA3618CAST	
.D3511P42		AS2479		MA3618P	
.D3511P62	18	AS2479284	42	MA3618PAST	
.D3511P82	18	AS2479287	42	MA4824C	
.D3511PAST	18	AS2479288			
.D3517BS		AS2479ASSORT		MA4824C1	
D3517C		AS3679		MA4824C2	
.D3517C		AS3679292		MA4824P	
.D3517C68				MA4824P1	
		AS3679293		MA4824P2	46
D3517CAST		AS3679ASSORT		D	
D3517P		ASC1279		R	
.D3517P68		ASC1279142		R1130	
.D3517P88	18	ASC1279162	20	R1151	49
D3517PAST	18	ASC1279182	20	R1B5HR	48
PRBENCH 1	5, 24	ASC1279AST	20	R1B5HRL	48
PRBENCH040		ASC1879		R1B5HRX	
PRBENCH090		ASC1879168		R1B5HRXL	
PRBENCH120		ASC1879188		R1S10FP2	
APRBENCH150		ASC1879AST		R1S5HR	
PRD		AWS143630040		R1S5HR2LD	
PRD040		AWS143630080		R1S8FP2	
APRD080		AWS183630090		R1S8MR	
APRD090		AWS143630120		R1S8MR2	
APRD110Y	15	AWS143630130	38	R2108FPB	
PRD120Y	15	AWS143630150	38	R2125MRB	55
PRD130Y		AWS143630170	38	R214CS1841	27
PRD142		AWS143630240		R214CS1859	
PRD150Y		AWS143630250		R214CS1878	
PRD162		AWS143630312		R214CS2841	
.PRD170Y		AWS143630320		R214CS2859	
PRD182		AWS143636442B		R214CS2878	
PRDAST		AWS143636462B		R214HE	
.PRDAST00		AWS183613014		R215HE	
PRDMOBILE	15	AWS183613018	38	R2168MRB	55
PRD36442B	21	AWS183630048	39	R216CS2236	27
PRD36462B		AWS183630088		R216CS2239	27
PRS		AWS183630098		R216CS2836	
PRS040		AWS183630128		R2178MRB	
PRS080		AWS183630128		R219885MRB	
PRS090		AWS183630158		R221812MRB	
PRS110Y		AWS183630178		R2258516MRB	
.PRS120Y	15	AWS183630265	38	R2ST5HR	47
PRS130Y	15	AWS183630270	38	R2T5HR1830	48
PRS142		AWS183630318	38	R2T5HR2436	
.r 103142		AWS183630400		R2T5HR2448	
		AWS183633166		R2T8MR2448	
.PRS150Y	2.0			1.4 1 01/11/4 TTU	
.PRS150Y .PRS162				D3008MB	
PRS150Y PRS162 PRS170Y	15	AWS183633168	38	R3008MR	51
PRS150Y PRS162 PRS170Y PRS182	15 20	AWS183633168 AWS183635180	38 39	R3010FP	51 51
PRS150Y PRS162 PRS170Y PRS182 PRSAST	15 20 20	AWS183633168 AWS183635180 AWS1836M34301	38 39 39	R3010FP	51 51 51
.PRS150Y	15 20 20	AWS183633168 AWS183635180	38 39 39	R3010FP	51 51 51
PRS150Y	15 20 20 15	AWS183633168 AWS183635180 AWS1836M34301	38 39 39 38	R3010FP	51 51 51
APRS150Y	15 20 20 15 15	AWS183633168 AWS183635180 AWS1836M34301 AWS1836SNS	38 39 39 38	R3010FP R3010SP R3ST5HR	51 51 51 47 51
APRS150Y	15 20 20 15 15	AWS183633168AWS183635180AWS1836M34301AWS1836SNSAWS184813017AWS184830260	38 39 39 38 38	R3010FP R3010SP R3ST5HR R4008MR R4008MR2	51 51 51 47 51
PRS150Y	15 20 20 15 15 15	AWS183633168	38 39 39 38 38 38	R3010FP R3010SP R3ST5HR R4008MR R4008MR2 R4010FP	51 51 47 51 51
PRS150Y	15 20 20 15 15 15 41	AWS183633168	38 39 38 38 38 39 39	R3010FP	51 51 51 51 51 51
APRS150Y	15 20 20 15 15 15 41 42 42	AWS183633168	38 39 38 38 38 39 39	R3010FP	51 51 51 51 51 51 51 51
APRS162	15 20 20 15 15 15 41 42 42	AWS183633168	38 39 38 38 38 39 39 39	R3010FP	51 51 51 51 51 51 51


AWS2436028739	R4ST5HR
AWS2436028839	R4ST8MR 47
AWS24360SAB39	R5ST5HR47
AWS2436128839	R5ST8MR 47
AWS24483012438	R5SYT5HR243624, 47
AWS24483016438	R5SYT5HR363624, 47
AWS24483017438	R5SYT8MR243624, 47
AWS24483018438	R5SYT8HR363624, 47
AWS24483042039	R90110 53
AWS24483760839	R90162 53
AWS24603522539	R90163 53
AWS2460M3035839	R90181 53
AWS2460M3322438	R90182 53
AWS2460M3424039	R9018453
Н	R90185 53
HD4824A43	R90210 53
HD4824E43	R90262 53
HD4824F43	R90263 53
	R90281 53
M	R90282 53
MA3618C46	R90284 53
MA3618CAST46	R90285 53
MA3618P46	R92411 53
MA3618PAST46	R9241253
MA4824C 46	R9255HR 52
MA4824C146	R93011 53
MA4824C246	R93012
MA4824P46	R94817 53
MA4824P146	R9508MR252
MA4824P246	R9510MR2
R	RA6TR4MR
R113049	RA756MR57
R1151 49	RA778MR57
R1B5HR48	RABR533842
R1B5HRL48	RACR5MR33
R1B5HRX48	RCT40LW51
R1B5HRXL48	RCTV40SP51
R1S10FP247	RD2416F3P49
R1S5HR47	RD2416R3P49
R1S5HR2LD47	RD2416S3P49
R1S8FP247	RD2718F3P
R1S8MR	RD2718RC3P49 RD2718S3P49
R1S8MR247 R2108FPB55	RD3018AC3P49
R2125MRB55	RD3018CE3P
R214CS184127	RD3018F3P 49
R214CS185927	RD3018R3P49
R214CS187827	RD3018RC3P49
R214CS284127	RD3018S3P49
R214CS285927	RD3624AC3P49
R214CS287827	RD3624CE3P49
R214HE48	RD3624F3P49
R215HE48 R2168MRB55	RD3624R3P49 RD3624S3P49
R216CS223627	RD4824F3P 49
R216CS223927	RD482453P49
R216CS283627	RD843HR50
R2178MRB55	RD843SS50
R219885MRB55	RD844HR50
R221812MRB55	RD844SS50
R2258516MRB55	RD853HR50
R2ST5HR47	RD853SS50
R2T5HR183048	RD854HR50
R2T5HR2436 48	RD854SS
R2T5HR2448 48	RDT4008SP52
R2T8MR244848	RDT4010FP52 RDT4010SP52
R3008MR51 R3010FP51	RF718MR57
R3010FP51	RGTD10FP51
R3ST5HR47	RGTD1017 51
R4008MR51	RGTS10FP51
R4008MR251	RGTS10SP51
R4010FP51	RM718MR57
R4010FP251	RMD2ST5SR58
R4010SP51	RMD3018F4PN 50
R4010SP251	RMD3018F4RX 50
R4510SP51	RMD3018FN


R4ST5HR47
R4ST8MR
R5ST5HR
R5ST8MR 47 R5SYT5HR2436 24, 47
R5SYT5HR363624, 47
R5SYT8MR243624, 47
R5SYT8HR363624, 47
R90110 53
R90162
R90181 53
R90182 53
R9018453
R90185 53
R90210 53 R90262 53
R90262
R90281 53
R90282 53
R90284 53
R90285 53
R92411 53 R92412 53
R92412 53 R9255HR 52
R93011 53
R93012 53
R94817 53
R9508MR252
R9510MR2
RA6TR4MR33
RA756MR57
RA778MR 57
RABR533842
RACR5MR
RCTV40SP 51
RD2416F3P 49
RD2416R3P49
RD2416S3P49
RD2718F3P49
RD2718RC3P
RD3018AC3P49
RD3018CE3P49
RD3018F3P49
RD3018R3P49
RD3018RC3P
RD3624AC3P49
RD3624CE3P49
RD3624F3P 49
RD3624R3P49
RD3624S3P49
RD4824F3P 49 RD4824S3P 49
RD843HR50
RD843SS50
RD844HR50
RD844SS50
RD853HR 50 RD853SS 50
RD854HR 50
RD854SS50
RDT4008SP52
RDT4010FP
RDT4010SP52
RF718MR57 RGTD10FP51
RGTD10SP51
RGTS10FP51


RMD3018RC4RX	50
RMD3018RCN	50
RMD3ST5SR	58 54
RPT2448RPT2754	54
RPT3060	54
RPT3672	54
RPT4010SP	52
RU843HR	50
RU843HR1519	28
RU843HR1617	28
RU843HR2018	27
RU843HR2918	27
RU843SS	50
RU843TP1721	27
RU843TP1727	27
RU843TP1821	27
RU843TP2122	27
	27
RU844HR	50
RU844SS	50 50
RU853HR	50
RU853SS RU854HR	50
D11854SS	50
RU854SS RWH24481A5M8	56
RWH24481A5M8A	56
RWH2448EA5M6	57
RWH2448EA5M6A	57
RWH30601A5M8	56
RWH30601A5M8A	56
RWH3060EA5M6	57
RWH3060EA5M6A	57
RWHS24481A5M8	56
RWHS24481A5M8A	56
RWHS24481A5Y6	56
RWHS24481A5Y6A	56
RWHS2448EA5M6	57
RWHS2448EA5M6A	57
RWHS30601A5M8	56
RWHS30601A5M8A RWHS30601A5Y6	56 56
RWHS30601A5Y6A	56
RWHS3060EA5M6	57
RWHS3060EA5M6A	57
RWHV24481A5M8	56
RWHV24481A5M8A	56
RWHV24481A5Y6	56
RWHV24481A5Y6A	56
RWHV2448EA5M6	57
RWHV2448EA5M6A	57
RWHV30601A5M8	56
RWHV30601A5M8A	56
RWHV30601A5Y6	56
RWHV30601A5Y6A	56
RWHV3060EA5M6	57
RWHV3060EA5M6A	57

Ready, Set, Organize!™

Our broad range of durable plastic containers combined with metal cabinets, shelving and racks, will improve storage and organization efficiency, shorten assembly times and optimize parts protection. Akro-Mils will help you improve your productivity and your bottom line!







A. ProHANGERp. 7
B. Heavy-Duty Work Benchp. 59
C. Super-Size AkroBin Cartp. 27
D. Louvered Hanging Systemsp. 9
E. AkroBinsp. 4-6
F. Super-Size AkroBinsp. 26-27

G. Steel Shelving Systems p. 40-4	12
H. Security Bin Cabinetp. 43-4	14
I. Super Modular Cabinetp. 1	7
J. System Binsp. 2	4
K. Double-Sided Louvered	
Floor Pack n	a

L. Platform Truckp. 56-57
M.Storage-Go-Roundp. 34
N. Roto-Shelfp. 35
O. Single-Sided Louvered
Floor Rackp. 9
P. ShelfMax Binsp. 13

Q. Akro-Grids
R. Wire Shelving Systemsp. 36-39
S. Stak-N-Store Binsp. 28
T. Attached Lid Containersp. 31
U. Pick Rack with System Binsp. 15
V. AkroDrawers



To learn more, contact us today: 800.253.2467

1293 South Main Street, Akron, Ohio 44301 • www.akro-mils.com • Fax: 330.761.6348 • sales@akro-mils.com In Canada: 8030 Torbram Road, Brampton, Ontario L6T 3T2 • Tel: 877.877.9680 • Fax: 905.791.4084 • sales@akro-milscanada.com

